

## COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

## NOTIFICATION

CUSAT/EXAM(V).EV4/7566/2021

The following is the provisional result of candidates who have appeared for the B. Arch Degree III Semester Examination  
November 2021

Centre: MARIAN COLLEGE OF ARCHITECTURE AND PLANNING

REG.NO.	MARKS SCORED									SGPA	ATTENDANCE LETTER CODE	P / F
	AR1301	AR1302	AR1303	AR1304	AR1305	AR1306	AR1307	AR1308	TOTAL			
2019 ADMISSION (REGULAR)												
24119001	270	126	63	67	124	60	33	58	.....	.....	H	F
24119002	294	151	98	107	134	97	41	122	1044	7.46	H	P
24119003	305	141	91	99	141	62	32	106	.....	.....	H	F
24119004	308	142	98	107	130	95	41	102	1023	7.42	H	P
24119005	275	105	83	82	138	87	30	78	878	6.25	N	P
24119006	305	141	84	86	126	103	39	120	1004	7.33	H	P
24119007	304	125	63	105	135	57	35	48	.....	.....	H	F
24119008	365	144	90	102	138	90	45	116	1090	7.75	H	P
24119009	350	139	78	102	146	94	31	112	1052	7.42	H	P
24119010	318	141	78	93	131	105	35	96	997	7.25	H	P
24119011	382	161	92	108	138	98	34	127	1140	7.88	H	P
24119012	343	162	95	124	131	104	45	113	1117	7.88	H	P
24119013	298	71	58	80	123	81	42	55	.....	.....	H	F
24119014	270	117 *	81	87	121	78	41	80 *	.....	.....	H	F
24119015	337	129	69	67	128	82	36	58	.....	.....	H	F
24119016	307	133	85	95	129	88	36	115	988	7.04	H	P
24119017	360	153	95	108	135	88	41	104	1084	7.54	H	P
24119018	340	139	88	111	145	107	36	97	1063	7.33	H	P

24119019	183	96	64	81	115	80	36	96	.....	.....	H	F
24119020	330	134	88	102	140	100	41	90	1025	7.25	H	P
24119021	344	108 *	80	80	129	80	38	47	.....	.....	H	F
24119022	359	151	93	96	141	90	38	100	1068	7.63	H	P
24119023	292	138	93	97	131	86	39	117	993	6.92	N	P
24119024	355	159	67	97	148	91	37	106	.....	.....	H	F
24119025	426	148	84	97	137	86	37	106	1121	7.63	H	P
24119026	319	145	93	101	129	99	33	117	1036	7.29	H	P
24119027	343	150	83	99	135	100	37	59	.....	.....	H	F
24119028	382	139	86	106	143	89	39	123	1107	7.63	H	P
24119029	428	175	119	123	147	109	43	111	1255	8.54	H	P
24119030	273	116	73	104	127	80	34	109	.....	.....	H	F
24119031	208	102	29	75	118	34	33	35	.....	.....	N	F
24119032	315	130	109	100	140	68	38	129	.....	.....	H	F
24119033	268	135	56	93	129	66	34	49	.....	.....	H	F
24119034	328	142	108	97	144	88	36	100	1043	7.42	H	P
24119035	219	77	31	35	71	34	38	63	.....	.....	N	F
24119036	369	159	88	101	133	121	39	105	1115	7.67	H	P
24119037	331	152	119	104	129	126	39	134	1134	7.75	H	P
24119038	377	134	36	87	145	94	33	102	.....	.....	H	F
24119039	150	125	52	82	129	59	33	70	.....	.....	N	F
24119040	347	135	97	86	133	69	39	90	.....	.....	H	F
24119041	373	166	117	99	124	108	40	121	1148	8.13	H	P
24119042	27	63	49	55	115	41	31	47	.....	.....	N	F
24119043	344	126	103	82	131	78	42	88	994	6.88	H	P
24119044	144	124	90	90	133	81	31	88	.....	.....	N	F
24119045	347	154	109	85	132	88	39	129	1083	7.42	H	P

24119046	373	146	98	95	140	99	38	118	1107	7.75	H	P
24119047	359	146	104	91	134	93	41	132	1100	7.79	H	P
24119048	376	158	123	107	134	101	44	136	1179	8.17	H	P
24119049	185	109 *	77	85	135	52	35	70	.....	.....	H	F
24119050	364	131	95	90	120	94	38	122	1054	7.54	H	P
24119051	284	123	80	62	123	49	38	81 *	.....	.....	H	F
24119052	349	138	118	104	130	89	43	113	1084	7.29	H	P
24119053	362	167	116	106	133	116	43	119	1162	8.08	H	P
24119054	340	133	75 *	82	128	79	36	48	.....	.....	H	F
24119055	339	157	110	100	139	85	44	134	1108	7.58	H	P
24119056	218	96	79	59	127	37	30	54	.....	.....	N	F
24119057	348	158	111	93	136	102	42	121	1111	7.67	H	P
24119058	337	132	91	89	134	84	36	111	1014	7.04	H	P
24119059	315	126	103	90	134	89	35	123	1015	7.25	H	P
24119060	356	147	94	98	139	106	36	133	1109	7.79	H	P
24119061	359	148	99	91	135	83	37	123	1075	7.63	H	P
24119062	262	111	75	63	126	34	30	65	.....	.....	N	F
24119063	294	134	91	96	135	83	36	132	1001	7.04	N	P
24119064	340	126	80	85	128	92	38	81 *	.....	.....	H	F
24119065	426	171	122	104	139	114	40	137	1253	8.54	H	P
24119066	341	152	86	100	143	112	36	105	1075	7.54	H	P
24119067	340	140	113	94	153	109	33	88	1070	7.38	H	P
24119068	319	134	89	90	134	83	34	121	1004	7.08	H	P
24119069	355	123	96	82	123	92	34	103	1008	7.13	H	P
24119070	352	149	106	95	138	100	43	126	1109	7.88	H	P
24119071	308	130	91	98	129	71	31	97	.....	.....	H	F
24119072	371	136	92	93	127	96	40	117	1072	7.5	H	P

24119073	413	146	111	90	139	83	43	123	1148	8.00	H	P
24119074	325	165	128	95	140	100	41	137	1131	8.21	H	P
24119075	292	140	82	79	128	61	37	52	.....	.....	H	F
24119076	370	165	113	98	140	95	43	121	1145	8.21	H	P
24119077	346	143	99	84	121	93	35	100	1021	7.17	H	P
24119078	196	68	45	47	112	32	26	67	.....	.....	N	F
2018 ADMISSION												
24118002	.....	AB	NR	64	.....	40	.....	.....	.....	.....	H	F
24118003	.....	.....	.....	.....	.....	.....	.....	86	947	6.46	H	P
24118006	.....	NR	NR	NR	.....	75	.....	95	.....	.....	N	F
24118008	.....	.....	.....	.....	.....	.....	.....	90	965	6.63	H	P
24118009	.....	126	.....	.....	.....	.....	.....	.....	967	7.00	N	P
24118010	.....	AB	.....	.....	.....	.....	.....	AB	.....	.....	N	F
24118012	.....	110	98	.....	.....	.....	.....	.....	876	6.38	H	P
24118014	.....	AB	81	.....	.....	.....	.....	NR	.....	.....	H	F
24118024	.....	AB	NR	.....	.....	50	.....	58	.....	.....	H	F
24118028	.....	107	.....	.....	.....	.....	.....	.....	868	6.25	H	P
24118029	.....	138	.....	.....	.....	.....	.....	NR	.....	.....	H	F
24118030	.....	76	.....	.....	.....	56	.....	NR	.....	.....	N	F
24118035	332	NR	.....	.....	.....	.....	.....	NR	.....	.....	N	F
24118038	.....	NR	NR	80	.....	64	.....	NR	.....	.....	N	F
24118041	.....	.....	.....	.....	.....	.....	.....	108	979	7.00	H	P
24118046	.....	.....	.....	.....	.....	.....	.....	105	1030	7.21	N	P
24118047	.....	.....	.....	.....	.....	.....	.....	53	.....	.....	H	F
24118048	.....	.....	.....	.....	.....	.....	.....	105	909	6.42	H	P
24118049	.....	.....	.....	.....	.....	.....	.....	104	874	6.38	N	P
24118050	328	.....	.....	.....	.....	.....	.....	.....	975	6.79	H	P

24118051	.....	.....	.....	.....	.....	.....	.....	88	1000	7.17	N	P
24118055	.....	.....	.....	.....	.....	.....	.....	78 *	.....	.....	H	F
24118060	.....	.....	.....	.....	.....	.....	.....	92	962	6.79	N	P
24118062	.....	104	84	.....	.....	.....	.....	96	870	6.29	N	P
24118064	.....	.....	.....	.....	.....	.....	.....	93	895	6.46	H	P
24118065	.....	.....	100	.....	.....	.....	.....	97	916	6.63	H	P
24118069	.....	.....	106	.....	.....	.....	.....	94	967	6.96	N	P
24118075	.....	.....	106	.....	.....	81	.....	81	885	6.33	H	P
24118076	.....	.....	.....	.....	.....	.....	.....	100	947	6.79	N	P

2017 ADMISSION

10118003	.....	.....	.....	.....	.....	.....	.....	75	886	6.38	N	P
10118004	.....	.....	.....	.....	.....	.....	.....	102	918	6.54	H	P
10118008	.....	.....	47	AB	.....	AB	.....	NR	.....	.....	N	F
10118010	.....	.....	NR	.....	.....	.....	.....	60	.....	.....	H	F
10118012	.....	.....	55	75	.....	.....	.....	AB	.....	.....	N	F
10118015	.....	.....	75	.....	.....	.....	.....	AB	.....	.....	H	F
10118016	.....	.....	90	.....	.....	.....	.....	91	885	6.38	H	P
10118019	.....	.....	.....	.....	.....	.....	.....	88	984	6.92	H	P
10118020	.....	.....	.....	.....	.....	.....	.....	99	996	7.13	H	P
10118022	.....	86	NR	AB	.....	NR	.....	NR	.....	.....	N	F
10118023	.....	.....	.....	.....	.....	.....	.....	96	992	6.96	H	P
10118025	.....	.....	79	.....	.....	AB	.....	64	.....	.....	N	F
10118027	.....	.....	.....	.....	.....	.....	.....	101	862	6.29	N	P
10118030	.....	74	.....	.....	.....	61	.....	97	.....	.....	N	F
10118042	.....	.....	95	.....	.....	.....	.....	118	967	7.04	N	P
10118043	.....	.....	100	.....	.....	.....	.....	.....	996	6.67	N	P
10118046	.....	.....	.....	.....	.....	.....	.....	105	947	6.63	H	P

10118056	.....	.....	77	.....	.....	.....	.....	.....	878	6.33	H	P
10118058	.....	.....	.....	76	.....	58	.....	AB	.....	.....	H	F
10118061	.....	.....	AB	AB	.....	.....	.....	AB	.....	.....	N	F
10118062	.....	.....	.....	.....	.....	.....	.....	112	1014	7.04	H	P
10118065	.....	.....	.....	.....	.....	.....	.....	98	885	6.29	H	P
10118069	.....	.....	102	.....	.....	.....	.....	.....	891	6.33	H	P

READMISSION 2016 ADDMISSION

10117070	.....	100	90	.....	.....	.....	AB	NR	.....	.....	N	F
10117003	.....	.....	.....	84	.....	.....	.....	62	.....	.....	N	F
10117005	.....	77	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10117012	.....	70	75	63	.....	.....	.....	AB	.....	.....	H	F
10117019	.....	113	.....	.....	.....	.....	.....	.....	819	6.25	N	P
10117022	.....	.....	.....	.....	.....	.....	.....	61	.....	.....	N	F
10117027	.....	.....	AB	.....	.....	.....	.....	.....	.....	.....	H	F
10117029	.....	.....	.....	.....	.....	86	.....	81	873	6.17	N	P
10117034	.....	.....	.....	.....	.....	.....	.....	44	.....	.....	H	F
10117038	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10117040	.....	.....	77	.....	.....	.....	.....	.....	831	6.08	N	P
10117043	.....	.....	AB	.....	.....	.....	.....	AB	.....	.....	N	F
10117051	255	NR	87	NR	78	108	.....	33	.....	.....	N	F
10117057	.....	.....	86	AB	112	NR	.....	AB	.....	.....	N	F
10117058	.....	.....	.....	.....	.....	.....	.....	85	979	6.83	N	P
10117059	.....	.....	AB	AB	.....	78	.....	23	.....	.....	N	F
10117061	.....	.....	75	59	.....	61	NR	65	.....	.....	H	F
10117067	.....	.....	75	.....	.....	.....	.....	NR	.....	.....	N	F

2015 ADMISISON

10116026	.....	AB	NR	NR	117	.....	.....	AB	.....	.....	N	F
----------	-------	----	----	----	-----	-------	-------	----	-------	-------	---	---

10116006	.....	110	AB	.....	.....	.....	.....	NR	.....	.....	N	F
10116009	.....	106	64	.....	.....	.....	.....	NR	.....	.....	N	F
10116018	.....	.....	AB	.....	.....	.....	.....	.....	.....	.....	N	F
10116023	.....	.....	.....	75	.....	.....	.....	.....	817	6.17	N	P
10116032	.....	118	.....	.....	.....	.....	.....	NR	.....	.....	N	F
10116037	.....	.....	75	.....	.....	.....	.....	.....	928	6.79	N	P
2014 ADMISSION												
10115002	NR	.....	.....	.....	.....	.....	.....	43	.....	.....	N	F
10115007	.....	.....	.....	.....	.....	.....	.....	78	979	6.92	N	P
10115011	.....	100	.....	.....	.....	.....	.....	.....	807	6.25	H	P
10115013	NR	NR	94	.....	.....	77	.....	75	.....	.....	N	F
10115014	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10115018	.....	.....	.....	.....	.....	.....	.....	65	.....	.....	N	F

F: Failed

P:Passed

For Paper AR 1301 Marks below 250 and those with \* indicates failure

For Papers AR 1302,AR1305 Marks below 100 and those with \* indicates failure

For Papers AR 1303,AR 1304,AR 1306,AR 1308 Marks below 75 and those with \* indicates failure

AR 1307 Marks below 25 and those with \*indicates failure

University Office

Date: 11/10/2021

CONTROLLER OF EXAMINATIONS