

# COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

## RESULT NOTIFICATION

**DATE OF PUBLICATION OF RESULT : 17.05.2022**

*The following is the provisional result of candidates who have appeared for the  
B. Arch Degree IV Semester Examination APRIL 2021*

**Centre: NIZAR RAHIM AND MARK SCHOOL OF ARCHITECTURE**

REG.NO.	MARKS SCORED									SGPA	Attenda nce Letter code	P/F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407	AR 1408	TOTAL			
24119201	356	121	109	75	107	100	105	111	...	...	H	F
24119202	31	100	59	95	95	60	89	67	...	...	H	F
24119203	387	120	114	86	116	95	117	100	...	...	H	F
24119204	352	115	108	122	110	101	127	116	1151	7.5	H	P
24119205	395	127	124	127	115	108	128	117	1241	7.83	H	P
24119206	379	123	120	127	109	102	117	101	1178	7.58	H	P
24119207	353	122	121	127	110	104	106	110	1153	7.67	H	P
24119208	360	118	120	119	113	90	107	110	1137	7.33	H	P
24119209	402	122	116	130	123	104	115	107	1219	7.92	H	P
24119210	365	115	110	118	104	94	93	106	1105	7.04	H	P
24119211	377	134	118	128	120	103	121	123	1224	7.88	H	P
24119212	380	130	114	92	103	89	112	96	...	...	H	F
24119213	390	99	108	129	123	97	104	111	...	...	H	F
24119214	362	111	116	114	108	89	115	96	1111	7.08	H	P
24119215	389	127	111	85	124	97	131	95	...	...	H	F
24119216	234	95	94	114	103	53	73	56	...	...	H	F
24119217	330	104	105	83	115	84	78*	99	...	...	H	F
24119218	351	91	88	72	67	59	104	51	...	...	H	F
24119219	344	117	91	114	100	65	96	66	...	...	H	F
24119220	25	66	65	78	75	38	76*	56	...	...	N	F
24119221	359	94	89	94	102	82	110	63	...	...	H	F
24119222	374	79	77	95	97	39	107	75*	...	...	H	F
24119223	391	118	103	120	109	101	126	90	1158	7.33	H	P
24119224	350	113	95	82	107	103	113	91	...	...	H	F
24119225	351	99	107	115	91	59	116	92	...	...	H	F
24119226	408	111	126	132	111	91	112	100	1191	7.63	H	P
24119227	345	134	104	136	103	113	102	99	1136	7.08	H	P
24119228	353	95	105	114	88	53	90	104	...	...	H	F
24119229	368	118	120	119	101	107	126	112	1171	7.38	H	P
24119230	340	98	94	112	101	55	66	88	...	...	H	F
<b>2018 ADMISSION</b>												
24118208	...	...	...	...	...	...	...	103	1100	7.33	N	P
24118209	...	108	...	...	...	...	...	...	1086	7.04	N	P
24118210	...	116	AB	AB	NR	NR	NR	...	...	...	N	F
24118211	...	116	...	...	...	84	...	103	1132	7.21	H	P
24118213	239	NR	NR	NR	NR	NR	...	NR	...	...	N	F
24118214	...	115	...	...	...	...	...	NR	...	...	N	F
24118221	...	...	...	...	...	...	...	103	1044	6.71	N	P

24118222	...	115	AB	AB	...	86	...	AB	...	...	N	F
24118223	...	112	AB	AB	AB	AB	...	55	...	...	N	F
24118230	...	133	...	140	...	NR	...	...	...	...	H	F
24118231	...	...	...	136	...	85	NR	55	...	...	H	F
24118232	...	135	...	AB	...	...	92	92	...	...	N	F
24118234	NR	77	45	98	AB	50	69	62	...	...	N	F
24118237	...	132	...	...	...	...	...	...	996	6.58	N	P
2017 ADMISSION												
10118204	...	110	...	...	...	...	...	NR	...	...	N	F
10118215	...	AB	...	...	...	...	...	...	...	...	N	F
10118225	...	...	...	...	...	...	...	85	858	6	N	P
10118227	...	...	...	...	...	...	...	AB	...	...	N	F
2016 ADMISSION												
10117204	...	100	75	79	AB	42	...	49	...	...	N	F
10117206	...	...	...	...	...	...	...	56	...	...	N	F
10117211	...	116	NR	NR	...	NR	39	NR	...	...	N	F
10117215	...	135	93	123	...	88	...	75	935	6.42	H	P
10117218	...	...	...	...	...	...	...	94	959	6.50	N	P
10117219	...	...	...	91	...	...	...	...	...	...	H	F
10117223	...	...	...	88	...	...	...	...	...	...	N	F
10117224	...	134	...	113	...	...	...	...	931	6.17	N	P
10117225	...	112	59	82	AB	66	55	AB	...	...	L	F
10117226	...	100	NR	100	NR	41	NR	NR	...	...	N	F
10117230	...	...	91	...	...	54	...	87	...	...	H	F
10117231	...	...	...	...	...	...	...	96	1022	6.67	N	P
10117233	...	...	...	...	...	...	...	42	...	...	N	F
10117234	...	...	80	91	...	...	92	31	...	...	L	F
10117235	...	86	...	93	...	...	...	...	...	...	N	F
10117237	NR	104	AB	129	NR	...	...	61	...	...	L	F
10117240	...	100	...	...	...	...	...	46	...	...	H	F
2015 ADMISSION												
10116215	231	95	79*	...	...	...	67	...	...	...	N	F
10116236	...	...	...	AB	...	...	...	...	...	...	N	F
10116237	...	...	...	...	...	...	...	23	...	...	N	F
10116239	...	...	...	...	...	...	AB	AB	...	...	N	F
10116240	...	...	...	...	...	...	...	58	...	...	N	F
2014 ADMISSION												
10115211	...	...	...	...	...	...	...	AB	...	...	N	F
10115215	...	...	...	...	...	...	...	61	...	...	N	F
10115224	...	...	...	...	...	...	...	55	.....	.....	N	F
10115226	...	105	...	...	...	...	...	...	848	6	N	P

**Centre: TKM SCHOOL OF ARCHITECTURE**

REG.NO.	MARKS SCORED								TOTAL	GPA	ATTEN	P / F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407	AR 1408			DANCE  LETTE R	
<b>2018 ADMISSION</b>												
24119101	218	92	108	100	93	61	88	52	.....	.....	H	F
24119102	263	87	63	83	84	54	60	37	.....	.....	N	F
24119103	314	115	107	120	105	107	60	85	.....	.....	H	F
24119104	271	71	80	65	78*	63	59	48	.....	.....	H	F
24119106	268	100	112	110	109	97	121	63	.....	.....	H	F
24119107	263	96	87	94	76*	48	46	40	.....	.....	H	F
24119108	344	144	128	125	112	114	125	115	1207	7.79	H	P
24119110	268	107	122	111	106	106	108	42	.....	.....	H	F
24119111	219	66	103	103	105	57	39	40	.....	.....	N	F
24119112	104	21	110	63	87	73	86	53	.....	.....	N	F
24119113	378	137	125	128	120	49	117	96	.....	.....	H	F
24119114	260	100	118	117	115	91	104	69	.....	.....	H	F
24119115	277	107	103	91	99	79*	42	39	.....	.....	H	F
24119116	100	93	82	94	80	80*	57	37	.....	.....	N	F
24119117	277	105*	110	111	106	94	92	84	.....	.....	H	F
24119118	270	84	110	101	110	105	86	83	.....	.....	H	F
24119119	303	122	121	122	117	84*	112	105	.....	.....	H	F
24119120	273	78	76	65	81	93	67	73	.....	.....	H	F
24119121	278	52	97	55	84	70	87	34	.....	.....	H	F
24119122	300	118	128	110	113	95	109	94	1067	7.04	H	P
24119123	302	145	125	128	128	109	120	114	1171	7.92	H	P
24119124	270	108	79	120	90	90	71	75*	.....	.....	H	F
24119125	279	86	67	86	89	67	64	50	.....	.....	H	F
24119126	250	97	86	106	73	76*	60	64	.....	.....	N	F
24119127	285	115	126	126	119	103	118	134	1126	7.17	H	P
24119128	263	86	81	80	74	67	51	36	.....	.....	H	F
24119129	251	118	100	95	77*	87	87	71	.....	.....	H	F
24119130	278	96	96	89	77*	69	62	62	.....	.....	H	F
24119131	253	100	90	87	88	93	87	93	.....	.....	N	F
24119132	305	117	110	87	96	97	98	84	.....	.....	H	F
24119133	291	113	115	113	109	96	108	88	1033	6.67	H	P
24119134	376	124	119	127	102	102	113	107	1170	7.46	H	P
24119135	297	113	119	121	107	90	99	59	.....	.....	H	F
24119136	324	141	117	122	106	114	112	96	1132	7.54	H	P
24119137	278	106	85	116	99	90	93	92	959	6.38	H	P
24119138	369	152	134	141	123	113	105	110	1247	8.21	H	P
24119139	331	144	113	127	113	122	110	91	1151	7.63	H	P
24119140	270	99	89	101*	95	65	89	85	.....	.....	H	F
<b>2018 ADMISSION</b>												
24118101	...	...	...	...	...	AB	...	.....	.....	.....	N	F
24118103	...	86	...	AB	...	AB	...	39	.....	.....	N	F
24118111	...	AB	...	84	...	60	AB	23	.....	.....	N	F
24118112	...	109	...	...	...	...	...	.....	925	6.17	N	P
24118113	...	109	...	...	...	81	...	.....	922	6.21	H	P

24118114	...	114	...	...	...	...	...	...	1020	6.67	N	P
24118115	...	118	...	...	...	...	...	...	943	6.08	N	P
24118116	...	85	...	...	...	...	...	NR	.....	.....	N	F
24118118	...	...	...	...	...	...	...	82	1020	6.67	N	P
24118126	...	81	...	...	...	...	...	....	.....	.....	N	F
24118127	...	100	...	107	...	...	...	54	.....	.....	N	F
24118130	...	101	...	...	...	...	...	....	1044	6.75	N	P
24118131	...	61	...	100	...	75	...	39	.....	.....	N	F
24118133	...	...	...	...	...	...	...	84	904	6.21	N	P
24118134	...	111	...	...	...	...	...	....	921	6.21	H	P
24118139	...	133	...	...	...	...	...	....	1075	7.04	H	P

2017 ADMISSSION

10118101	...	...	...	...	...	103	...	....	964	6.46	N	P
10118104	...	...	79	...	65	71	61	NR	.....	.....	H	F
10118106	...	...	104	...	...	...	NR	95	.....	.....	N	F
10118107	264	124	NR	...	NR	...	...	NR	.....	.....	N	F
10118108	...	113	NR	...	NR	63	AB	63	.....	.....	H	F
10118109	...	...	...	...	...	85	82	....	951	6.17	N	P
10118110	...	...	...	...	...	...	...	85	963	6.46	N	P
10118114	...	85	NR	...	...	NR	NR	NR	.....	.....	N	F
10118115	...	113	...	...	...	...	...	....	885	6.00	H	P
10118117	...	...	...	...	...	87	...	80	869	6.00	N	P
10118118	...	...	100	...	...	...	...	84	958	6.25	N	P
10118122	...	NR	...	...	...	65	NR	....	.....	.....	N	F
10118123	...	100	NR	...	81	80	65	NR	.....	.....	H	F
10118125	...	...	92	...	...	NR	75	NR	.....	.....	N	F
10118126	...	...	94	...	81	75	...	AB	.....	.....	N	F
10118127	...	100	NR	...	NR	85	82	31	.....	.....	N	F
10118129	...	...	...	...	...	93	...	....	925	6.46	H	P
10118130	...	103	...	...	...	69	...	63	.....	.....	N	F
10118133	...	...	NR	89	...	75	...	AB	.....	.....	N	F
10118134	...	...	91	...	...	...	...	75	882	6.08	N	P
10118135	...	...	...	...	...	...	...	97	942	6.17	N	P
10118136	...	117	79	...	80	91	75	....	895	6.08	N	P
10118209	...	...	AB	...	...	...	...	AB	.....	.....	N	F

2016 ADMISSION

10117102	...	...	...	...	...	...	...	72	.....	.....	H	F
10117103	...	88	NR	AB	...	...	...	NR	.....	.....	L	F
10117105	301	113	...	...	...	AB	...	....	.....	.....	N	F
10117107	...	...	...	...	...	...	...	96	1028	6.75	H	P
10117109	...	...	...	...	...	98	...	....	940	6.25	H	P
10117112	...	...	...	...	...	...	...	44	.....	.....	N	F
10117117	...	100	...	...	...	...	...	AB	.....	.....	N	F
10117118	...	...	113	88	...	...	101	80	.....	.....	N	F
10117120	...	...	80	85	...	75	...	74	.....	.....	N	F
10117122	...	53	NR	NR	NR	...	NR	NR	.....	.....	N	F
10117124	...	...	...	...	...	...	...	AB	.....	.....	H	F
10117126	266	65	NR	55	NR	NR	NR	57	.....	.....	N	F
10117129	...	...	...	...	...	...	...	36	.....	.....	N	F
10117131	...	100	AB	72	43	NR	...	NR	.....	.....	N	F

10117132	...	121	...	100	...	...	...	AB	.....	.....	N	F
10117134	...	...	...	...	...	...	...	101	956	6.21	N	P
10117135	...	...	...	...	...	...	...	87	985	6.42	N	P
<b>2015 ADMISSION</b>												
10116102	...	...	...	...	...	...	95	....	934	6.42	N	P
10116104	...	...	...	...	...	...	...	100	953	6.17	N	P
10116110	...	...	...	...	...	...	...	89	883	6.00	N	P
10116113	...	...	AB	...	...	...	...	77	.....	.....	N	F
10116116	...	...	...	119	...	...	...	....	891	6.00	N	P
<b>2014 ADMISSION</b>												
10115115	...	...	...	...	...	...	...	75	882	6.13	N	P
<b>Centre: MARIAN COLLEGE OF ARCHITECTURE AND PLANNING</b>												
REG.NO.	MARKS SCORED								TOTAL	GPA	ALC	P / F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407	AR 1408				
<b>2019 ADMISSION</b>												
24119001	323	73	32	103	86	73	84	53	.....	.....	N	F
24119002	329	135	125	137	123	99	125	122	1195	7.75	H	P
24119003	348	131	118	118	106	91	115	113	1140	7.21	N	P
24119004	335	133	119	126	114	98	128	109	1162	7.46	H	P
24119005	295	128	114	129	120	100	124	104	1114	7.29	H	P
24119006	340	125	103	123	107	97	88	132	1115	7.21	N	P
24119007	294	97	86	91	101	65	76	36	.....	.....	N	F
24119008	372	128	99	130	101	115	119	121	1185	7.54	H	P
24119009	343	148	99	141	102	102	109	102	1146	7.42	H	P
24119010	372	147	110	113	105	86	109	96	1138	7.42	H	P
24119011	378	156	131	146	113	105	124	109	1262	8.17	H	P
24119012	357	135	130	133	113	117	126	121	1232	7.92	H	P
24119013	292	93	82	111	87	71	86	66	.....	.....	H	F
24119014	320	108*	90	128	106	84	112	99	.....	.....	H	F
24119015	312	121	116	123	114	95	111	93	1085	7.29	H	P
24119016	296	116	116	112	101	99	105	111	1056	6.71	H	P
24119017	330	124	112	128	97	86	76*	55	.....	.....	H	F
24119018	369	117	120	141	111	99	117	114	1188	7.67	H	P
24119019	199	81	78	91	97	51	69	67	.....	.....	N	F
24119020	358	142	122	134	113	93	121	87	1170	7.75	N	P
24119021	339	131	93	121	86	91	109	50	.....	.....	H	F
24119022	383	148	127	142	97	104	125	122	1248	8.04	H	P
24119024	371	148	108	136	123	105	120	96	1207	7.96	H	P
24119025	399	149	113	132	112	100	119	126	1250	7.83	H	P
24119026	354	119	122	127	109	83	121	89	1124	7.33	N	P
24119027	357	142	121	136	112	99	116	88	1171	7.67	H	P
24119028	346	154	122	141	103	108	128	121	1223	7.92	H	P
24119029	387	160	129	151	117	111	125	108	1288	8.33	H	P
24119030	279	112	89	106	109	84	87	104	970	6.33	H	P
24119031	199	80	60	84	76	52	42	39	.....	.....	L	F
24119032	336	146	109	135	99	104	114	112	1155	7.42	H	P
24119033	352	131	83	108	105	81	98	90	1048	7.00	N	P

24119034	354	138	113	127	97	97	105	105	1136	7.46	H	P
24119035	300	120	100	106	95	80	75*	62	.....	.....	N	F
24119036	380	151	133	145	117	115	123	116	1280	8.17	H	P
24119037	385	156	125	135	121	116	123	134	1295	8.21	H	P
24119038	370	148	113	132	109	96	110	112	1190	7.75	H	P
24119039	71	50	61	55	87	68	55	38	.....	.....	L	F
24119040	353	139	110	121	99	86	110	105	1123	7.38	H	P
24119041	355	132	132	145	102	104	121	110	1201	7.79	H	P
24119042	62	57	34	54	57	50	47	37	.....	.....	N	F
24119043	346	141	115	132	105	103	92	89	1123	7.29	L	P
24119044	74	100	105	100	103	67	89	106	.....	.....	L	F
24119045	360	136	105	121	107	97	119	125	1170	7.67	H	P
24119046	360	153	130	150	112	107	112	116	1240	8.08	H	P
24119047	354	144	119	126	112	114	110	120	1199	7.92	H	P
24119048	348	155	129	142	117	117	115	129	1252	7.96	H	P
24119049	292	114	79	103*	65	47	58	47	.....	.....	N	F
24119050	377	146	118	136	99	103	113	117	1209	7.63	H	P
24119051	336	109*	71	97	57	44	63	43	.....	.....	H	F
24119052	339	137	125	143	114	101	114	113	1186	7.63	H	P
24119053	353	162	122	156	131	111	131	136	1302	8.63	H	P
24119054	357	134	103	118	95	88	118	100	1113	7.04	N	P
24119055	342	147	131	132	110	117	116	127	1222	7.79	H	P
24119056	72	110	80	113	83	56	65	45	.....	.....	H	F
24119057	371	136	122	138	106	115	108	109	1205	7.75	H	P
24119058	336	133	107	120	100	109	106	116	1127	7.33	H	P
24119059	363	140	120	138	112	105	110	104	1192	7.83	H	P
24119060	352	144	128	145	116	103	129	113	1230	8.08	H	P
24119061	350	132	113	122	103	92	114	115	1141	7.46	H	P
24119062	316	125	97	100	84	81	83	72	.....	.....	H	F
24119063	365	151	124	148	110	104	126	124	1252	8.17	H	P
24119064	360	127	120	139	103	96	108	75*	.....	.....	H	F
24119065	440	153	138	156	130	118	141	141	1417	8.83	H	P
24119066	299	128	114	135	107	99	109	118	1109	7.17	H	P
24119067	359	129	130	149	111	104	120	86	1188	7.75	H	P
24119068	297	126	113	117	107	83	90	97	1030	6.75	H	P
24119069	380	141	117	118	104	82	108	107	1157	7.38	H	P
24119070	361	144	122	152	132	116	120	128	1275	8.38	H	P
24119071	320	133	114	121	117	95	120	95	1115	7.38	H	P
24119072	365	146	121	131	116	113	124	116	1232	8.00	H	P
24119073	342	143	129	142	112	106	105	110	1189	7.88	H	P
24119074	356	139	126	147	122	120	114	134	1258	8.21	H	P
24119075	308	118	117	125	103	86	89	56	.....	.....	H	F
24119076	350	147	120	141	102	109	117	111	1197	7.96	H	P
24119077	363	145	131	126	112	108	125	128	1238	8.08	H	P
2018 ADMISSION												
24118002	...	109	...	...	...	...	...	...	933	6.08	N	P
24118005	...	...	...	...	...	...	...	55	.....	.....	H	F
24118006	...	...	...	...	...	...	...	56	.....	.....	N	F

24118010	...	...	...	106	...	...	...	...	925	6.33	N	P
24118014	...	...	...	117	...	...	...	94	1006	6.50	H	P
24118023	...	121	...	...	...	...	...	...	1000	6.75	H	P
24118024	...	...	...	104	101	...	...	NR	.....	.....	H	F
24118030	NR	104	...	...	...	...	...	NR	.....	.....	N	F
24118035	...	113	...	...	...	...	...	NR	.....	.....	N	F
24118038	...	115	...	...	...	NR	...	NR	.....	.....	N	F
24118042	...	113	...	...	...	...	...	...	933	6.29	N	P
24118044	...	134	...	...	...	...	...	...	1062	7.00	N	P
24118045	...	130	...	...	...	...	...	...	1146	7.63	H	P
24118046	...	112	...	117	...	...	...	...	1082	7.04	N	P
24118047	...	132	...	...	...	...	...	39	.....	.....	H	F
24118049	...	...	...	...	...	80	...	92	970	6.58	H	P
24118051	...	119	...	...	...	...	...	...	1061	6.79	N	P
24118053	...	121	...	...	...	...	...	...	1059	7.00	N	P
24118062	...	115	...	110	...	...	...	...	948	6.21	H	P
24118063	...	120	...	...	...	...	...	...	1018	6.83	H	P
24118064	...	...	...	...	...	...	...	84	999	6.67	N	P
24118065	...	120	...	...	...	...	...	92	992	6.67	H	P
24118068	...	106	...	...	...	...	...	...	962	6.50	N	P
24118069	...	150	...	...	...	...	...	...	1075	7.08	H	P
24118071	...	139	123	...	...	...	...	...	1113	7.21	N	P
24118072	...	106	...	...	...	81	...	...	968	6.50	N	P
24118074	...	131	...	...	...	...	...	...	1039	6.75	H	P
24118075	...	124	...	...	...	...	...	...	1008	6.58	H	P
24118076	...	...	...	...	...	...	...	101	1023	6.75	H	P
24118077	NR	122	...	...	...	...	...	87	.....	.....	N	F
24118078	...	106	110	...	...	...	...	100	941	6.38	H	P
2017 ADMISSION												
10118006	...	...	...	...	...	98	...	...	972	6.58	N	P
10118007	...	...	...	...	...	100	...	...	979	6.67	N	P
10118010	...	108	...	...	...	...	...	NR	.....	.....	N	F
10118012	...	100	NR	...	...	...	...	NR	.....	.....	N	F
10118016	...	...	...	...	...	84	...	...	967	6.38	H	P
10118022	...	70	NR	NR	NR	NR	NR	NR	.....	.....	L	F
10118023	...	128	122	100	95	88	105	AB	.....	.....	N	F
10118024	...	...	...	...	...	...	100	...	1057	7.08	H	P
10118025	278	110	...	...	...	NR	...	...	.....	.....	N	F
10118027	...	...	...	...	...	90	...	...	928	6.21	N	P
10118030	NR	90	...	...	...	...	77*	102	.....	.....	H	F
10118031	...	...	...	...	...	...	106	109	1012	6.54	N	P
10118034	...	...	...	...	...	85	...	...	998	6.50	N	P
10118042	250	110	AB	...	...	AB	AB	AB	.....	.....	L	F
10118044	...	106	NR	102	NR	85	82	NR	.....	.....	N	F
10118046	...	...	114	AB	...	93	102	85	.....	.....	N	F
10118056	...	...	...	...	...	...	...	93	921	6.33	N	P
10118058	...	...	102	107	108	66	57	NR	.....	.....	N	F
10118068	...	...	...	...	...	...	93	...	1050	6.96	H	P

RE ADMISSION 2016 ADMISSION												
10117070	308	...	NR	NR	...	NR	NR	NR	.....	.....	N	F
2016 ADMISSION												
10117003	...	...	89	...	...	AB	...	42	.....	.....	N	F
10117012	...	87	66	...	...	22	AB	NR	.....	.....	H	F
10117015	...	...	...	...	...	...	...	77	971	6.46	N	P
10117019	...	106*	...	...	...	AB	...	AB	.....	.....	N	F
10117022	...	...	...	...	...	...	AB	AB	.....	.....	N	F
10117027	...	...	...	...	...	...	...	90	998	6.50	N	P
10117034	...	...	81	...	...	AB	74	43	.....	.....	H	F
10117037	...	...	...	...	...	...	...	AB	.....	.....	N	F
10117040	...	...	...	...	...	...	...	AB	.....	.....	N	F
10117043	...	...	...	...	...	...	...	AB	.....	.....	N	F
10117051	...	105	NR	88	75	NR	NR	66	.....	.....	N	F
10117055	...	...	111	...	...	AB	AB	...	.....	.....	N	F
10117057	...	113	...	...	...	80	...	102	880	6.08	N	P
10117059	...	54	...	106	NR	NR	...	AB	.....	.....	N	F
10117061	...	...	...	117	...	NR	...	96	.....	.....	N	F
10117062	...	...	...	100	...	...	...	...	910	6.08	N	P
10117064	NR	NR	NR	NR	51	NR	AB	NR	.....	.....	N	F
10117067	...	...	78	101	...	65	41	39	.....	.....	N	F
10117068	...	...	...	...	...	...	...	91	957	6.29	N	P
2015 ADMISSION												
10116006	...	...	119	102	...	AB	...	AB	.....	.....	N	F
10116009	...	91	83	123	...	NR	...	AB	.....	.....	N	F
10116015	...	85	...	86	...	...	...	...	.....	.....	N	F
10116017	...	...	...	...	...	...	...	102	1018	6.79	N	P
10116018	...	...	98	106	AB	75	81	AB	.....	.....	N	F
10116026	NR	AB	NR	NR	NR	NR	25	NR	.....	.....	N	F
10116032	...	107	122	112	AB	...	...	AB	.....	.....	N	F
2014 ADMISSION												
10115002	...	...	85	...	...	...	AB	NR	.....	.....	N	F
10115011	...	...	...	NR	...	...	NR	AB	.....	.....	N	F
10115014	...	AB	...	...	AB	...	AB	AB	.....	.....	N	F

Ab:Absent W: Withheld

F: Failed


P:Passed

NR:Not Registered

For Paper AR 1401 Marks below 250 and those with \* indicates failure

For Paper AR 1402,AR 1404 Marks below 100 and those with \* indicates failure

For Paper AR 1403,AR 1405,AR 1406, AR1407 & AR 1408 Marks below 75 and those with \* indicates failure



CONTROLLER OF EXAMINATIONS

**Disclaimer: The results published in the site are for immediate information to the examinees. This cannot be treated as original marksheet. CUSAT is not responsible for any inadvertant error that may have crept in the results published in the site. Original mark sheets will be issued by the Controller of examinations.**