



# COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

## RESULT NOTIFICATION

DATE OF RESULT PUBLICATION: 15.03.2023

The following is the Provisional Result of candidates who have appeared for the  
B.Arch. Degree IV Semester Examination April 2022.

**Centre: MARIAN COLLEGE OF ARCHITECTURE AND PLANNING**

REG.NO.	MARKS SCORED								TOTAL	GPA	ALC	P / F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407	AR 1408				
<b>2020 ADMISSION(REGULAR)</b>												
24120001	289	140	85	148	115	69	56	50	.....	.....	N	F
24120002	295	117	75	135	84	60	84	75	.....	.....	N	F
24120003	390	157	126	153	108	117	117	86	1254	7.92	H	P
24120004	370	156	146	162	129	125	133	101	1322	8.54	H	P
24120005	371	165	143	153	118	126	104	108	1288	8.33	H	P
24120006	286	105	61	88	60	36	39	27	.....	.....	N	F
24120007	292	111	88	122	77	80	75	83	928	6.17	N	P
24120008	306	129	113	133	101	104	104	96	1086	7.08	N	P
24120009	395	151	135	165	116	104	113	103	1282	8.17	H	P
24120010	343	101	88	114	79	75	79	78	957	6.21	H	P
24120011	375	157	128	145	115	88	110	98	1216	7.83	H	P
24120013	329	117	108	120	95	75	84	75	1003	6.67	H	P
24120014	371	147	137	144	114	127	118	105	1263	8.25	H	P
24120015	391	153	133	160	130	121	111	106	1305	8.46	H	P
24120016	355	153	134	159	127	122	120	95	1265	8.29	H	P
24120017	330	127	118	138	94	93	85	83	1068	6.92	H	P
24120018	355	137	122	142	93	90	99	80	1118	7.46	H	P
24120019	336	135	133	144	98	105	104	93	1148	7.42	H	P
24120020	266	102	69	101	55	30	65	31	.....	.....	N	F
24120021	334	116	110	131	93	84	85	76	1029	6.67	H	P
24120022	297	106	100	139	127	103	102	75	1049	6.79	N	P
24120023	359	151	127	148	114	103	110	88	1200	7.83	N	P
24120024	333	64	70	84	61	51	47	38	.....	.....	N	F
24120025	339	127	93	120	95	95	80	79	1028	6.83	N	P
24120026	398	137	121	154	85	97	108	77	1177	7.42	N	P
24120027	363	138	122	153	102	104	108	96	1186	7.63	H	P
24120028	167	62	28	85	53	41	52	37	.....	.....	L	F
24120029	386	156	142	150	116	132	116	96	1294	8.17	H	P
24120030	230	103	45	67	41	78	77	78	.....	.....	L	F
24120031	293	112	81	115	62	64	76	41	.....	.....	N	F
24120032	323	144	107	146	94	90	93	98	1095	7.42	H	P
24120033	371	150	139	149	117	101	104	81	1212	7.83	H	P
24120034	378	150	114	138	103	86	107	64	.....	.....	H	F
24120035	366	113	87	143	85	82	95	54	.....	.....	N	F
24120036	371	132	102	132	95	78	97	83	1090	7.04	H	P
24120037	269	84	78	122	86	51	85	58	.....	.....	N	F
24120038	386	173	130	163	114	111	114	84	1275	8.25	H	P
24120039	276	150	123	161	125	116	102	99	1152	7.79	N	P
24120040	311	136	121	148	97	97	97	79	1086	7.25	N	P
24120041	250	100	91	116	83	77	95	77	889	6.17	N	P
24120042	271	111	98	151	93	65	85	35	.....	.....	N	F
24120043	286	71	60	130	96	49	63	47	.....	.....	N	F
24120044	211	39	32	69	46	25	25	18	.....	.....	L	F
24120045	273	163	102	156	105	98	99	90	1086	7.42	N	P
24120046	200	87	58	115	71	59	75	56	.....	.....	N	F

24120047	255	119	111	119	105	86	104	50	.....	.....	N	F
24120048	329	105	96	131	94	46	86	28	.....	.....	N	F
24120049	275	100	115	134	87	80	83	52	.....	.....	N	F
24120050	323	122	90	123	78	64	83	44	.....	.....	N	F
24120051	304	127	97	139	87	89	89	87	1019	6.63	H	P
24120052	381	149	130	147	121	93	111	77	1209	7.96	N	P
24120053	304	100	87	121	95	82	78	60	.....	.....	L	F
24120054	253	73	77	103	82	51	77	34	.....	.....	N	F
24120055	254	100	83	126	113	76	96	47	.....	.....	N	F
24120056	375	176	122	155	119	125	111	78	1261	8.17	L	P
24120057	392	145	125	149	111	105	99	75	1201	7.83	N	P
24120058	309	114	117	118	91	46	88	55	.....	.....	H	F
24120059	283	148	111	144	89	98	101	78	1052	7.00	N	P
24120060	75	42	60	64	59	75	16	4	.....	.....	L	F
24120061	364	144	113	133	109	96	98	84	1141	7.50	H	P
24120062	377	155	99	148	110	112	96	61	.....	.....	H	F
24120063	357	126	100	140	97	89	96	78	1083	7.21	H	P
24120064	400	172	131	163	116	111	121	103	1317	8.63	H	P
24120065	284	79	87	124	93	60	77	45	.....	.....	N	F
24120066	317	161	128	145	117	97	107	86	1158	7.79	N	P
24120067	319	169	129	147	111	107	94	84	1160	7.79	H	P
24120068	309	93	85	135	62	60	76	36	.....	.....	H	F
24120069	307	164	127	139	104	96	101	80	1118	7.42	H	P
24120070	266	77	64	102	43	45	75	49	.....	.....	N	F
24120071	318	110	98	128	82	63	75	61	.....	.....	H	F
24120072	324	136	112	135	108	76	98	78	1067	7.04	H	P
24120073	371	157	116	152	105	102	107	109	1219	7.92	H	P
24120074	329	153	123	151	117	113	122	87	1195	7.79	N	P
24120075	265	85	54	125	76	55	62	46	.....	.....	N	F
24120076	317	100	90	114	94	75	90	26	.....	.....	N	F
<b>2019 ADMISSION</b>												
24119001	.....	118	AB	.....	.....	52	.....	.....	.....	.....	N	F
24119007	.....	.....	.....	AB	.....	31	.....	36	.....	.....	N	F
24119013	.....	.....	.....	.....	.....	57	.....	45	.....	.....	H	F
24119017	.....	.....	.....	.....	.....	.....	AB	93	.....	.....	H	F
24119019	253	96	.....	.....	.....	.....	.....	54	.....	.....	N	F
24119031	.....	67	.....	88	.....	.....	.....	.....	.....	.....	L	F
24119035	.....	.....	.....	.....	.....	.....	.....	55	.....	.....	N	F
24119039	.....	61	40	73	.....	44	81	39	.....	.....	L	F
24119044	276	.....	.....	.....	.....	.....	.....	.....	974	6.54	L	P
24119049	.....	.....	.....	.....	87	46	90	47	.....	.....	N	F
24119051	.....	128	.....	.....	.....	.....	.....	60	.....	.....	H	F
24119056	.....	.....	.....	.....	.....	74	104	55	.....	.....	H	F
24119062	.....	.....	.....	.....	.....	.....	.....	74	.....	.....	H	F
24119075	.....	.....	.....	.....	.....	.....	.....	*75	.....	.....	H	F
<b>2018 ADMISSION</b>												
24118001	.....	.....	.....	.....	.....	.....	99	.....	1017	6.50	N	P
24118005	.....	.....	.....	.....	.....	.....	.....	86	1029	6.67	H	P
24118006	.....	.....	.....	.....	.....	.....	.....	47	.....	.....	N	F
24118016	.....	.....	.....	.....	.....	.....	.....	84	987	6.54	H	P
24118024	.....	.....	.....	.....	.....	.....	.....	53	.....	.....	H	F
24118030	278	.....	.....	.....	.....	.....	.....	.....	.....	.....	N	F
24118035	.....	.....	.....	.....	.....	.....	.....	86	995	6.38	N	P
24118038	.....	.....	.....	.....	.....	76	.....	.....	.....	.....	N	F
24118047	.....	.....	.....	.....	.....	.....	.....	97	1039	6.79	H	P
24118077	267	.....	.....	.....	.....	.....	.....	.....	955	6.42	N	P
<b>2017 ADMISSION</b>												
10118008	.....	103	43	100	.....	43	44	34	.....	.....	N	F

10118010	.....	.....	.....	.....	.....	.....	.....	75	875	6.08	N	P
10118012	.....	.....	AB	.....	.....	.....	.....	.....	.....	.....	N	F
10118015	.....	.....	.....	.....	.....	.....	.....	41	.....	.....	N	F
10118022	.....	104	31	.....	.....	.....	.....	AB	.....	.....	L	F
10118023	.....	.....	.....	.....	.....	.....	.....	61	.....	.....	N	F
10118025	.....	.....	.....	.....	.....	58	.....	.....	.....	.....	N	F
10118030	.....	118	.....	.....	.....	.....	90	.....	.....	.....	H	F
10118042	.....	.....	85	.....	.....	88	108	90	907	6.25	L	P
10118044	.....	.....	95	.....	94	.....	.....	50	.....	.....	N	F
10118046	.....	.....	.....	120	.....	.....	.....	.....	1019	6.71	N	P
10118058	.....	.....	.....	.....	.....	83	98	35	.....	.....	N	F
10118061	.....	.....	.....	.....	.....	.....	82	.....	940	6.08	H	P
10118065	.....	.....	.....	.....	.....	.....	.....	77	965	6.42	N	P
<b>READMISSION(2016 ADMISSION)</b>												
10117070	.....	.....	119	135	.....	65	104	.....	.....	.....	N	F
<b>2016 ADMISSION</b>												
10117003	.....	.....	.....	.....	.....	75	.....	75	952	6.29	N	P
10117019	.....	.....	.....	.....	.....	55	.....	53	.....	.....	N	F
10117022	.....	.....	.....	.....	.....	.....	86	47	.....	.....	N	F
10117034	.....	.....	.....	.....	.....	38	94	63	.....	.....	H	F
10117037	.....	.....	.....	.....	.....	.....	.....	94	988	6.38	N	P
10117040	.....	.....	.....	.....	.....	.....	.....	66	.....	.....	N	F
10117043	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10117051	.....	.....	42	104	.....	55	99	66	.....	.....	N	F
10117055	.....	.....	.....	.....	.....	81	54	.....	.....	.....	N	F
10117059	.....	115	.....	.....	.....	.....	.....	.....	.....	.....	N	F
10117061	.....	.....	.....	.....	.....	66	.....	.....	.....	.....	N	F
10117064	.....	.....	AB	AB	.....	.....	.....	.....	.....	.....	N	F
10117067	.....	.....	.....	.....	.....	54	67	.....	.....	.....	N	F
<b>2015 ADMISSION</b>												
10116006	.....	.....	.....	.....	.....	59	.....	AB	.....	.....	N	F
10116009	.....	.....	.....	.....	.....	76	.....	35	.....	.....	N	F
10116015	.....	64	.....	100	.....	.....	.....	.....	.....	.....	N	F
10116018	.....	.....	.....	.....	79	.....	.....	AB	.....	.....	N	F
10116032	.....	.....	.....	.....	34	.....	.....	AB	.....	.....	N	F
10116037	.....	.....	.....	102	.....	.....	.....	.....	869	6.08	N	P
<b>2014 ADMISSION</b>												
10115002	.....	.....	.....	.....	.....	.....	75	AB	.....	.....	N	F
10115013	AB	100	.....	136	.....	63	.....	75	.....	.....	N	F
<b>Centre: TKM SCHOOL OF ARCHITECTURE</b>												
REG.NO.	MARKS SCORED								TOTAL	GPA	ALC	P / F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407	AR 1408				
<b>2020 admission(regular)</b>												
24120101	344	133	129	120	119	70	101	88	.....	.....	N	F
24120102	310	81	66	76	89	24	68	75	.....	.....	N	F
24120104	331	170	114	132	112	104	126	33	.....	.....	H	F
24120105	286	119	84	104	95	37	64	30	.....	.....	N	F
24120106	331	132	106	117	90	61	98	32	.....	.....	H	F
24120107	339	139	98	123	97	*75	91	92	.....	.....	H	F
24120108	269	53	43	100	76	29	78	24	.....	.....	N	F
24120109	300	135	106	116	88	64	100	88	.....	.....	N	F
24120110	340	130	112	111	94	88	102	91	1068	6.83	N	P
24120111	387	135	116	139	98	102	111	100	1188	7.38	N	P
24120112	110	133	101	110	57	34	59	76	.....	.....	N	F
24120113	92	126	68	85	75	26	67	28	.....	.....	N	F
24120114	348	158	128	156	125	96	126	118	1255	8.00	H	P
24120115	290	123	98	107	88	60	80	79	.....	.....	N	F

24120116	310	*107	118	129	57	59	84	71	.....	.....	N	F
24120117	298	152	112	108	86	59	101	81	.....	.....	N	F
24120118	319	143	129	146	111	90	109	101	1148	7.71	N	P
24120119	316	133	131	136	86	83	107	66	.....	.....	H	F
24120120	370	137	113	119	93	93	99	95	1119	7.13	N	P
24120122	295	138	109	110	84	58	89	77	.....	.....	N	F
24120123	327	117	112	127	87	52	96	83	.....	.....	N	F
24120124	321	128	116	115	79	60	92	90	.....	.....	N	F
24120125	301	157	126	127	95	*78	110	101	.....	.....	N	F
24120126	328	156	115	136	113	85	96	85	1114	7.21	N	P
24120127	329	143	114	122	100	58	98	88	.....	.....	N	F
24120128	330	175	132	133	101	89	114	99	1173	7.50	N	P
24120129	318	121	95	113	99	75	104	77	1002	6.67	N	P
24120130	259	55	61	100	39	24	53	40	.....	.....	N	F
24120131	332	155	136	145	127	109	121	123	1248	8.25	N	P
24120132	310	157	141	143	108	89	98	89	1135	7.54	H	P
24120133	321	145	137	135	128	93	110	103	1172	7.75	H	P
24120134	285	148	121	117	105	69	96	97	.....	.....	H	F
24120135	267	67	74	89	51	28	60	31	.....	.....	N	F
24120136	293	151	126	129	104	70	103	86	.....	.....	N	F
24120137	279	111	66	107	85	41	84	29	.....	.....	N	F
24120139	330	143	114	147	130	99	115	88	1166	7.67	H	P
24120140	319	*104	59	109	42	36	76	39	.....	.....	N	F
24120141	308	96	92	100	51	49	57	57	.....	.....	N	F
<b>2019 admission</b>												
24119101	240	113	.....	.....	.....	69	.....	.....	.....	.....	H	F
24119102	.....	87	.....	AB	.....	.....	.....	.....	.....	.....	N	F
24119103	.....	.....	.....	.....	.....	.....	92	.....	1045	7.04	H	P
24119104	.....	108	.....	69	AB	AB	57	.....	.....	.....	H	F
24119106	.....	.....	.....	.....	.....	.....	.....	94	1011	6.83	H	P
24119107	.....	112	.....	118	101	.....	AB	.....	.....	.....	H	F
24119110	.....	.....	.....	.....	.....	.....	.....	90	1018	6.92	H	P
24119111	.....	106	.....	.....	.....	AB	AB	AB	.....	.....	N	F
24119112	.....	41	.....	58	.....	.....	.....	.....	.....	.....	N	F
24119113	.....	.....	.....	.....	.....	109	.....	.....	1210	7.79	H	P
24119114	.....	.....	.....	.....	.....	.....	.....	116	1021	6.75	H	P
24119115	.....	.....	.....	125	.....	.....	73	.....	.....	.....	H	F
24119116	302	130	.....	128	.....	.....	AB	AB	.....	.....	N	F
24119117	.....	151	.....	.....	.....	.....	.....	.....	1025	6.92	H	P
24119118	.....	127	.....	.....	.....	.....	.....	.....	992	6.75	H	P
24119119	.....	.....	.....	.....	.....	94	.....	.....	1096	7.46	H	P
24119120	.....	100	.....	87	.....	.....	.....	.....	.....	.....	H	F
24119121	.....	134	.....	128	.....	.....	.....	AB	.....	.....	H	F
24119124	.....	.....	.....	.....	.....	.....	AB	.....	.....	.....	H	F
24119125	.....	119	.....	AB	.....	.....	*78	.....	.....	.....	H	F
24119126	.....	123	.....	.....	107	.....	49	79	.....	.....	N	F
24119128	.....	82	.....	107	88	AB	AB	.....	.....	.....	H	F
24119129	.....	.....	.....	123	.....	.....	.....	.....	.....	.....	H	F
24119130	.....	121	.....	113	97	51	89	50	.....	.....	H	F
24119131	.....	.....	.....	123	.....	.....	.....	.....	927	6.42	N	P
24119132	.....	.....	.....	106	.....	.....	.....	.....	1013	6.67	H	P
24119140	.....	115	.....	122	.....	.....	.....	.....	.....	.....	H	F
<b>2018 admission</b>												
24118103	.....	103	.....	.....	.....	.....	.....	39	.....	.....	N	F
24118111	.....	86	.....	113	.....	.....	.....	.....	.....	.....	N	F
24118116	.....	114	.....	.....	.....	.....	.....	AB	.....	.....	N	F
24118122	.....	.....	.....	117	.....	53	.....	.....	.....	.....	N	F
24118127	.....	.....	.....	.....	.....	.....	.....	28	.....	.....	N	F

24118131	.....	125	.....	.....	.....	.....	.....	AB	.....	.....	N	F
24118132	.....	.....	.....	.....	.....	46	.....	.....	.....	.....	H	F
<b>2017 admission</b>												
10118104	.....	.....	.....	.....	75	AB	81	AB	.....	.....	H	F
10118106	.....	.....	.....	.....	.....	.....	81	.....	968	6.33	N	P
10118107	.....	.....	111	.....	75	.....	.....	67	.....	.....	N	F
10118108	.....	.....	AB	.....	64	34	AB	36	.....	.....	H	F
10118114	.....	106	.....	.....	.....	.....	.....	.....	.....	.....	N	F
10118123	.....	.....	95	.....	.....	.....	.....	86	.....	.....	H	F
10118125	.....	.....	.....	.....	.....	AB	.....	AB	.....	.....	N	F
10118126	.....	.....	.....	.....	.....	.....	.....	54	.....	.....	N	F
10118127	.....	.....	128	.....	76	.....	.....	99	937	6.33	N	P
10118130	.....	.....	.....	.....	.....	49	.....	92	.....	.....	N	F
10118133	.....	.....	76	.....	.....	.....	.....	AB	.....	.....	N	F
10118209	.....	.....	81	.....	.....	.....	.....	65	.....	.....	N	F
<b>2016 admission</b>												
10117105	.....	.....	.....	.....	.....	81	.....	.....	928	6.33	N	P
10117126	.....	88	.....	.....	.....	31	.....	.....	.....	.....	N	F
10117102	.....	.....	.....	.....	.....	.....	.....	90	929	6.17	H	P
10117112	.....	.....	.....	.....	.....	.....	.....	45	.....	.....	N	F
10117117	.....	.....	.....	.....	.....	.....	.....	63	.....	.....	N	F
10117118	.....	.....	.....	105	.....	.....	.....	.....	943	6.38	N	P
10117120	.....	.....	.....	.....	.....	.....	.....	53	.....	.....	N	F
10117124	.....	.....	.....	.....	.....	.....	.....	92	1022	6.79	H	P
10117125	.....	.....	.....	.....	.....	.....	.....	66	.....	.....	N	F
10117129	.....	.....	.....	.....	.....	.....	.....	87	948	6.33	N	P
10117131	.....	.....	46	106	AB	AB	.....	56	.....	.....	N	F
10117132	.....	.....	.....	.....	.....	.....	.....	75	914	6.42	N	P
<b>2015 admission</b>												
10116113	.....	.....	62	.....	.....	.....	.....	.....	.....	.....	N	F
10116125	.....	.....	AB	.....	.....	.....	.....	47	.....	.....	H	F
<b>Centre: Nizar Rahim and Mark School of Architecture</b>												
REG.NO.	MARKS SCORED									SGPA	ALC	P / F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407	AR 1408	TOTAL			
24120201	300	134	126	131	94	95	111	51	0	0	N	F
24120202	286	124	114	132	79	64	99	75	0	0	N	F
24120203	285	125	116	127	76	92	100	113	1034	6.83	N	P
24120204	346	127	90	132	77	56	80	40	.....	.....	N	F
24120205	315	121	113	128	101	85	115	85	1063	7.00	N	P
24120206	308	138	95	132	88	75	95	49	.....	.....	N	F
24120207	176	144	134	142	111	93	110	106	...	.....	N	F
24120208	306	153	138	153	114	110	134	115	1223	8.04	N	P
24120209	330	143	137	157	107	108	119	112	1213	7.96	N	P
24120211	294	120	124	137	80	62	88	83	.....	...	N	F
24120212	309	130	119	142	97	88	99	84	1068	7.08	N	P
24120213	316	142	120	148	95	94	107	92	1114	7.58	N	P
24120214	328	138	107	130	107	88	110	81	1089	7.13	N	P
24120215	317	157	131	138	98	83	104	93	1121	7.25	N	P
24120216	298	126	95	115	61	75	75	25	....	....	N	F
24120217	*250	69	19	44	39	39	31	23	....	....	N	F
24120218	239	*104	48	78	63	36	41	27	....	....	N	F
24120219	277	112	66	104	78	59	75	26	....	....	N	F
24120220	266	116	90	114	91	40	85	33	....	....	N	F
24120221	341	135	116	142	101	97	95	95	1122	7.25	N	P
24120222	297	125	118	122	99	75	110	84	1030	6.79	N	P
24120223	303	143	133	162	106	108	121	105	1181	8.13	N	P

24120224	285	121	102	127	87	78	96	55	...	...	N	F
24120225	288	119	91	124	85	80	96	78	961	6.33	N	P
24120226	310	144	127	146	104	99	126	124	1180	7.83	N	P
24120227	294	116	92	119	95	75	100	83	974	6.29	N	P
24120228	281	115	87	119	86	75	76	81	920	6.00	N	P
2019 ADMISSION												
24119201	...	...	...	132	...	...	...	...	1141	7.58	H	P
24119202	*252	...	80	126	...	...	...	86	...	...	H	F
24119203	...	...	...	143	...	...	...	...	1192	7.67	H	P
24119212	...	...	...	152	...	...	...	...	1176	7.46	H	P
24119213	...	133	...	...	...	...	...	...	1195	7.63	H	P
24119215	...	...	...	167	...	...	...	...	1241	8.04	H	P
24119216	256	110	...	...	...	48	...	63	...	...	H	F
24119217	...	...	...	149	...	...	121	...	1107	7.29	H	P
24119218	...	106	...	126	...	72	...	...	...	...	H	F
24119219	...	...	...	...	...	84	...	...	...	...	H	F
24119220	260	87	...	...	...	...	...	56	...	...	N	F
24119221	...	125	...	122	...	...	...	...	...	...	H	F
24119222	...	107	...	108	...	58	...	93	...	...	H	F
24119224	...	...	...	138	...	...	...	...	1110	7.25	H	P
24119225	...	117	...	...	...	81	...	...	1070	6.96	H	P
24119228	...	...	...	...	...	81	...	...	1048	6.75	H	P
24119230	...	...	...	...	...	62	102	...	...	...	H	F
2018 ADMISSION												
24118201	...	143	...	AB	...	...	...	AB	...	...	N	F
24118205	...	...	...	...	70	AB	...	57	...	...	N	F
24118210	...	...	...	AB	AB	57	94	...	...	...	N	F
24118213	281	80	...	127	...	...	...	...	...	...	N	F
24118214	...	...	...	...	...	...	...	79	914	6.25	N	P
24118222	...	...	AB	137	...	...	...	83	...	...	N	F
24118223	...	...	AB	140	67	98	...	77	...	...	N	F
24118227	...	...	...	...	...	51	97	50	...	...	N	F
24118228	279	119	...	...	...	83	94	65	...	...	H	F
24118231	...	...	...	...	...	...	93	67	...	...	H	F
24118232	...	...	...	143	...	...	...	...	1037	6.88	N	P
24118234	274	108	AB	AB	45	AB	85	AB	...	...	N	F
2017 ADMISSION												
10118205	...	...	...	...	...	...	...	86	909	6.17	N	P
10118206	...	...	...	...	...	...	...	86	895	6.00	N	P
10118207	...	...	...	...	...	...	AB	...	...	...	N	F
10118223	...	...	...	...	...	...	...	76	901	6.13	N	P
10118224	...	...	...	...	...	...	...	46	...	...	N	F
10118227	...	...	...	...	...	...	...	88	862	6.00	N	P
10118229	...	...	...	100	...	...	...	...	875	6.00	N	P
2016 ADMISSION												
10117206	...	...	...	...	...	...	...	87	922	6.08	N	P
10117204	...	...	...	109	28	25	...	75	...	...	N	F
10117208	...	...	88	67	...	...	75	AB	...	...	L	F
10117211	...	...	83	110	...	AB	75	AB	...	...	N	F
10117219	...	...	...	135	...	...	...	...	897	6.17	H	P
10117223	...	...	...	100	...	...	...	...	858	6.00	N	P
10117225	...	...	87	112	54	46	65	75	...	...	L	F
10117226	...	...	48	...	51	53	47	75	...	...	N	F
10117230	...	...	...	...	...	75	...	...	863	6.08	H	P
10117233	...	...	...	...	...	...	...	94	898	6.17	N	P
10117234	...	...	...	...	...	...	...	AB	...	...	L	F
10117235	...	113	...	118	...	...	...	...	867	6.00	N	P
10117237	291	...	...	...	...	...	...	AB	...	...	L	F

10117240	...	...	...	...	...	...	...	72	...	...	H	F
2015 ADMISSION												
10116215	251	84	...	...	...	...	...	78	...	...	N	F
10116227	...	100	AB	102	AB	AB	AB	AB	...	...	N	F
10116236	...	...	...	56	...	...	...	...	...	...	N	F
10116237	...	...	...	...	...	...	...	91	948	6.46	N	P
10116239	...	...	...	...	...	...	AB	AB	...	...	N	F
10116240	...	...	...	...	...	...	...	AB	...	...	N	F
2014 ADMISSION												
10115211	...	...	...	...	...	...	...	62	...	...	N	F
10115215	...	...	...	...	...	...	...	76	897	6.21	N	P

Ab:Absent

F: Failed

P:Passed

NR:Not Registered

For Paper AR 1401 Marks below 250 and those with \* indicates failure

For Paper AR 1402,AR 1404 Marks below 100 and those with \* indicates failure

For Paper AR 1403,AR 1405,AR 1406, AR1407 & AR 1408 Marks below 75 and those with \* indicates failure

University Office

Date: 15.03.2023



**CONTROLLER OF EXAMINATIONS**

*Disclaimer: The results published in the site are for immediate information to the examinees. This cannot be treated as original marksheet. CUSAT is not responsible for any inadvertent error that may have crept in the results published in the site. Original mark sheets will be issued by the Controller of examinations.*