

കൊച്ചി ശാസ്ത്ര സാങ്കേതിക സർവ്വകലാശാല
COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

EV4/612/B.ARCH /TKMSOA /V SEM(REG&SUPPLE) NOVEMBER 2022(2014 SCHEME)
 03.08.2023

RESULT NOTIFICATION											
The following is the Provisional Result of candidates who have appeared for the B. Arch. Degree V Semester Examination November 2022											
Centre: TKM SCHOOL OF ARCHITECTURE											
Branch: B.Arch.											
REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P/F
	AR 1501	AR 1502	AR 1503	AR 1504	AR 1505	AR 1506	AR 1507				
24120101	327	140	101	114	129	148	86	1045	7.50	N	P
24120102	297	108	81	91	60	133	82	L	F
24120104	361	151	111	129	117	161	97	1127	8.17	H	P
24120105	302	119	77	91	64	138	28	L	F
24120106	337	130	89	80	94	146	59	N	F
24120107	360	131	75	117	73	150	83	H	F
24120108	289	100	85	75	72	130	40	L	F
24120109	327	135	94	76	87	138	92	949	6.83	N	P
24120110	355	123	95	92	109	146	112	1032	7.63	N	P
24120111	368	140	102	116	114	161	88	1089	7.88	N	P
24120112	311	110	96	79	82	144	56	L	F
24120113	330	121	65	86	50	153	28	L	F
24120114	391	155	106	127	113	174	109	1175	8.25	N	P
24120115	349	118	75	93	69	122	75	N	F

24120116	323	120	86	78	61	124	86	N	F
24120117	336	138	75	93	100	157	86	985	6.96	N	P
24120118	369	146	102	111	119	167	102	1116	7.96	N	P
24120119	329	138	97	94	110	159	82	1009	7.17	N	P
24120120	310	129	104	114	114	161	108	1040	7.58	L	P
24120122	302	126	89	90	90	139	88	924	6.79	N	P
24120123	339	122	83	86	87	145	89	951	6.79	N	P
24120124	337	115	79	97	103	140	78	949	6.79	N	P
24120125	298	127	79	92	107	120	82	905	6.58	L	P
24120126	335	130	99	99	116	163	102	1044	7.42	N	P
24120127	317	122	80	90	107	149	102	967	7.13	L	P
24120128	349	138	115	122	131	154	96	1105	7.63	N	P
24120129	341	128	96	85	95	142	96	983	7.08	N	P
24120130	296	91	55	66	64	113	27	L	F
24120131	396	161	110	133	136	168	115	1219	8.58	N	P
24120132	342	132	106	121	120	138	92	1051	7.46	N	P
24120133	340	140	108	109	122	163	96	1078	7.88	H	P
24120134	292	139	90	96	114	152	93	976	6.96	N	P
24120135	297	87	75	80	70	91	39	L	F
24120136	311	123	104	116	119	136	121	1030	7.33	N	P
24120137	323	90	94	92	64	114	31	L	F
24120139	360	132	115	126	138	166	112	1149	8.25	H	P
24120140	381	120	60	98	109	143	28	N	F
24120141	356	93	75	75	71	127	54	N	F

24119101	251	123	805	6.17	N	P
24119102	90	117	N	F
24119104	94	42	N	F
24119107	111	96	131	N	F
24119114	116	102	AB	N	F
24119115	86	852	6.33	H	P
24119116	281	114	48	N	F
24119124	151	891	6.63	N	P
24119125	77	91	N	F
24119126	115	825	6.17	N	P
24119128	91	84	126	51	N	F
24119129	122	845	6.17	N	P
24119130	117	86	144	78	853	6.33	N	P
24119140	90	79	844	6.13	N	P
24118103	AB	150	H	F
24118111	292	63	AB	H	F
24118112	72	H	F
24118113	94	902	6.67	H	P
24118115	88	941	6.88	H	P
24118116	129	86	69	168	H	F
24118122	90	888	6.75	H	P
24118127	292	36	N	F
24118131	100	75	* 84	141	63	N	F
24118133	66	H	F
24118134	96	900	6.88	H	P

10118104	AB	N	F
10118108	AB	AB	AB	N	F
10118109	81	849	6.29	N	p
10118110	78	900	6.58	N	P
10118114	AB	AB	N	F
10118117	85	37	N	F
10118118	59	N	F
10118122	300	78	126	42	N	F
10118123	87	59	N	F
10118125	55	N	F
10118126	75	AB	N	F
10118127	75	775	6.08	N	p
10118133	78	AB	N	F
10118136	80	810	6.00	N	p
10117126	304	75	56	108	N	F
10117112	31	H	F
10117117	55	N	F
10117118	AB	N	F
10117122	AB	AB	O	O
10117124	60	N	F
10117125	68	N	F
10117131	268	29	H	F
10117132	49	N	F
10116110	57	H	F

Ab:Absent											
F: Failed											
P:Passed											
For Paper AR 1501 Marks below 250 and those with * indicates failure											
For Paper AR 1502,AR 1506 Marks below 100 and those with * indicates failure											
For Paper AR 1503,AR 1504,AR 1505,AR 1507 Marks below 75 and those with * indicates failure											

Controller of Examinations

* This is a computer generated document. Hence no signature is required.

കൊച്ചി ശാസ്ത്ര സാങ്കേതിക സർവ്വകലാശാല
COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

EV4/611/B.ARCH /MCAP /V SEM(REG&SUPPLE) NOVEMBER 2022(2014 SCHEME)

03.08.2023

RESULT NOTIFICATION											
The following is the Provisional Result of candidates who have appeared for the B.Arch. Degree V Semester Examination November 2022											
Centre: MARIAN COLLEGE OF ARCHITECTURE AND PLANNING											
Branch: B.Arch.											
REG.NO.	MARKS SCORED							TOTAL	GPA	P / F	ALC
	AR1501	AR1502	AR1503	AR1504	AR1505	AR1506	AR1507				
24120001	273	86	97	97	49	133	21	F	N
24120002	306	104	82	82	84	100	82	840	6.29	P	N
24120003	382	129	110	111	81	161	122	1096	7.92	P	H
24120004	366	140	125	136	115	173	122	1177	8.54	P	H
24120005	350	161	121	129	139	149	121	1170	8.63	P	H
24120006	251	63	46	89	38	90	18	F	N
24120007	294	90	82	83	41	100	65	F	N
24120008	313	118	99	97	101	118	97	943	6.67	P	H
24120009	383	130	123	117	122	159	94	1128	7.96	P	H
24120010	369	100	85	85	75	120	77	911	6.75	P	H
24120011	343	127	114	116	102	166	81	1049	7.46	P	H
24120013	325	101	80	96	94	140	96	932	6.88	P	H
24120014	337	136	113	115	132	154	111	1098	7.63	P	H
24120015	366	142	110	114	125	148	112	1117	8.08	P	H
24120016	391	146	119	120	114	152	100	1142	8.00	P	H
24120017	327	117	101	110	83	164	89	991	7.08	P	H
24120018	346	118	98	102	85	155	81	985	6.83	P	H

24120019	334	129	118	117	96	171	107	1072	7.63	P	H
24120020	308	67	75	61	75	123	47	F	N
24120021	387	109	88	97	80	155	78	994	7.00	P	H
24120022	354	89	104	110	81	144	44	F	N
24120023	358	141	118	126	111	157	128	1139	8.17	P	H
24120024	311	57	75	57	82	134	20	F	N
24120025	313	130	96	86	89	134	88	936	6.75	P	N
24120026	362	120	105	98	89	133	80	987	7.25	P	H
24120027	339	150	108	121	132	139	107	1096	7.71	P	H
24120028	280	31	43	32	22	85	11	F	L
24120029	407	151	114	122	133	169	102	1198	8.54	P	H
24120030	263	104	97	100	97	117	79	857	6.29	P	N
24120031	277	82	75	75	38	101	16	F	L
24120032	340	120	101	127	86	153	101	1028	7.25	P	H
24120033	383	138	124	124	103	152	105	1129	7.96	P	H
24120034	334	109	106	96	98	127	53	F	H
24120035	340	104	98	86	75	121	54	F	N
24120036	357	117	99	82	94	126	63	F	H
24120037	276	80	75	84	61	103	42	F	N
24120038	395	144	121	113	103	151	102	1129	7.96	P	H
24120039	351	107	120	126	126	161	103	1094	8.04	P	H
24120040	306	106	87	84	78	143	64	F	N
24120041	287	100	90	91	70	120	93	F	N
24120042	325	113	91	103	65	138	75	F	N
24120043	290	62	83	85	77	142	21	F	N

24120044	272	35	29	50	32	50	15	F	N
24120045	356	133	116	109	114	152	114	1094	7.83	P	H
24120046	262	84	76	52	85	101	24	F	H
24120047	345	136	107	89	109	121	81	988	7.04	P	N
24120048	304	104	69	85	59	123	36	F	N
24120049	345	100	77	85	66	149	64	F	N
24120050	310	118	96	82	80	146	75	907	6.75	P	N
24120051	334	164	99	96	93	148	109	1043	7.58	P	H
24120052	405	138	116	108	114	163	114	1158	8.29	P	N
24120053	285	73	80	94	64	130	75	F	L
24120054	268	74	75	55	48	124	31	F	N
24120055	301	110	99	106	80	152	75	923	6.92	P	N
24120056	403	143	118	122	121	170	120	1197	8.71	P	H
24120057	356	113	103	88	88	133	75	956	6.88	P	H
24120058	371	100	96	82	77	135	42	F	H
24120059	287	104	95	95	78	134	83	876	6.38	P	N
24120060	270	68	38	78	62	123	52	F	N
24120061	368	119	98	98	99	140	104	1026	7.29	P	H
24120062	340	149	107	108	119	162	89	1074	7.71	P	H
24120063	341	154	107	98	106	143	85	1034	7.46	P	H
24120064	384	167	125	123	120	163	117	1199	8.63	P	H
24120065	286	100	97	82	42	135	41	F	N
24120066	327	113	102	91	78	112	84	907	6.50	P	N
24120067	353	133	115	95	114	160	110	1080	7.92	P	H
24120068	316	129	97	77	74	121	39	F	H

24120069	349	141	107	98	110	166	99	1070	7.71	P	H
24120070	257	57	52	81	50	100	48	F	N
24120071	301	101	83	87	59	134	75	F	N
24120072	371	110	101	84	75	143	71	F	H
24120073	349	134	104	125	115	171	121	1119	7.75	P	H
24120074	345	138	114	102	88	155	115	1057	7.29	P	N
24120075	257	58	80	63	75	109	35	F	N
24120076	337	104	94	112	62	164	54	F	N
24119001	125	F	N
24119007	139	886	6.46	P	N
24119010	81	952	7.00	P	H
24119013	82	131	F	H
24119019	AB	37	135	F	N
24119021	75	914	6.71	P	N
24119027	97	960	6.92	P	H
24119031	118	F	L
24119033	76	865	6.58	P	N
24119039	AB	70	42	33	64	F	L
24119044	276	148	950	6.88	P	L
24119049	278	36	F	N
24119051	55	57	63	42	F	N
24119056	208	41	F	N

24119062	294	45	F	N
24119067	48	F	N
24119075	76	AB	F	N
24118010	* 75	F	H
24118034	85	947	6.83	P	H
24118038	71	F	H
24118042	95	924	6.38	P	H
24118055	85	127	101	1004	7.33	P	H
24118072	85	1001	7.17	P	H
24118078	AB	F	H
10118008	AB	AB	AB	100	81	F	N
10118010	94	909	6.67	P	N
10118012	AB	AB	F	L
10118022	AB	AB	AB	AB	F	N
10118036	88	861	6.17	P	N
10118058	47	F	H
10118069	88	85	934	6.71	P	N
10117070	75	821	6.25	P	N
10117005	AB	F	N
10117009	75	831	6.00	P	N
10117012	AB	F	N
10117029	75	799	6.13	P	N
10117034	80	107	80	827	6.00	P	N
10117043	65	AB	F	N

10117051	87	809	6.17	P	N
10117055	88	99	88	817	6.08	P	N
10117057	77	93	833	6.08	P	N
10117061	338	867	6.29	P	N
10117064	235	F	N
10117067	80	78	814	6.00	P	H
10116006	342	21	F	N
10116009	AB	F	N
10116032	AB	F	N
10115013	AB	AB	F	N
Ab:Absent											
F: Failed											
P:Passed											
For Paper AR 1501 Marks below 250 and those with * indicates failure											
For Paper AR 1502,AR 1506 Marks below 100 and those with * indicates failure											
For Paper AR 1503,AR 1504,AR 1505,AR 1507 Marks below 75 and those with * indicates failure											

Controller of Examinations

* This is a computer generated document. Hence no signature is required.

COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY												
RESULT NOTIFICATION												
EV2/627/B ARCH/V NOV 2022/REGULAR&SUPPLY												
The following is the Provisional Result of candidates who have appeared for the B. Arch Degree V Semester Examination November 2022												
Centre: NIZAR RAHIM AND MARK SCHOOL OF ARCHITECTURE, KOLLAM												
Branch: B.Arch												
Sl.No.	REG.NO.	MARKS SCORED										
		AR1501	AR1502	AR1503	AR1504	AR1505	AR1506	AR1507	TOTAL	GPA	ALC	P/F
2019 ADMISSIONS(Regular Candidates)												
	124120201	268	120	90	83	80	122	83	846	6.46	H	P
	224120202	155	126	100	84	56	139	97	H	F
	324120203	297	125	97	82	81	139	100	921	6.54	H	P
	424120204	146	118	77	75	80	137	77	H	F
	524120205	134	127	92	81	63	141	95	N	F
	624120206	312	137	83	92	57	123	75	N	F
	724120207	292	125	106	103	90	146	101	963	7.00	N	P
	824120208	334	157	103	129	99	165	124	1111	7.83	H	P
	924120209	146	153	98	105	95	157	123	H	F
	1024120211	281	118	91	75	65	131	80	H	F
	1124120212	300	120	86	77	66	138	97	N	F
	1224120213	132	130	97	101	88	157	95	N	F
	1324120214	119	130	93	95	75	140	76	N	F
	1424120215	360	150	101	84	77	155	100	1027	7.46	H	P
	1524120216	124	106	77	59	28	130	57	N	F
	1624120217	108	79	AB	34	23	AB	55	N	F
	1724120218	132	110	42	75	76	127	75	N	F
	1824120219	115	83	55	62	26	74	62	N	F
	1924120220	119	115	60	75	21	124	75	N	F
	2024120221	152	131	93	87	77	154	91	H	F
	2124120222	287	114	79	99	75	139	58	N	F
	2224120223	305	132	98	106	90	145	98	974	7.25	N	P
	2324120224	308	123	83	75	89	128	75	881	6.63	H	P
	2424120225	137	123	76	81	75	135	75	N	F

25	24120226	338	119	93	96	82	146	109	983	7.00	N	P
26	24120227	121	115	78	75	82	137	87	N	F
27	24120228	121	111	75	79	79	124	75	H	P
2019 ADMISSION												
28	24119216	63	43	N	F
29	24119217	94	924	6.67	N	P
30	24119218	130	143	H	F
31	24119219	144	100	976	7.04	H	P
32	24119220	46	134	N	F
2018 ADMISSIONS												
33	24118201	83	875	6.42	N	p
34	24118210	70	H	F
35	24118213	AB	42	44	122	31	H	F
36	24118214	80	901	6.54	H	P
37	24118216	68	H	F
38	24118227	ab	61	44	N	F
39	24118228	58	H	F
40	24118231	62	H	F
41	24118232	ab	H	F
42	24118234	255	141	AB	100	AB	N	F
2018 ADMISSIONS												
43	10118204	AB	N	F
44	10118224	34	N	F
45	10118227	75	838	6.21	N	P
46	10118229	77	837	6.21	H	P
2016 ADMISSIONS												
47	10117204	83	54	41	...	62	N	F
48	10117208	AB	57	112	34	N	F
49	10117211	75	758	6.00	N	P
50	10117215	76	783	6.00	H	P
51	10117225	85	...	54	...	60	N	F
52	10117226	75	56	122	43	H	F
53	10117230	134	57	78	N	F
54	10117234	82	774	6.00	N	P
55	10117237	AB	N	F
2017 ADMISSION												

