

**COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY****കൊച്ചി ശാസ്ത്ര സാങ്കേതിക സർവകലാശാല****RESULT NOTIFICATION****The following is the provisional result of candidates who have appeared for the B. Arch Degree I & II Semester Examination APRIL 2019****Date of publication of Result : 18.02.2020****Centre: Marian College of Architecture and Planning**

REG.NO.	MARKS SCORED											SGPA	Attendance Letter code	P/F
	AR 1101	AR 1102	AR 1103	AR 1104	AR 1105	AR 1106	AR 1107	AR 1108	AR 1109	AR 1110	TOTAL			
<b>2018 ADMISSION (REGULAR)</b>														
24118001	120	91	99	156	114	76	128	84	109	76	1053	6.70	N	P
24118002	118	62	78	189	104	47	117	69	83	74	.....	.....	H	F
24118003	144	82	90	231	126	43	121	67	100	72	.....	.....	H	F
24118004	144	77	110	226	142	59	136	81	99	84	.....	.....	H	F
24118005	100 *	58	94	176	112	85	100	79	64	71	.....	.....	H	F
24118006	112	63	75	167	105	24	84	59	82	56	.....	.....	N	F
24118007	122	94	98	179	132	78	137	88	124	74	1126	6.90	H	P
24118008	129	81	102	210	126	61	123	76	78	72	.....	.....	H	F
24118009	113	81	99	194	128	84	141	109	97	74	1120	6.95	N	P
24118010	100	68	75	157	105	18	100	76	57	60	.....	.....	N	F
24118011	114	76	87	208	103	92	124	97	96	68	1065	6.60	N	P
24118012	100	59	60	150	104	58	100	87	94	68	.....	.....	N	F
24118013	112	76	108	162	109	87	123	113	117	86	1093	6.85	N	P
24118014	119	79	76	161	104	49	103	58	79	64	.....	.....	N	F
24118015	146	90	103	215	136	98	152	94	113	87	1234	7.55	H	P
24118016	91	52	76	152	120	43	63	75	68	60	.....	.....	N	F
24118018	107	75	53	156	101	41	89	75	42	60	.....	.....	N	F
24118019	112	61	98	193	112	64	119	77	123	74	.....	.....	H	F
24118020	130	83	101	158	132	99	130	109	113	76	1131	7.00	N	P
24118021	132	87	86	198	117	77	129	84	118	79	1107	6.65	H	P
24118022	128	87	111	240	133	96	149	111	121	80	1256	7.80	H	P
24118023	111	80	75	184	104	69	101	70	86	66	.....	.....	H	F
24118024	106	63	61	199	100	27	110	68	49	82	.....	.....	N	F
24118025	116	92	92	179	115	98	113	99	117	76	1097	6.70	H	P
24118026	158	88	89	197	118	92	141	81	101	82	1147	6.90	H	P
24118027	111	79	75	163	111	80	104	80	75	70	948	6.10	H	P
24118028	128	75	79	167	100	63	137	87	107	82	.....	.....	H	F
24118029	139	84	91	175	132	76	104	82	94	86	1063	6.55	H	P
24118030	80	61	52	153	100	40	68	51	38	74	.....	.....	N	F
24118031	130	85	80	167	127	46	146	83	117	68	.....	.....	H	F
24118032	140	114	114	243	155	92	146	103	133	74	1314	8.05	H	P
24118033	148	97	90	204	130	77	131	85	106	85	1153	7.10	H	P
24118034	143	68	79	169	100	51	115	64	79	64	.....	.....	N	F
24118035	103	59	54	59	86	31	101	50	101	68	.....	.....	N	F
24118036	121	84	70	199	112	99	135	92	100	68	.....	.....	H	F
24118037	117	80	81	176	113	37	124	95	114	60	.....	.....	H	F
24118038	127	58	53	159	103	29	73	45	36	70	.....	.....	N	F
24118039	104	54	75	193	87	75	89	89	77 *	64	.....	.....	N	F
24118040	131	86	103	172	118	81	133	95	95	72	1086	6.60	H	P
24118041	138	89	103	168	133	96	131	91	89	70	1108	6.70	H	P
24118042	121	65	61	172	109	65	78	41	54	74	.....	.....	N	F
24118043	155	104	126	227	129	108	156	112	132	70	1319	8.00	H	P
24118044	135	82	95	171	127	77	113	69	88	74	.....	.....	H	F
24118045	133	80	94	177	117	126	127	92	81	74	.....	.....	H	F
24118046	112	75	88	173	101	53	89	75	87	67	.....	.....	N	F
24118047	139	93	103	208	131	63	133	88	93	92	.....	.....	H	F
24118048	135	82	114	219	117	60	139	94	96	64	.....	.....	H	F
24118049	103	77	80	171	105	28	100	62	61	60	.....	.....	N	F
24118050	106	75	111	187	109	61	124	93	94	62	.....	.....	N	F
24118051	100	61	78	166	125	40	85	44	64	62	.....	.....	N	F
24118052	144	91	103	206	124	124	162	102	89	84	1229	7.50	H	P
24118053	125	83	93	150	105	59	119	82	99	78	.....	.....	N	F

24118054	103	82	93	180	114	75	107	82	80	66	982	6.30	N	P
24118055	136	88	107	213	117	44	159	84	106	80	.....	.....	H	F
24118057	59	45	54	13	68	15	33	43	39	33	.....	.....	L	F
24118058	120	77	102	195	116	97	140	94	125	46	.....	.....	N	F
24118059	119	82	103	185	123	114	109	87	99	76	1097	6.75	H	P
24118060	107	75	105	170	123	75	121	95	109	68	1048	6.75	N	P
24118061	109	77 *	83	198	117	96	115	84	89	82	.....	.....	H	F
24118062	110	74	66	186	102	43	120	64	53	58	.....	.....	H	F
24118063	102	63	89	173	114	35	83	65	64	64	.....	.....	H	F
24118064	116	77	100	199	108	43	113	63	77 *	54	.....	.....	H	F
24118065	107	66	89	160	105	44	114	64	75 *	64	.....	.....	H	F
24118066	112	89	92	173	119	93	100	101	115	81	1075	6.65	N	P
24118067	161	106	124	223	130	129	167	110	124	80	1354	8.45	H	P
24118068	112	71	66	153	110	42	100	78	55	68	.....	.....	N	F
24118069	127	76	82	191	106	52	153	84	65	66	.....	.....	N	F
24118070	90	64	97	165	126	75	107	89	72	78	.....	.....	H	F
24118071	123	84	111	212	130	95	149	94	103	74	1175	7.30	H	P
24118072	85	75	75	160	104	80	87	97	68	71	.....	.....	N	F
24118074	133	66	86	195	100	53	118	67	73	74	.....	.....	H	F
24118075	94	52	82	171	105	59	123	79	58	72	.....	.....	H	F
24118076	108	70	64	157	108	57	89	56	88	77	.....	.....	H	F
24118077	112	75	42	151	113	45	101	61	70	65	.....	.....	N	F
2017 ADMISSION (SUPPLEMENTARY)														
10118001	.....	.....	.....	.....	.....	60	NR	.....	.....	.....	.....	.....	H	F
10118002	.....	.....	75	.....	.....	41	.....	68	.....	.....	.....	.....	H	F
10118003	.....	.....	57	.....	.....	56	.....	69	83	.....	.....	.....	H	F
10118004	89	.....	.....	.....	.....	63	.....	68	.....	.....	.....	.....	H	F
10118005	.....	.....	.....	.....	.....	36	.....	.....	.....	.....	.....	.....	H	F
10118006	.....	.....	60	.....	.....	55	.....	58	.....	.....	.....	.....	H	F
10118007	112	.....	54	.....	.....	28	.....	44	.....	.....	.....	.....	H	F
10118008	NR	.....	NR	.....	NR	AB	68	40	47	.....	.....	.....	N	F
10118010	NR	.....	NR	NR	.....	24	76	35	66	.....	.....	.....	H	F
10118011	.....	.....	.....	.....	.....	.....	.....	89	.....	.....	1117	6.75	H	P
10118012	.....	.....	30	.....	.....	AB	NR	AB	37	.....	.....	.....	N	F
10118013	.....	.....	.....	.....	.....	66	100	80	.....	.....	.....	.....	H	F
10118015	.....	.....	AB	.....	.....	AB	.....	39	AB	.....	.....	.....	H	F
10118016	104	75	.....	.....	.....	AB	.....	51	57	.....	.....	.....	H	F
10118017	.....	.....	.....	.....	.....	.....	.....	65	.....	.....	.....	.....	H	F
10118019	.....	.....	.....	.....	.....	54	.....	.....	82	.....	.....	.....	N	F
10118020	.....	.....	.....	.....	.....	44	.....	59	.....	.....	.....	.....	H	F
10118021	.....	.....	.....	.....	.....	.....	.....	50	.....	.....	.....	.....	N	F
10118022	NR	AB	AB	.....	.....	NR	NR	NR	43	.....	.....	.....	N	F
10118023	.....	.....	.....	.....	.....	AB	.....	.....	.....	.....	.....	.....	H	F
10118025	NR	.....	NR	.....	.....	AB	.....	47	75	.....	.....	.....	N	F
10118027	117	.....	56	.....	.....	.....	.....	78	.....	.....	.....	.....	N	F
10118029	105	.....	.....	.....	.....	64	.....	.....	.....	.....	.....	.....	H	F
10118030	NR	.....	56	NR	.....	56	NR	62	66	.....	.....	.....	N	F
10118031	.....	.....	.....	.....	.....	44	.....	.....	.....	.....	.....	.....	N	F
10118032	100	.....	.....	.....	.....	.....	100	.....	.....	.....	907	6.00	L	P
10118033	.....	.....	.....	.....	.....	AB	.....	82	.....	.....	.....	.....	N	F
10118034	.....	.....	.....	.....	.....	47	.....	78	.....	.....	.....	.....	N	F
10118035	.....	.....	.....	.....	.....	NR	.....	NR	88	.....	.....	.....	H	F
10118043	.....	.....	75	.....	.....	57	.....	.....	91	.....	.....	.....	H	F
10118044	.....	75	.....	.....	.....	AB	.....	64	.....	.....	.....	.....	N	F
10118046	.....	.....	80	.....	.....	AB	.....	.....	.....	.....	.....	.....	H	F
10118049	.....	.....	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	H	F
10118050	107	.....	65	.....	.....	.....	.....	.....	.....	.....	.....	.....	H	F
10118052	.....	.....	.....	.....	.....	.....	.....	80	.....	.....	1044	6.55	H	P
10118053	100	.....	.....	.....	.....	.....	.....	.....	.....	.....	1071	6.65	H	P
10118054	.....	.....	.....	.....	.....	AB	86	.....	.....	.....	.....	.....	H	F
10118058	.....	.....	.....	.....	.....	25	AB	AB	.....	.....	.....	.....	H	F
10118059	106	.....	.....	.....	.....	.....	.....	.....	.....	.....	1006	6.30	N	P
10118061	.....	.....	62	.....	.....	33	.....	60	.....	.....	.....	.....	H	F
10118062	.....	.....	.....	.....	.....	.....	.....	83	.....	.....	1111	7.00	H	P
10118065	.....	.....	.....	.....	.....	43	90	77	.....	.....	.....	.....	H	F



## Centre: TKM School of Architecture

REG.NO.	MARKS SCORED										TOTAL	SGPA	Attendance Letter	P/F
	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR				
<b>2018 ADMISSION (REGULAR)</b>														
24118101	146	86	96	244	141	61	134	85	83	78	.....	.....	H	F
24118102	117	90	115	209	142	38	128	64	95	85	.....	.....	H	F
24118103	83	75	65	158	123	76 *	109 *	59	65	71	.....	.....	N	F
24118104	122	77	110	221	136	40	143	87	103	84	.....	.....	H	F
24118105	115	83	107	217	117	72	132	93	93	73	.....	.....	H	F
24118106	142	87	107	235	156	49	163	82	87	80	.....	.....	H	F
24118107	134	92	111	232	150	95	142	122	94	82	1254	7.75	H	P
24118108	127	78	102	163	136	81	122	90	73	69	.....	.....	N	F
24118109	118	88	91	223	137	86	147	66	94	87	.....	.....	H	F
24118110	104	82	110	195	134	36	121	83	93	73	.....	.....	N	F
24118111	100	75	75	170	102	27	90	38	79	55	.....	.....	N	F
24118112	75	61	106	159	107	41	115	75	64	71	.....	.....	N	F
24118113	104	75	81	154	101 *	84	137	67	86	65	.....	.....	N	F
24118114	128	75	104	177	115 *	60	146	67	91	79	.....	.....	H	F
24118115	104	77	97	164	117	41	125	75	84	74	.....	.....	N	F
24118116	70	48	78	166	125	31	87	23	59	77	.....	.....	N	F
24118117	108	91	116	190	134	100	162	101	93	81	1176	7.30	H	P
24118118	108	79	105	219	152	49	125	75	87	73	.....	.....	H	F
24118119	119	76	94	173	125	33	113	82	81	71	.....	.....	N	F
24118120	75	63	87	200	126	57	118	46	83	75	.....	.....	N	F
24118121	78	76	90	173	141	42	100 *	59	83	80	.....	.....	H	F
24118122	101	75	84	176	121	69	143	55	65	71	.....	.....	N	F
24118123	105	77	99	184	118	58	117	60	82	65	.....	.....	H	F
24118124	76	75	82	164	116	50	106	52	83	69	.....	.....	N	F
24118125	104	75	87	162	111	55	115	43	71	76	.....	.....	H	F
24118126	112	89	95	180	116	112	144	108	96	70	1122	7.05	H	P
24118127	87	59	77	169	123	32	115	31	67	72	.....	.....	H	F
24118128	146	79	102	217	124	88	156	54	94	78	.....	.....	H	F
24118129	101	76	83	196	148	98	140	86	97	75	1100	6.85	H	P
24118130	110	65	93	183	130	100	138	83	88	79	.....	.....	N	F
24118131	85	49	62	150	106	36	117	35	62	66	.....	.....	H	F
24118132	112	81	79	197	117	56	144	80	68	72	.....	.....	H	F
24118133	101	75	100	190	113	44	115	57	83	74	.....	.....	H	F
24118134	100	54	88	172	96	66	97	68	70	65	.....	.....	H	F
24118135	100	77	91	198	137	93	125	92	91	79	1083	6.85	H	P
24118136	104	78	106	204	136	108	117	75 *	88	77	.....	.....	H	F
24118137	100	76	84	174	126	100	133	97	88	79	1057	6.50	H	P
24118138	130	101	110	195	136	125	168	120	94	77	1256	7.75	H	P
24118139	116	79	90	194	133	85	153	106	90	76	1122	6.95	H	P
<b>2017 ADMISSIONS (SUPPLEMENTARY)</b>														
10118101	.....	.....	.....	.....	.....	AB	.....	51	.....	.....	.....	.....	N	F
10118104	.....	53	AB	.....	.....	NR	NR	NR	AB	.....	.....	.....	N	F
10118105	.....	.....	.....	.....	.....	.....	.....	70	.....	.....	.....	.....	N	F
10118106	.....	.....	.....	.....	.....	34	.....	51	.....	.....	.....	.....	N	F
10118107	.....	.....	NR	.....	.....	36	.....	51	75	.....	.....	.....	N	F
10118108	103	.....	NR	.....	.....	NR	AB	NR	NR	.....	.....	.....	N	F
10118109	.....	79	NR	.....	.....	AB	125	NR	.....	.....	.....	.....	N	F
10118110	.....	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	.....	N	F
10118112	81	37	NR	.....	.....	NR	AB	NR	NR	.....	.....	.....	N	F
10118114	.....	.....	NR	.....	.....	AB	107	NR	NR	.....	.....	.....	N	F
10118115	.....	.....	.....	.....	.....	.....	.....	73	.....	.....	.....	.....	H	F
10118116	.....	101	94	.....	.....	46	.....	66	.....	.....	.....	.....	H	F
10118117	.....	.....	.....	.....	.....	34	86	48	.....	.....	.....	.....	H	F
10118118	.....	.....	.....	.....	.....	AB	94	AB	.....	.....	.....	.....	H	F
10118119	.....	.....	.....	.....	.....	41	109	56	83	.....	.....	.....	H	F
10118121	118	.....	.....	.....	.....	.....	.....	AB	AB	.....	.....	.....	H	F
10118122	100	42	NR	.....	.....	NR	63	NR	NR	.....	.....	.....	N	F
10118123	100	NR	NR	.....	.....	39	71	NR	NR	.....	.....	.....	N	F
10118124	123	.....	.....	.....	.....	.....	.....	.....	.....	.....	1104	6.85	H	P
10118125	87	.....	NR	.....	NR	NR	76	NR	NR	.....	.....	.....	L	F
10118126	.....	78	75	.....	.....	NR	NR	NR	AB	.....	.....	.....	N	F

10118127	102	.....	40	.....	.....	NR	66	NR	.....	.....	.....	.....	N	F
10118129	.....	.....	.....	.....	.....	79	114	.....	.....	.....	1044	6.45	N	P
10118130	.....	.....	NR	.....	.....	45	.....	52	NR	.....	.....	.....	N	F
10118131	.....	.....	.....	.....	.....	.....	.....	78 *	.....	.....	.....	.....	H	F
10118132	.....	.....	.....	.....	.....	.....	.....	75 *	.....	.....	.....	.....	H	F
10118133	100	.....	NR	.....	.....	AB	74	NR	NR	.....	.....	.....	L	F
10118134	.....	.....	AB	.....	.....	NR	107	AB	NR	.....	.....	.....	N	F
10118135	.....	.....	.....	.....	.....	AB	101 *	56	.....	.....	.....	.....	L	F
10118136	.....	.....	AB	.....	.....	31	78	NR	AB	.....	.....	.....	N	F

**2016 ADMISSIONS**

10117102	.....	.....	.....	.....	.....	31	.....	.....	77	.....	.....	.....	H	F
10117103	100	.....	.....	.....	.....	.....	.....	.....	.....	.....	1017	6.50	N	P
10117108	.....	.....	.....	.....	.....	30	.....	.....	82	.....	.....	.....	N	F
10117109	.....	.....	.....	.....	.....	31	.....	.....	.....	.....	.....	.....	H	F
10117112	114	.....	.....	.....	.....	31	.....	36	.....	.....	.....	.....	H	F
10117117	.....	.....	.....	.....	.....	27	.....	.....	.....	.....	.....	.....	N	F
10117118	.....	A	.....	.....	.....	26	.....	66	.....	.....	.....	.....	N	F
10117120	.....	.....	NR	.....	.....	28	.....	NR	NR	.....	.....	.....	H	F
10117122	.....	.....	NR	.....	.....	NR	.....	NR	35	.....	.....	.....	N	F
10117124	.....	.....	.....	.....	.....	AB	.....	46	.....	.....	.....	.....	N	F
10117126	82	44	NR	.....	.....	.....	.....	NR	NR	.....	.....	.....	N	F
10117129	.....	.....	.....	.....	.....	30	103	75	.....	.....	.....	.....	H	F
10117131	.....	56	AB	.....	.....	NR	.....	NR	.....	.....	.....	.....	N	F
10117132	.....	.....	.....	.....	.....	AB	.....	30	.....	.....	.....	.....	N	F
10117135	.....	.....	.....	.....	.....	30	.....	.....	.....	.....	.....	.....	N	F
10117136	.....	.....	.....	.....	.....	38	.....	58	.....	.....	.....	.....	N	F

**2015 ADMISSIONS**

10116102	.....	.....	.....	.....	.....	52	.....	.....	.....	.....	.....	.....	N	F
10116103	.....	.....	.....	.....	.....	43	.....	.....	.....	.....	.....	.....	H	F
10116104	.....	.....	.....	.....	.....	29	.....	NR	.....	.....	.....	.....	H	F
10116110	.....	58	.....	.....	.....	NR	71	NR	NR	.....	.....	.....	H	F
10116115	66	.....	.....	.....	.....	46	AB	43	.....	.....	.....	.....	H	F
10116116	.....	.....	.....	.....	.....	34	.....	.....	.....	.....	.....	.....	N	F
10116119	.....	.....	.....	.....	.....	46	.....	.....	.....	.....	.....	.....	H	F
10116128	.....	.....	.....	.....	.....	79	.....	.....	.....	.....	1069	6.75	H	P
10116130	.....	.....	.....	.....	.....	66	.....	.....	.....	.....	.....	.....	H	F
10116131	.....	.....	.....	.....	.....	61	.....	80	.....	.....	.....	.....	H	F
10116134	.....	.....	.....	.....	.....	82	.....	.....	.....	.....	1018	6.50	N	P

**2014 ADMISSIONS**

10115112	.....	.....	.....	.....	.....	43	.....	.....	.....	.....	.....	.....	N	F
10115115	.....	.....	.....	.....	.....	AB	.....	.....	.....	.....	.....	.....	H	F
10115120	.....	.....	.....	.....	.....	AB	86	NR	.....	.....	.....	.....	N	F
10115122	.....	.....	.....	.....	.....	46	.....	.....	.....	.....	.....	.....	N	F

**Centre: Nizar Rahim and Mark School of Architecture**

REG.NO.	MARKS SCORED										SGPA	Attendance Letter	P / F	
	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110				TOTAL
<b>2018 ADMISSION (REGULAR)</b>														
24118201	107	60	54	183	107	34	82	82	83	84	.....	.....	N	F
24118202	108	71	84	188	133	86	114	83	100	92	.....	.....	H	F
24118203	116	75*	68	223	124	70	112	87	95	96	.....	.....	H	F
24118204	136	88	64	233	129	47	136	111	117	94	.....	.....	H	F
24118205	102	52	54	172	117	36	90	66	84	90	.....	.....	H	F
24118206	122	84	83	211	122	86	123	89	113	94	1127	7.00	H	P
24118207	124	88	84	211	142	55	126	92	101	84	.....	.....	H	F
24118208	105	70	64	160	113	78*	128	72	84	78	.....	.....	N	F
24118209	107	88	62	174	112	114	145	95	100	90	.....	.....	N	F
24118210	103	58	48	177	113	56	96	77*	83	88	.....	.....	N	F
24118211	108	82	67	208	138	49	116	72	93	80	.....	.....	N	F
24118212	110	86	74	225	131	73	111*	88	106	96	.....	.....	H	F
24118213	101	50	39	126	87	20	70	43	62	82	.....	.....	N	F
24118214	105	57	57	203	113	37	85	64	81	82	.....	.....	N	F
24118215	126	100	85	216	145	130	142	98	104	98	1244	7.60	H	P
24118216	105	76	66	168	110	47	123	61	100	92	.....	.....	N	F
24118217	107	85	68	196	142	72	119*	84	100	88	.....	.....	H	F
24118218	102	65	54	186	111	44	121	85	87	84	.....	.....	H	F



10117235	.....	.....	68	.....	100	Ab	.....	NR	Ab	.....	....	....	H	F
10117236	.....	.....	.....	.....	.....	85	.....	.....	.....	.....	1068	6.75	H	P
10117237	.....	.....	Ab	.....	.....	Ab	.....	.....	.....	.....	....	....	H	F
10117238	.....	.....	.....	.....	.....	90	.....	.....	.....	.....	1051	6.60	H	P
10117240	.....	.....	.....	.....	.....	45	101*	.....	.....	.....	....	....	H	F
<b>2015ADMISSION</b>														
10116203	.....	.....	.....	.....	.....	82	.....	.....	.....	.....	1087	6.75	N	P
10116204	.....	.....	.....	.....	.....	84	.....	.....	.....	.....	1029	6.45	N	P
10116205	.....	.....	.....	.....	.....	28	.....	.....	.....	.....	-----	-----	H	F
10116206	.....	.....	.....	.....	.....	44	.....	.....	.....	.....	-----	-----	H	F
10116207	.....	.....	.....	.....	.....	86	.....	.....	.....	.....	1107	6.80	H	P
10116209	.....	.....	.....	.....	.....	73	.....	.....	.....	.....	-----	-----	H	F
10116211	.....	.....	.....	.....	.....	75	.....	.....	.....	.....	1142	7.00	H	P
10116212	.....	.....	.....	.....	.....	84	.....	.....	.....	.....	1155	7.15	H	P
10116214	.....	.....	.....	.....	.....	70	.....	.....	.....	.....	-----	-----	H	F
10116217	.....	.....	.....	.....	.....	87	.....	.....	.....	.....	1121	6.85	H	P
10116218	.....	.....	.....	.....	.....	63	.....	.....	.....	.....	-----	-----	N	F
10116219	.....	.....	.....	.....	.....	37	.....	.....	.....	.....	-----	-----	N	F
10116220	.....	.....	.....	.....	.....	109	.....	.....	.....	.....	1147	7.15	N	P
10116222	.....	.....	.....	.....	.....	83	.....	.....	.....	.....	1012	6.45	N	P
10116223	.....	.....	43	.....	.....	34	.....	.....	.....	.....	-----	-----	N	F
10116224	.....	.....	.....	.....	.....	75*	.....	.....	.....	.....	-----	-----	N	F
10116227	75	.....	26	.....	NR	22	59	.....	.....	.....	-----	-----	N	F
10116229	.....	.....	.....	.....	.....	73	.....	.....	.....	.....	-----	-----	N	F
10116231	.....	.....	.....	.....	.....	66	.....	.....	.....	.....	-----	-----	H	F
10116233	.....	.....	.....	.....	.....	42	.....	.....	.....	.....	-----	-----	H	F
10116235	.....	.....	58	.....	.....	.....	.....	.....	.....	.....	-----	-----	H	F
10116236	.....	.....	35	.....	.....	38	Ab	.....	.....	.....	-----	-----	N	F
10116237	.....	.....	.....	.....	.....	65	.....	.....	.....	.....	-----	-----	N	F
10116238	.....	.....	.....	.....	.....	69	.....	.....	.....	.....	-----	-----	N	F
10116239	.....	.....	NR	.....	.....	Ab	.....	.....	.....	.....	-----	-----	N	F
10116240	.....	.....	Ab	.....	.....	Ab	.....	.....	.....	.....	-----	-----	N	F
<b>2014ADMISSION</b>														
10115201	.....	.....	.....	.....	.....	38	.....	.....	.....	.....	-----	-----	N	F
10115211	.....	.....	.....	.....	.....	53	.....	.....	.....	.....	-----	-----	H	F
10115215	.....	.....	.....	.....	.....	52	.....	.....	.....	.....	-----	-----	H	F
10115224	.....	.....	.....	.....	.....	42	.....	.....	.....	.....	-----	-----	N	F
10115225	.....	.....	.....	.....	.....	72	.....	.....	.....	.....	-----	-----	H	F

**Ab:Absent**

**F: Failed**

**P:Passed**

**NR: Not Registered**

**For Paper AR 1101,1105,1107 Marks below 100 and those with \* indicates failure**

**For Paper AR 1102,1103,1106,1108,1109 Marks below 75 and those with \* indicates failure**

**For Paper AR 1104 Marks below 150 and those with \* indicates failure**

**For Paper AR 1110 Marks below 50 and those with \* indicates failure**

University Office

Date: 18/02/2020



**CONTROLLER OF EXAMINATIONS**

**Disclaimer: The results published in the site are for immediate information to the examinees. This cannot be treated as original marksheet. CUSAT is not responsible for any inadvertant error that may have crept in the results published in the site. Original mark sheets will be issued by the Controller of examinations.**