



# COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

## RESULT NOTIFICATION

**The following is the provisional result of candidates who have appeared for the B. Arch Degree III Semester Examination November 2019**

**Centre: TKM SCHOOL OF ARCHITECTURE**

REG.NO.	MARKS SCORED								TOTAL	SGPA	ATTENDANCE LETTER CODE	P / F
	AR1301	AR1302	AR1303	AR1304	AR1305	AR1306	AR1307	AR1308				
<b>REGULAR CANDIDATES</b>												
24118101	351	100	69	82	147	82	46	71	.....	.....	N	F
24118102	319	79	93	93	149	86	48	41	.....	.....	H	F
24118103	277	73	60	68	128	77	46	65	.....	.....	N	F
24118104	353	86	84	96	153	110	47	69	.....	.....	N	F
24118105	307	112 *	73	87	143	111	45	90	.....	.....	H	F
24118106	345	123	87	96	156	98	46	54	.....	.....	N	F
24118107	339	148	105	100	151	114	47	107	1111	7.88	H	P
24118108	331	100	79	86	148	97	45	82	968	6.96	N	P
24118109	353	94	68	67	152	97	46	51	.....	.....	N	F
24118110	305	108 *	94	102	149	101	46	85	.....	.....	H	F
24118111	252	71	46	75	144	54	42	43	.....	.....	N	F
24118112	300	81	66	76	125	75	46	45	.....	.....	N	F
24118113	293	100	65	78	124	75	46	45	.....	.....	N	F
24118114	303	82	66	60	139	81	46	55	.....	.....	N	F
24118115	291	100	87	80	139	86	46	48	.....	.....	N	F
24118116	271	55	47	77	125	92	47	31	.....	.....	N	F
24118117	330	118	98	91	156	104	46	86	1029	7.13	H	P
24118118	346	91	86	93	140	111	44	62	.....	.....	H	F
24118119	309	104	66	76	143	78	46	47	.....	.....	N	F
24118120	312	100	87	98	137	90	46	75	945	6.88	N	P
24118121	298	108	69	81	140	75	47	55	.....	.....	N	F
24118122	336	102	68	75	139	78	47	58	.....	.....	N	F
24118123	297	103	82	76	138	83	48	67	.....	.....	H	F
24118124	296	105	77	75	125	94	45	71	.....	.....	H	F
24118125	296	84	67	77	133	83	48	28	.....	.....	N	F
24118126	295	100	82	85	134	97	46	87	926	6.58	N	P
24118127	301	91	72	79	137	66	47	40	.....	.....	N	F
24118128	375	107	88	99	140	102	46	74	.....	.....	H	F
24118129	300	105	83	97	144	105	46	88	968	7.13	N	P
24118130	304	100	80	90	142	87	46	67	.....	.....	N	F
24118131	261	66	48	60	126	77	46	24	.....	.....	N	F
24118132	335	107	77	85	140	84	48	81	957	6.88	H	P
24118133	304	84	84	66	137	81	47	51	.....	.....	H	F

24118134	277	81	45	86	131	82	46	50	.....	.....	N	F
24118135	307	102	87	94	139	117	46	84	976	6.96	H	P
24118136	327	108	101	95	136	112	46	89	1014	7.04	N	P
24118137	321	109	88	96	143	111	46	88	1002	7.13	H	P
24118138	311	117	109	105	140	104	46	101	1033	7.42	N	P
24118139	337	107	88	87	143	100	44	75	981	6.88	H	P
<b>SUPPLEMENTARY - 2017 ADMISSION</b>												
10118101	.....	.....	77	.....	.....	.....	.....	.....	868	6.46	N	P
10118104	.....	.....	45	NR	.....	.....	.....	NR	.....	.....	N	F
10118106	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10118107	.....	.....	79	NR	.....	.....	.....	.....	.....	.....	N	F
10118108	.....	.....	NR	43	.....	NR	.....	NR	.....	.....	H	F
10118109	.....	.....	75	.....	.....	.....	.....	78	881	6.5	N	P
10118110	.....	.....	.....	.....	.....	.....	.....	75	911	6.5	N	P
10118112	.....	54	AB	NR	.....	NR	.....	NR	.....	.....	N	F
10118113	.....	.....	105	.....	.....	.....	.....	.....	1049	7.46	H	P
10118114	.....	55	37	NR	.....	NR	.....	NR	.....	.....	N	F
10118115	.....	.....	92	.....	.....	.....	.....	.....	913	6.71	H	P
10118116	.....	.....	78	.....	.....	.....	.....	87	940	6.88	H	P
10118118	.....	.....	87	.....	.....	.....	.....	62	.....	.....	H	F
10118119	.....	.....	NR	.....	.....	.....	.....	AB	.....	.....	H	F
10118123	.....	.....	62	NR	.....	.....	.....	NR	.....	.....	N	F
10118125	NR	.....	42	.....	.....	.....	.....	NR	.....	.....	N	F
10118126	.....	74	41	NR	.....	.....	.....	NR	.....	.....	N	F
10118127	.....	53	NR	50	.....	NR	.....	NR	.....	.....	N	F
10118130	.....	110	.....	NR	.....	88	.....	NR	.....	.....	N	F
10118133	NR	AB	AB	29	.....	AB	.....	AB	.....	.....	N	F
10118134	.....	.....	75	81	.....	.....	.....	AB	.....	.....	N	F
10118135	.....	.....	.....	77	.....	.....	.....	76	875	6.58	N	P
10118136	.....	.....	41	43	.....	.....	.....	NR	.....	.....	H	F
<b>COLLEGE TRANSFER - 2017 ADMISSION</b>												
10118209	.....	.....	.....	.....	.....	.....	.....	48	.....	.....	H	F
<b>2016 ADMISSION</b>												
10117103	AB	107	.....	50	.....	95	.....	NR	.....	.....	N	F
10117105	.....	.....	AB	.....	.....	.....	.....	.....	.....	.....	N	F
10117126	.....	63	52	49	NR	AB	.....	NR	.....	.....	N	F
<b>2016 ADMISSION</b>												
10117101	.....	.....	.....	.....	.....	.....	.....	59	.....	.....	H	F
10117102	.....	.....	.....	NR	.....	.....	.....	79	.....	.....	N	F
10117112	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	H	F
10117117	.....	.....	59	AB	.....	.....	.....	AB	.....	.....	N	F
10117118	.....	.....	.....	.....	.....	.....	.....	70	.....	.....	N	F

10117120	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	H	F
10117124	.....	.....	.....	.....	.....	.....	.....	38	.....	.....	N	F
10117125	.....	.....	AB	NR	.....	.....	.....	AB	.....	.....	N	O
10117135	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
<b>2015 ADMISSION</b>												
10116103	.....	.....	.....	.....	.....	.....	.....	49	.....	.....	H	F
10116104	.....	AB	NR	.....	.....	.....	.....	NR	.....	.....	N	F
10116116	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10116131	.....	.....	86	.....	.....	.....	.....	80	889	6.21	N	P
<b>2014 ADMISSION</b>												
10115111	.....	.....	NR	.....	.....	.....	.....	83	.....	.....	H	F
10115113	.....	.....	75	.....	.....	.....	.....	.....	899	6.58	H	P
<b>Centre: MARIAN COLLEGE OF ARCHITECTURE AND PLANNING</b>												
REG.NO.	MARKS SCORED								TOTAL	SGPA	ATTENDANCE LETTER CODE	P / F
	AR1301	AR1302	AR1303	AR1304	AR1305	AR1306	AR1307	AR1308				
<b>2018 ADMISSION</b>												
24118001	296	114	79	103	119	107	35	106	959	6.67	N	P
24118002	291	85	65	67	110	64	40	79	.....	.....	H	F
24118003	326	97	83	88	119	91	38	49	.....	.....	H	F
24118004	310	103 *	85	81	126	83	37	88	.....	.....	H	F
24118005	276	111	91	110	116	114	37	83	938	6.58	H	P
24118006	251	76	55	67	114	63	27	45	.....	.....	N	F
24118007	308	109	100	116	128	119	40	122	1042	7.42	N	P
24118008	297	118	105	104	125	99	27	63	.....	.....	H	F
24118009	307	87	99	92	130	84	38	91	.....	.....	N	F
24118010	272	89	99	81	108	87	40	42	.....	.....	N	F
24118011	358	109	104	93	138	98	27	100	1027	6.96	H	P
24118012	264	78	64	77	113	78	38	98	.....	.....	H	F
24118013	307	106	90	97	115	85	39	105	944	6.79	N	P
24118014	283	89	53	83	117	76	42	39	.....	.....	H	F
24118015	293	129	119	108	131	104	44	100	1028	7.13	N	P
24118016	264	101	97	93	123	110	34	67	.....	.....	N	F
24118018	252	112	115	97	109	111	41	91	928	6.79	N	P
24118019	281	115	89	88	124	82	44	84	907	6.42	N	P
24118020	270	114	110	97	128	126	44	96	985	7.04	N	P
24118021	301	116	120	109	122	113	41	89	1011	7.21	N	P
24118022	364	116	132	103	138	112	39	101	1105	7.38	H	P
24118023	272	109	102	88	105	92	31	84	883	6.25	H	P
24118024	309	71	66	75	109	54	36	31	.....	.....	H	F
24118025	321	107	106	98	118	106	46	96	998	7.08	N	P
24118026	275	124	118	101	131	108	39	105	1001	7.17	H	P
24118027	303	106	106	91	104	84	37	81	912	6.63	H	P
24118028	274	66	88	82	117	81	40	79	.....	.....	H	F
24118029	294	83	103	95	126	104	37	70	.....	.....	H	F
24118030	250	70	78	78	111	63	28	30	.....	.....	N	F

24118031	295	112	93	103	118	81	41	83	926	6.42	N	P
24118032	377	116	115	113	148	107	40	96	1112	7.63	H	P
24118033	306	125	100	102	135	90	46	87	991	7.13	H	P
24118034	286	112	90	82	107	79	46	73	.....	.....	H	F
24118035	204	72	66	85	116	80	26	58	.....	.....	N	F
24118036	319	106	102	112	105	100	37	91	972	6.83	H	P
24118037	291	110	92	109	108	99	36	84	929	6.5	H	P
24118038	250	99	70	66	112	62	39	45	.....	.....	N	F
24118039	302	115	77	104	120	98	27	88	931	6.54	N	P
24118040	315	128	99	90	132	89	37	91	981	7	H	P
24118041	277	127	91	103	124	120	29	57	.....	.....	H	F
24118042	282	100	79	73	106	82	35	79	.....	.....	N	F
24118043	345	154	121	115	127	120	41	100	1123	7.75	H	P
24118044	323	132	91	101	123	96	39	60	.....	.....	H	F
24118045	321	132	84	105	127	97	39	91	996	7.08	H	P
24118046	345	135	92	98	123	93	39	62	.....	.....	N	F
24118047	307	141	89	85	141	82	36	54	.....	.....	H	F
24118048	291	101	89	87	113	87	36	57	.....	.....	H	F
24118049	259	100	78	88	118	90	37	64	.....	.....	N	F
24118050	219	124	91	95	113	103	36	85	.....	.....	H	F
24118051	350	120	85	106	124	87	40	63	.....	.....	N	F
24118052	363	163	125	117	127	122	39	90	1146	8.04	H	P
24118053	264	142	92	84	107	92	42	86	909	6.75	H	P
24118054	291	133	106	103	127	93	41	44	.....	.....	H	F
24118055	317	123	80	91	121	84	40	63	.....	.....	H	F
24118057	212	100	70	81	115	71	38	54	.....	.....	N	F
24118058	326	119	102	101	123	101	39	96	1007	6.92	H	P
24118059	290	119	86	89	118	114	42	100	958	6.54	H	P
24118060	296	115	87	104	140	91	37	72	.....	.....	N	F
24118061	295	123	69	93	131	81	46	95	.....	.....	H	F
24118062	276	88	53	80	113	79	38	46	.....	.....	N	F
24118063	309	115	80	81	104	76	46	83	894	6.54	H	P
24118064	283	119	78	85	121	79	37	51	.....	.....	H	F
24118065	289	100	69	87	121	77	40	62	.....	.....	H	F
24118066	316	150	128	105	134	119	41	119	1112	7.79	N	P
24118067	334	176	137	117	133	126	45	114	1182	8.21	H	P
24118068	283	146	84	79	130	86	45	81	934	6.83	H	P
24118069	295	126	66	99	124	83	40	70	.....	.....	N	F
24118070	267	123	82	79	119	87	27	95	879	6.29	H	P
24118071	307	136	91	101	122	108	39	106	1010	7.29	H	P
24118072	292	108	90	89	116	78	42	86	901	6.33	N	P
24118074	272	109	99	77	115	77	41	92	882	6.46	N	P
24118075	283	111	69	80	105	67	38	53	.....	.....	H	F
24118076	274	123	103	93	112	101	41	60	.....	.....	N	F

24118077	250	112	82	84	122	82	40	46	.....	.....	N	F
<b>SUPPLEMENTARY - 2017 ADMISSION</b>												
10118003	.....	.....	.....	.....	.....	.....	.....	55	.....	.....	N	F
10118004	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	H	F
10118008	.....	101	AB	AB	.....	AB	.....	NR	.....	.....	N	F
10118010	.....	.....	59	.....	.....	.....	.....	53	.....	.....	H	F
10118012	.....	.....	38	NR	.....	.....	.....	AB	.....	.....	N	F
10118013	.....	.....	.....	.....	.....	.....	.....	93	998	7	H	P
10118015	.....	.....	52	.....	.....	.....	.....	AB	.....	.....	H	F
10118016	.....	.....	NR	.....	.....	.....	.....	AB	.....	.....	H	F
10118020	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	H	F
10118022	.....	62	NR	43	.....	NR	.....	NR	.....	.....	N	F
10118023	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	H	F
10118027	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10118030	.....	NR	75	.....	.....	NR	.....	51	.....	.....	N	F
10118046	.....	.....	.....	.....	.....	.....	.....	38	.....	.....	H	F
10118056	.....	.....	59	.....	.....	.....	.....	80	.....	.....	H	F
10118058	.....	.....	.....	AB	.....	NR	.....	NR	.....	.....	H	F
10118069	.....	.....	58	.....	.....	.....	.....	.....	.....	.....	H	F
10118071	.....	.....	68	.....	NR	AB	.....	AB	.....	.....	N	F
<b>READMISSION - 2016 ADMISSION</b>												
10117070	.....	AB	NR	.....	.....	.....	NR	AB	.....	.....	N	F
<b>SUPPLEMENTARY - 2016 ADMISSION</b>												
10117003	.....	AB	.....	NR	.....	.....	.....	NR	.....	.....	N	F
10117005	.....	68	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10117019	.....	66	75	NR	.....	.....	.....	.....	.....	.....	N	F
10117022	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10117026	.....	AB	.....	.....	.....	.....	.....	.....	.....	.....	N	F
10117027	.....	.....	64	.....	.....	.....	.....	.....	.....	.....	H	F
10117036	.....	AB	.....	.....	.....	.....	.....	.....	.....	.....	H	F
10117037	NR	.....	.....	.....	.....	.....	.....	.....	.....	.....	N	F
10117040	.....	.....	AB	.....	.....	.....	.....	.....	.....	.....	N	F
10117043	.....	.....	66	.....	.....	.....	.....	AB	.....	.....	N	F
10117051	AB	76	33	NR	NR	NR	.....	NR	.....	.....	N	F
10117055	.....	84	38	AB	.....	18	.....	27	.....	.....	N	F
10117057	.....	104	NR	NR	83	NR	.....	NR	.....	.....	N	F
10117059	242	.....	AB	NR	.....	NR	.....	NR	.....	.....	N	F
10117067	.....	.....	57	.....	.....	.....	.....	42	.....	.....	N	F
<b>READMISSION - 2015 ADMISSION</b>												
10116026	.....	AB	NR	NR	AB	NR	.....	NR	.....	.....	N	F
<b>SUPPLEMENTARY - 2015 ADMISSION</b>												
10116006	.....	80	AB	.....	.....	.....	.....	NR	.....	.....	N	F
10116009	.....	79	NR	75	.....	82	.....	NR	.....	.....	N	F
10116016	AB	NR	NR	NR	NR	NR	.....	NR	.....	.....	N	F
10116018	.....	94	AB	.....	.....	.....	.....	.....	.....	.....	N	F
10116019	.....	.....	75	.....	.....	.....	.....	.....	1012	7.13	0	P

10116032	.....	82	.....	.....	.....	.....	.....	NR	.....	.....	N	F
<b>SUPPLEMENTARY - 2014 ADMISSION</b>												
10115002	NR	.....	.....	.....	.....	.....	.....	51	.....	.....	N	F
10115007	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10115011	.....	84	.....	.....	.....	.....	.....	.....	.....	.....	H	F
10115014	.....	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10115018	.....	.....	.....	.....	.....	.....	.....	59	.....	.....	N	F

**Centre: NIZAR RAHIM AND MARK SCHOOL OF ARCHITECTURE, KOLLAM**

REG.NO.	MARKS SCORED								TOTAL	GPA	ATTENDANCE LETTER CODE	P / F
	AR1301	AR1302	AR1303	AR1304	AR1305	AR1306	AR1307	AR1308				
<b>REGULAR CANDIDATES</b>												
<b>2018 ADMISSIONS(Regular)</b>												
24118201	269	116	83	87	129	103	36	58	.....	.....	N	F
24118202	264	114	91	95	123	116	37	86	926	6.67	H	P
24118204	317	168	108	105	155	115	37	123	1128	8.08	H	P
24118205	251	103	54	78	126	81	37	79	.....	.....	N	F
24118206	310	140	101	112	127	122	37	106	1055	7.63	H	P
24118207	354	135	111	103	144	117	36	84	1084	7.5	N	P
24118208	250	115	99	87	120	89	39	88	887	6.42	N	P
24118209	318	132	75	103	116	113	27	93	977	6.75	L	P
24118210	254	113	80	78	117	98	30	77	847	6.17	N	P
24118211	360	128	95	82	121	109	37	93	1025	7.29	H	P
24118212	300	147	101	104	144	114	37	116	1063	7.63	H	P
24118213	25	79	30	57	100	75	36	28	.....	.....	L	F
24118214	88	111	53	82	100	82	39	38	.....	.....	L	F
24118215	346	177	117	107	142	120	37	129	1175	8.17	H	P
24118216	271	111	83	91	133	109	37	51	.....	.....	H	F
24118217	280	152	108	103	142	119	37	109	1050	7.5	N	P
24118218	292	120	71	90	114	107	37	55	.....	.....	N	F
24118219	123	88	65	76	112	85	37	43	.....	.....	N	F
24118220	300	126	93	85	123	108	37	83	955	6.96	H	P
24118221	270	114	98	98	105	114	30	81	910	6.42	N	P
24118222	76	75	59	69	84	77	30	22	.....	.....	L	F
24118223	53	108	40	77	83	75	30	43	.....	.....	L	F
24118224	301	105	78	82	137	86	30	79	898	6.46	L	P
24118225	272	114	82	83	110	86	31	87	865	6.08	H	P
24118226	372	131	95	98	129	113	37	83	1058	7.25	H	P
24118227	268	66	57	77	105	76	36	45	.....	.....	N	F
24118228	216	89	75	72	132	96	37	58	.....	.....	N	F
24118229	285	115	93	95	133	105	45	117	988	7.08	H	P
24118230	329	125	85	80	126	90	31	80	946	6.71	N	P
24118231	283	124	80	76	107	83	30	58	.....	.....	N	F
24118232	281	101	75	62	108	78	37	40	.....	.....	N	F
24118233	140	88	82	76	89	97	39	87	.....	.....	N	F
24118234	10	16	31	41	76	66	5	50	.....	.....	L	F
24118235	281	125	83	85	143	111	37	90	955	6.96	N	P
24118236	120	137	83	77	119	92	36	82	.....	.....	N	F

24118237	271	102	79	79	90	95	37	77	.....	.....	N	F
24118238	331	138	97	89	139	99	46	104	1043	7.17	N	P
24118239	291	128	88	87	126	103	39	91	953	6.71	H	P
<b>2017 ADMISSION</b>												
10118223	....	NR	NR	NR	...	....	...	Ab	.....	.....	N	F
<b>2016 ADMISSION</b>												
10117204	250	...	54	NR	...	....	....	NR	.....	.....	N	F
10117208	AB	....	NR	NR	...	...	...	NR	.....	.....	N	F
10117211	...	103	NR	NR	...	...	...	NR	.....	.....	N	F
10117223	...	...	...	...	...	...	...	81	874	6.5	N	P
10117225	252	77	NR	NR	...	...	...	NR	.....	.....	N	F
10117226	...	82	50	55	...	NR	...	NR	.....	.....	N	F
10117230	255	...	...	...	...	...	...	NR	.....	.....	N	F
10117235	AB	...	...	...	...	...	...	77	.....	.....	N	F
10117237	...	...	57	65	AB	...	...	...	.....	.....	N	F
<b>2015 ADMISSION</b>												
10116208	...	...	AB	...	...	AB	...	...	.....	.....	N	F
10116219	...	...	79	...	...	...	...	...	805	6.08	N	P
10116233	...	...	...	...	...	...	...	42	.....	.....	H	F
10116235	...	...	75	...	...	...	...	68	.....	.....	H	F
10116236	...	...	Ab	60	...	...	...	37	.....	.....	N	F
10116239	...	...	...	Ab	...	...	...	Ab	.....	.....	N	F
10116240	...	...	Ab	...	...	...	...	...	.....	.....	N	F
<b>2014 ADMISSION</b>												
10115210	...	...	75	...	...	...	...	...	877	6.42	N	P

F: Failed


P:Passed

For Paper AR 1301 Marks below 250 and those with \* indicates failure

For Papers AR 1302,AR1305 Marks below 100 and those with \* indicates failure

For Papers AR 1303,AR 1304,AR 1306,AR 1308 Marks below 75 and those with \* indicates failure

AR 1307 Marks below 25 and those with \*indicates failure



University Office

Date: 12/10/2020

**Dr. BENJAMIN VARGHESE P**  
**CONTROLLER OF EXAMINATIONS**