

## COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

## RESULT NOTIFICATION

EV2/ 645 /B.Arch IV Sem/April 2023 (SUPPLEMENTARY)

The following is the provisional result of candidates who have appeared for the B. Arch Degree IV Semester Examination APRIL 2023

Centre: NIZAR RAHIM AND MARK SCHOOL OF ARCHITECTURE

Branch : B. Arch

REG.NO.	MARKS SCORED									SGPA	ALC	P / F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407	AR 1408	TOTAL			
24120206	.....	.....	.....	.....	.....	.....	.....	63	.....	.....	N	F
24120207	290	.....	.....	.....	.....	.....	.....	.....	1130	7.58	N	P
24120211	.....	.....	.....	.....	.....	75	.....	.....	1001	6.58	N	P
24120216	.....	.....	.....	.....	AB	.....	.....	NR	....	....	N	F
24120217	261	61	NR	NR	NR	NR	NR	NR	....	....	N	F
24120218	251	113	NR	NR	AB	AB	NR	NR	....	....	N	F
24119202	261	....	....	....	...	75	...	...	912	6.29	H	P
24119216	...	...	...	...	...	77	94	NR	....	....	H	F
24119218	...	...	...	...	118	83	...	81*	...	...	H	F
24119219	...	.....	...	.....	...	...	...	97	1043	6.58	H	P
24119220	...	102	81	120	...	49	83*	55	.....	.....	N	F
24119221	....	.....	...	.....	.....	...	....	60	.....	.....	H	F
24119222	....	.....	....	.....	....	64	....	.....	.....	.....	H	F
24119230	....	.....	....	....	....	92	.....	....	1047	6.58	H	P
2018 ADMISSION												
24118201	...	.....	....	150	....	.....	...	84	982	6.79	N	P
24118205	...	...	...	...	110	87	...	64	.....	.....	N	F
24118210	...	.....	NR	136	39	79	.....	....	...	....	N	F

24118213	....	92	62	....	34	48	...	28	....	....	N	F
24118222	...	...	87	....	...	...	...	.....	954	6.17	N	P
24118223	...	...	91	....	....	....	...	....	1005	6.71	N	P
24118227	...	...	....	....	...	79	....	78	947	6.42	N	P
24118228	...	....	...	....	....	....	....	81	976	6.38	H	P
24118231	...	....	....	....	....	....	....	84	1021	6.54	H	P
24118234	....	....	60	127	90	63	....	57	....	....	N	F
2017 ADMISSION												
10118204	...	....	....	...	...	...	....	AB	.....	.....	N	F
10118207	...	...	...	...	...	...	AB	...	....	...	N	F
10118224	...	...	...	...	...	...	...	35	.....	.....	N	F
2016 ADMISSION												
10117204	...	...	...	....	55	82	...	.....	...	...	N	F
10117208	NR	119	...	AB	....	37	...	38	....	...	L	F
10117211	...	...	...	...	...	92	.....	33	.....	...	N	F
10117225	...	...	...	...	103	76*	72	.....	...	...	L	F
10117226	...	...	NR	...	97	80	93	....	...	...	N	F
10117234	...	...	...	...	...	...	...	83	869	6.08	L	p
10117237	....	....	NR	...	NR	...	...	38	...	...	L	F
10117240	...	...	...	...	...	...	...	39	...	...	H	F
2015 ADMISSION												
10116215	....	86	AB	...	...	...	...	...	...	...	N	F
10116239	...	...	...	...	...	...	AB	AB	...	...	N	F
10116240	...	...	...	...	...	...	...	84	895	6	N	p
WH:Withheld												
NR :Not Registered												
Ab :Absent												

F: Failed	
P:Passed	
For Paper AR 1401 Marks below 250 and those with * indicates failure	
For papers AR 1402,AR 1404 Marks below 100 and those with * indicates failure	
KOCHI- 22	Dr. Benjamin Varghese P
26.12.2023	

\* This is a computer generated document. Hence no signature is required.

## COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

## RESULT NOTIFICATION

EV4/568/B.ARCH / TKM /IV SEM (REG &amp; SUPPLE)/ APRIL 2023

The following is the Provisional Result of candidates who have appeared for the B. Arch. Degree IV Semester Examination April 2023 (Regular) 2021 Scheme

Centre: TKM SCHOOL OF ARCHITECTURE

Branch: B.Arch.

REG.NO.	MARKS SCORED							TOTAL	CREDITS	GPA	ALC	P / F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407					
2021 Admission (regular)												
24121101	366	181	141	104	161	109	82	1144	30	8.30	H	P
24121102	379	158	100	82	163	89	83	1054	30	7.43	H	P
24121103	414	170	127	101	169	81	82	1144	30	8.20	H	P
24121104	343	153	126	97	153	91	95	1058	30	7.47	H	P
24121105	355	156	119	96	157	82	66	.....	27	.....	H	F
24121107	392	148	118	90	161	71	70	.....	24	.....	H	F
24121108	332	127	99	70	149	62	52	.....	21	.....	H	F
24121109	357	163	118	89	155	78	84	1044	30	7.53	H	P
24121110	345	166	118	93	157	83	68	.....	27	.....	H	F
24121111	381	163	121	89	167	100	82	1103	30	7.87	H	P
24121112	375	169	105	83	157	84	76	1049	30	7.53	H	P
24121113	406	175	135	100	167	94	104	1181	30	8.50	H	P
24121114	380	160	119	97	161	77	65	.....	27	.....	H	F
24121115	361	178	130	100	157	105	99	1130	30	8.03	H	P
24121116	378	177	132	112	159	87	88	1133	30	7.83	H	P
24121117	372	155	119	81	155	87	72	.....	27	.....	H	F
24121118	402	166	139	97	161	100	97	1162	30	8.50	H	P
24121119	377	146	110	73	157	78	71	.....	24	.....	H	F
24121120	356	171	117	107	155	98	80	1084	30	7.83	H	P
24121121	378	179	145	115	161	104	95	1177	30	8.27	H	P
24121124	389	179	127	92	165	96	88	1136	30	7.97	H	P
24121125	409	163	125	85	169	81	78	1110	30	8.10	H	P
24121126	383	152	116	87	167	92	69	.....	27	.....	H	F

24121127	356	117	103	85	145	80	78	964	30	7.03	N	P
24121128	342	163	114	87	150	88	72	.....	27	.....	N	F
24121129	406	171	126	86	167	86	80	1122	30	8.10	H	P
24121130	347	146	110	86	159	81	78	1007	30	7.07	H	P
24121131	373	166	107	89	163	82	77	1057	30	7.67	H	P
24121132	373	169	117	64	159	81	74	.....	24	.....	H	F
24121133	333	124	96	59	149	76	49	.....	24	.....	N	F
24121134	352	174	131	94	157	92	83	1083	30	7.83	H	P
24121135	403	168	135	72	161	86	90	.....	27	.....	H	F
24121136	363	133	100	84	157	61	46	.....	24	.....	H	F
24121017	251	53	42	34	97	32	23	.....	10	.....	N	F

Ab:Absent

F: Failed

P:Passed

For Paper AR 1401 Marks below 250 and those with \* indicates failure

For Paper AR 1402,AR 1405 Marks below 100 and those with \* indicates failure

For Paper AR 1403,AR 1404,AR 1406 & AR 1407 Marks below 75 and those with \* indicates failure

University Office

27.12.2023

Dr. Benjamin Varghese P

\* This is a computer generated document. Hence no signature is required.

## COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

## RESULT NOTIFICATION

EV4/568/B.ARCH / TKM /IV SEM (REG &amp; SUPPLE)/ APRIL 2023

The following is the Provisional Result of candidates who have appeared for the B. Arch. Degree IV Semester Examination  
April 2023 ( Supplementary)

Centre: TKM SCHOOL OF ARCHITECTURE

Branch: B.Arch.

REG.NO.	MARKS SCORED								TOTAL	GPA	ALC	P / F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407	AR 1408				
2020 Admission												
24120101	...	...	...	...	...	89	...	...	1123	7.13	N	P
24120102	...	123	NR	AB	...	NR	NR	...	.....	.....	N	F
24120104	...	...	...	...	...	...	...	AB	.....	.....	H	F
24120106	...	...	...	...	...	*79	...	NR	.....	.....	H	F
24120107	...	...	...	...	...	99	...	...	1078	7.00	H	P
24120108	...	112	AB	...	...	NR	...	NR	.....	.....	N	F
24120109	...	...	...	...	...	37	...	...	.....	.....	N	F
24120112	AB	...	...	...	NR	NR	NR	...	.....	.....	N	F
24120113	AB	...	NR	100	...	NR	NR	NR	.....	.....	N	F
24120115	...	...	...	...	...	39	...	...	.....	.....	N	F
24120116	...	125	...	...	66	AB	...	47	.....	.....	N	F
24120119	...	...	...	...	...	...	...	53	.....	.....	H	F
24120122	...	...	...	...	...	61	...	...	.....	.....	N	F
24120125	...	...	...	...	...	*77	...	...	.....	.....	N	F
24120127	...	...	...	...	...	68	...	...	.....	.....	N	F
24120130	...	83	AB	...	NR	NR	NR	NR	.....	.....	N	F
24120134	...	...	...	...	...	88	...	...	1057	7.00	H	P
24120137	...	...	AB	...	...	AB	...	NR	.....	.....	N	F
24120140	...	150	NR	...	AB	AB	...	AB	.....	.....	N	F
24120141	...	114	...	...	NR	NR	AB	NR	.....	.....	N	F
2019 Admission												

24119101	AB	...	.....	.....	.....	AB	.....	AB	.....	.....	H	F
24119102	.....	86	AB	NR	.....	NR	AB	NR	.....	.....	N	F
24119104	.....	...	.....	55	AB	AB	NR	NR	.....	.....	H	F
24119111	.....	...	.....	.....	.....	AB	84	AB	.....	.....	N	F
24119112	NR	100	.....	NR	.....	AB	...	NR	.....	.....	N	F
24119115	.....	.....	.....	...	.....	AB	NR	AB	.....	.....	H	F
24119116	.....	.....	.....	...	.....	NR	47	NR	.....	.....	N	F
24119120	.....	.....	.....	77	.....	.....	NR	AB	.....	.....	H	F
24119121	.....	.....	.....	...	.....	AB	.....	AB	.....	.....	H	F
24119124	.....	.....	.....	.....	.....	.....	66	66	.....	.....	H	F
24119125	.....	.....	AB	86	.....	NR	48	NR	.....	.....	H	F
24119126	.....	.....	.....	.....	.....	NR	65	...	.....	.....	N	F
24119128	.....	107	.....	.....	.....	AB	52	NR	.....	.....	H	F
24119129	.....	.....	.....	...	AB	.....	.....	*79	.....	.....	H	F
24119130	.....	.....	.....	...	...	AB	...	AB	.....	.....	H	F
24119135	.....	.....	.....	...	.....	.....	.....	82	1028	6.75	H	P
24119140	.....	...	.....	...	.....	AB	.....	.....	.....	.....	H	F
2018 Admission												
24118102	.....	...	.....	.....	.....	.....	.....	AB	.....	.....	N	F
24118111	.....	102	.....	...	.....	AB	NR	NR	.....	.....	N	F
24118116	.....	...	.....	.....	.....	.....	.....	AB	.....	.....	N	F
24118122	.....	.....	.....	...	.....	46	.....	.....	.....	.....	N	F
24118127	.....	.....	.....	.....	.....	.....	.....	42	.....	.....	N	F
24118131	.....	...	.....	.....	.....	.....	.....	40	.....	.....	N	F
24118132	.....	.....	.....	.....	.....	66	.....	.....	.....	.....	H	F
10118209	.....	.....	.....	.....	.....	...	.....	AB	.....	.....	N	F
2017 Admission												
10118104	.....	.....	.....	.....	...	AB	...	AB	.....	.....	H	F
10118107	.....	.....	...	.....	...	.....	.....	88	914	6.33	N	P
10118108	.....	.....	AB	.....	NR	AB	AB	NR	.....	.....	H	F
10118114	.....	.....	NR	.....	.....	AB	NR	NR	.....	.....	N	F
10118122	.....	78	.....	.....	.....	82	43	.....	.....	.....	N	F
10118123	.....	.....	...	.....	.....	.....	64	...	.....	.....	H	F
10118125	.....	.....	.....	.....	.....	47	.....	AB	.....	.....	N	F
10118126	.....	.....	.....	.....	.....	.....	.....	45	.....	.....	N	F
10118130	.....	.....	.....	.....	.....	76	.....	...	887	6.08	N	P
10118133	.....	.....	...	.....	.....	.....	.....	49	.....	.....	N	F

2016 Admission												
10117103	.....	NR	AB	AB	.....	...	.....	AB	.....	.....	L	F
10117112	.....	.....	.....	.....	.....	.....	.....	64	.....	.....	N	F
10117117	.....	.....	.....	.....	.....	.....	.....	*76	.....	.....	N	F
10117120	.....	.....	.....	.....	.....	.....	.....	60	.....	.....	N	F
10117125	.....	.....	.....	.....	.....	.....	.....	63	.....	.....	N	F
10117126	.....	80	AB	75	NR	NR	NR	49	.....	.....	N	F
10117131	.....	.....	AB	...	AB	AB	.....	35	.....	.....	N	F
2015 Admission												
10116113	.....	.....	AB	.....	.....	.....	.....	.....	.....	.....	N	F
NR: Not Registered												
Ab: Absent												
F: Failed												
P: Passed												
For Paper AR 1401 Marks below 250 and those with * indicates failure												
For Paper AR 1402, AR 1404 Marks below 100 and those with * indicates failure												
For Paper AR 1403, AR 1405, AR 1406, AR 1407 & AR 1408 Marks below 75 and those with * indicates failure												
University Office												
27.12.2023							Dr. Benjamin Varghese P					



# COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

(Cochin University P.O., Kochi-22)



EV4/568/B.ARCH MCAP /IV SEM(REG&SUPPLE)(2021 & 2014 SCHEME)

27.12.2023

COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY												
RESULT NOTIFICATION												
The following is the Provisional Result of candidates who have appeared for the B.Arch. Degree IV Semester Supplementary (2014 Scheme) Examination April 2023.												
Centre: MARIAN COLLEGE OF ARCHITECTURE AND PLANNING												
Branch: B.Arch.												
REG.NO.	MARKS SCORED								TOTAL	GPA	ALC	P / F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407	AR 1408				
24120001	.....	.....	.....	.....	.....	NR	84	NR	.....	.....	N	F
24120002	.....	.....	.....	.....	.....	79	.....	.....	944	6.17	N	P
24120006	.....	.....	45	110	78	33	38	NR	.....	.....	N	F
24120020	.....	.....	53	.....	75	49	54	29	.....	.....	N	F
24120024	.....	83	NR	62	.....	NR	NR	NR	.....	.....	N	F
24120028	AB	AB	NR	64	AB	AB	AB	NR	.....	.....	L	F
24120030	278	.....	AB	73	101	.....	.....	.....	.....	.....	L	F
24120031	.....	.....	.....	.....	88	48	.....	NR	.....	.....	N	F
24120034	.....	.....	.....	.....	.....	.....	.....	79	1155	7.38	H	P
24120035	.....	.....	.....	.....	.....	.....	.....	41	.....	.....	N	F
24120037	.....	100	.....	.....	.....	75	.....	53	.....	.....	N	F
24120042	.....	.....	.....	.....	.....	80	.....	NR	.....	.....	N	F
24120043	.....	AB	AB	.....	.....	AB	AB	NR	.....	.....	N	F
24120044	NR	34	NR	64	NR	NR	NR	NR	.....	.....	L	F
24120046	NR	45	NR	.....	NR	NR	.....	NR	.....	.....	N	F
24120047	.....	.....	.....	.....	.....	.....	.....	31	.....	.....	N	F
24120048	.....	.....	.....	.....	.....	48	.....	29	.....	.....	N	F
24120049	.....	.....	.....	.....	.....	.....	.....	48	.....	.....	N	F
24120050	.....	.....	.....	.....	.....	70	.....	84	.....	.....	N	F
24120053	.....	.....	.....	.....	.....	.....	.....	65	.....	.....	L	F
24120054	.....	92	.....	.....	.....	52	.....	33	.....	.....	N	F
24120055	.....	.....	.....	.....	.....	.....	.....	39	.....	.....	N	F
24120058	.....	.....	.....	.....	.....	77	.....	77	991	6.50	H	P
24120060	NR	AB	53	58	75	.....	NR	5	.....	.....	L	F
24120062	.....	.....	.....	.....	.....	.....	.....	87	1184	7.67	H	P
24120068	.....	NR	.....	.....	113	NR	.....	33	.....	.....	H	F
24120070	.....	80	55	.....	88	57	.....	49	.....	.....	N	F
24120071	.....	.....	.....	.....	.....	65	.....	55	.....	.....	H	F



Controller of Examinations

\* This is a computer generated document. Hence no signature is required.

# COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

(Cochin University P.O., Kochi-22)



EV4/568/B.ARCH MCAP /IV SEM(REG&SUPPLE)(2021 & 2014 SCHEME) (I)

27.12.2023

COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY												
RESULT NOTIFICATION												
The following is the Provisional Result of candidates who have appeared for the B. Arch. Degree IV Semester Examination (Regular) April 2023 [2021 Scheme].												
Centre: Marian College of Architecture & Planning												
Branch: B.Arch.												
REG.NO.	MARKS SCORED							TOTAL	Credit	GPA	ALC	P / F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407					
2021 Admission (Regular)												
24121001	292	100	81	71	133	84	88	.....	27	.....	N	F
24121002	345	134	97	85	135	77	96	969	30	6.80	N	P
24121003	286	137	68	37	159	83	76	.....	24	.....	H	F
24121004	360	132	89	75	134	76	79	945	30	6.93	H	P
24121005	333	120	115	98	149	75	84	974	30	7.03	H	P
24121006	365	159	89	99	156	99	76	1043	30	7.40	H	P
24121007	385	164	99	101	148	91	100	1088	30	7.73	N	P
24121008	413	169	120	112	162	121	127	1224	30	8.90	H	P
24121009	361	120	104	98	160	102	102	1047	30	7.60	H	P
24121010	320	140	59	65	145	59	82	.....	21	.....	N	F
24121011	321	110	84	57	128	68	84	.....	24	.....	H	F
24121012	376	157	98	113	128	100	91	1063	30	7.57	H	P
24121013	311	119	42	75	124	60	56	.....	21	.....	N	F
24121014	307	122	78	80	148	80	80	895	30	6.73	H	P
24121015	343	132	91	81	137	67	102	.....	27	.....	N	F
24121018	351	161	105	88	150	86	101	1042	30	7.63	N	P
24121019	326	144	104	68	139	61	89	.....	24	.....	N	F
24121020	268	69	48	26	136	40	41	.....	14	.....	N	F
24121021	356	153	108	107	149	98	85	1056	30	7.70	H	P
24121022	383	162	101	83	153	77	90	.....	27	.....	H	F
24121024	365	150	125	118	140	107	105	1110	30	8.10	H	P
24121025	390	174	116	106	151	106	106	1149	30	8.13	H	P
24121026	368	158	109	89	164	99	96	1083	30	7.73	H	P
24121027	308	150	113	83	143	91	104	992	30	7.27	N	P
24121028	313	116	82	31	117	49	35	.....	21	.....	N	F
24121029	394	188	120	116	155	103	99	1175	30	8.17	H	P
24121030	382	156	106	92	157	104	84	1081	30	7.60	H	P
24121031	348	159	109	61	158	93	98	.....	27	.....	H	F
24121032	346	151	111	86	137	90	79	1000	30	7.03	H	P

24121033	320	135	105	80	146	91	74	.....	27	.....	H	F
24121034	382	160	121	101	149	106	102	1121	30	8.03	H	P
24121035	323	165	112	99	144	95	95	1033	30	7.50	H	P
24121036	392	139	107	87	141	99	101	1066	30	7.47	H	P
24121037	341	173	122	98	146	114	100	1094	30	7.70	H	P
24121038	385	185	129	106	152	122	118	1197	30	8.47	H	P
24121039	342	145	117	96	146	120	102	1068	30	7.57	H	P
24121040	390	162	124	98	147	112	106	1139	30	8.13	H	P
24121041	391	148	84	75	144	87	95	1024	30	7.30	N	P
24121042	335	127	102	51	142	76	73	.....	24	.....	H	F
24121043	363	146	105	83	142	110	99	1048	30	7.70	H	P
24121044	318	168	108	76	153	57	81	.....	27	.....	H	F
24121045	322	135	98	36	139	89	84	.....	27	.....	H	F
24121046	313	104	87	56	124	56	75	.....	24	.....	H	F
24121047	328	150	94	51	150	92	79	.....	27	.....	H	F
24121048	382	149	129	48	164	101	112	.....	27	.....	H	F
24121049	349	148	123	116	156	119	121	1132	30	7.87	H	P
24121050	384	153	123	93	150	88	112	1103	30	7.80	H	P
24121051	327	115	109	85	140	96	92	964	30	7.00	H	P
24121052	322	144	113	82	130	112	105	1008	30	7.33	H	P
24121053	352	166	127	83	146	91	104	1069	30	7.83	H	P
24121054	391	151	111	113	139	97	86	1088	30	7.57	H	P
24121055	317	127	80	77	134	80	68	.....	27	.....	N	F
24121056	371	156	83	69	160	79	78	.....	27	.....	H	F
24121057	263	121	107	50	150	75	85	.....	27	.....	N	F
24121058	355	155	99	83	146	87	98	1023	30	7.40	H	P
24121059	350	119	105	81	149	83	96	983	30	7.23	N	P
24121060	320	130	105	82	148	86	89	960	30	6.93	H	P
24121061	386	144	118	92	150	99	90	1079	30	7.70	H	P
24121062	348	107	108	57	115	84	88	.....	27	.....	N	F
24121063	328	153	99	80	149	88	87	984	30	6.97	H	P
Ab:Absent												
F: Failed												
P:Passed												
For Paper AR 1401 Marks below 250 and those with * indicates failure												
For Paper AR 1402,AR 1404 Marks below 100 and those with * indicates failure												
For Paper AR 1403,AR 1405,AR 1406, AR1407 & AR 1408 Marks below 75 and those with * indicates failure												

Controller of Examinations

\* This is a computer generated document. Hence no signature is required.