

# COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

## RESULT NOTIFICATION

**Date of Publication of Result : 25.08.2021**

The following is the provisional result of candidates who have appeared for the B. Arch  
Degree I & II Semester Examination April 2020

**Centre: Nizar Rahim and Mark School of Architecture**

REG.NO.	MARKS SCORED											SGPA	ALC	P/F
	AR 1101	AR 1102	AR 1103	AR 1104	AR 1105	AR 1106	AR 1107	AR 1108	AR 1109	AR 1110	TOTA L			
<b>2019 ADMISSION (REGULAR)</b>														
24119201	120	102	100	230	148	97	154	105	125	94	1275	7.80	H	P
24119202	120	67	82	174	152	38	115*	54	70	90	...	...	H	F
24119203	138	96	106	206	150	75	138	82	118	75	1184	7.15	H	P
24119204	118	88	104	184	151	107	160	119	124	95	1250	7.65	H	P
24119205	127	90	103	218	159	58	148	80	118	85	...	...	H	F
24119206	151	98	111	231	154	85	157	96	123	95	1301	7.80	H	P
24119207	141	105	111	213	144	90	143	99	134	95	1275	8.00	H	P
24119208	131	105	101	206	142	45	146	72	104	84	...	...	H	F
24119209	123	96	101	238	139	59	127	90	110	89	..	..	H	F
24119210	117	78*	90	229	132	54	150	102	108	95	..	...	H	F
24119211	142	96	102	241	149	66	156	97	130	90	..	..	H	F
24119212	117	87	88	223	149	50	147	92	113	83	..	...	H	F
24119213	137	88	109	217	158	60	140	83	120	92	..	...	H	F
24119214	114	96	77	198	132	45	145	86	97	70	..	..	H	F
24119215	122	105	90	214	154	45	152	85	123	81	..	..	H	F
24119216	101	84	79	150	113	30	113*	47	95	81	..	..	H	F
24119217	104	83	98	195	131	49	119	66	107	76	..	..	N	F
24119218	105	42	52	189	115	33	97	44	51	83	..	..	N	F
24119219	103	84	72	187	131	29	99	43	111	85	..	..	N	F
24119220	105	48	59	180	105*	27	95	37	39	78	..	..	H	F
24119221	110	61	89	198	127	56	122	64	80	84	..	..	H	F
24119222	117	58	77	199	120	85	107*	61	101	85	..	..	H	F
24119223	123	107	97	236	146	56	145	87	91	82	..	..	H	F
24119224	115	83	99	204	122	60	113*	60	92	85	..	..	H	F
24119225	124	83	93	208	121	59	116*	64	99	83	..	..	H	F
24119226	144	125	109	234	161	55	150	93	122	96	..	..	H	F
24119227	125	116	91	241	133	56	151	94	99	90	..	..	N	F
24119228	120	59	81	193	119	65	117*	79	115	89	..	...	H	F
24119229	123	84	93	211	141	87	132	88	114	78	1151	7.10	H	P
24119230	126	91	76	198	129	43	101*	50	110	74	..	..	N	F
<b>2018 ADMISSIONS (SUPPLEMENTARY)</b>														
24118201	..	AB	78	..	..	AB	AB	..	...	..	..	..	N	F
24118202	..	80	..	..	..	..	..	...	..	..	1068	6.55	H	P
24118204	..	..	..	..	..	75	..	...	..	..	1198	7.20	H	P
24118205	..	66	77	..	..	39	AB	52	..	..	..	..	H	F
24118207	..	..	..	..	..	41	..	..	..	..	..	..	H	F
24118208	..	85	87	..	..	57	..	63	..	..	..	..	N	F
24118209	..	..	98	..	..	..	..	..	..	..	1123	6.90	N	P
24118210	..	63	66	..	..	AB	87	60	..	..	..	..	N	F
24118211	..	..	100	..	..	39	..	53	..	..	..	..	N	F
24118212	..	..	..	..	..	64	134	..	..	..	..	..	H	F
24118213	..	61	50	AB	87	16	77	44	NR	..	..	..	N	F
24118214	..	69	83	..	..	AB	82	AB	..	..	..	..	N	F
24118216	..	..	112	..	..	AB	..	71	..	..	..	..	N	F
24118217	..	..	115	..	..	56	150	..	..	..	..	..	H	F
24118218	..	85	102	..	..	75	..	..	..	..	1038	6.50	H	P
24118220	125	..	98	..	..	..	..	..	121	..	1187	7.25	H	P
24118222	117	77	50	..	..	58	..	..	..	...	..	..	N	F
24118223	116	62	32	..	..	40	88	46	98	..	..	..	N	F
24118224	118	82	93	..	..	33	126	60	..	..	..	..	H	F
24118225	108	..	87	..	..	42	..	..	..	..	..	..	N	F
24118226	..	..	..	..	..	56	..	..	..	..	..	..	N	F
24118227	112	56	48	..	..	AB	AB	AB	..	..	..	..	N	F

24118228	108	69	81	..	..	49	..	58	..	..	..	..	H	F
24118230	..	..	..	..	..	AB	..	67	..	..	..	..	N	F
24118231	121	82	86	..	..	32	97	60	..	..	..	..	N	F
24118232	125	68	92	..	..	40	..	47	..	..	..	..	N	F
24118233	107	82	88	AB	130	87	118	79	..	..	..	..	N	F
24118234	106	41	..	..	..	30	83	41	AB	..	..	..	N	F
24118235	124	82	..	..	..	AB	..	65	..	..	..	..	N	F
24118236	..	79	..	..	..	..	..	88	..	..	1050	6.45	N	P
24118237	..	71	..	..	..	83	AB	..	..	..	..	..	N	F
<b>2017 ADMISSIONS (SUPPLEMENTARY)</b>														
10118201	..	..	..	..	..	53	..	63	AB	..	..	..	N	F
10118202	..	..	..	..	..	77	..	..	..	..	1124	6.95	H	P
10118204	AB	..	77	NR	..	39	86	AB	..	..	..	..	N	F
10118205	..	..	38	195	..	AB	86	21	104	..	..	..	N	F
10118206	..	..	79	190	..	53	..	62	..	..	..	..	N	F
10118207	..	..	..	..	..	42	..	AB	..	..	..	..	N	F
10118208	..	..	92	..	..	55	AB	AB	..	..	..	..	N	F
10118210	..	..	..	..	..	82	..	..	..	..	1060	6.60	H	P
10118213	..	..	75	..	..	32	..	80	109	..	..	..	N	F
10118214	..	..	..	..	..	55	..	..	..	..	..	..	N	F
10118215	..	..	..	..	..	58	..	79	..	..	..	..	N	F
10118216	..	..	..	..	..	78	101*	..	..	..	..	..	N	F
10118219	..	..	..	..	..	..	..	..	102	..	998	6.25	N	P
10118220	..	..	93	..	..	66	..	..	97	..	..	..	N	F
10118221	AB	77	85	NR	..	48	AB	NR	97	..	..	..	N	F
10118222	..	..	..	..	..	..	..	79	AB	..	..	..	L	F
10118223	..	..	..	..	..	26	106*	42	96	..	..	..	N	F
10118224	..	..	82	..	..	34	124	35	101	..	..	..	N	F
10118225	100	..	..	..	..	33	127	..	105	..	..	..	N	F
10118226	..	..	..	..	..	57	102*	75	77	..	..	..	N	F
10118227	..	..	..	..	..	AB	100*	34	79	..	..	..	N	F
10118228	..	..	81	..	..	..	..	..	90	..	997	6.20	N	P
10118229	..	75	77	..	..	AB	97	36	100	..	..	..	N	F
<b>2016 ADMISSIONS (SUPPLEMENTARY)</b>														
10117204	..	..	80	..	..	46	..	..	..	..	..	..	H	F
10117205	..	..	..	..	..	62	..	..	..	..	..	..	H	F
10117206	..	..	92	..	..	41	..	..	..	..	..	..	N	F
10117208	..	..	42	NR	..	43	..	..	..	..	..	..	N	F
10117211	..	..	..	..	..	47	AB	..	..	..	..	..	N	F
10117215	..	..	..	..	..	45	..	..	..	..	..	..	H	F
10117217	..	..	..	..	..	85	..	..	..	..	1050	6.55	H	P
10117218	..	..	..	..	..	69	..	..	..	..	..	..	H	F
10117219	..	..	..	..	..	59	..	..	..	..	..	..	H	F
10117225	..	59	NR	NR	..	47	118	31	..	..	..	..	H	F
10117226	..	..	82	..	..	42	115	AB	76	..	..	..	H	F
10117230	..	..	..	..	..	43	126	..	61	..	..	..	H	F
10117231	..	..	..	..	..	50	..	..	..	..	..	..	N	F
10117233	..	..	..	..	..	AB	..	..	..	..	..	..	N	F
10117235	..	..	88	..	..	56	..	28	91	..	..	..	H	F
10117237	..	..	AB	..	..	58	..	..	..	..	..	..	H	F
10117240	..	..	..	..	..	58	123	..	..	..	..	..	H	F
<b>2015 ADMISSIONS (SUPPLEMENTARY)</b>														
10116205	..	..	..	..	..	52	..	..	..	..	..	..	H	F
10116206	..	..	..	..	..	60	..	..	..	..	..	..	H	F
10116208	..	..	99	..	..	75	..	..	..	..	988	6.20	N	P
10116209	..	..	..	..	..	100	..	..	..	..	1117	6.90	H	P
10116214	..	..	..	..	..	58	..	..	..	..	..	..	H	F
10116215	..	AB	AB	..	..	44	..	..	..	..	..	..	N	F
10116218	..	..	..	..	..	92	..	..	..	..	1068	6.85	N	P
10116219	..	..	..	..	..	80	..	..	..	..	1055	6.75	N	P
10116224	..	..	..	..	..	45	..	..	..	..	..	..	N	F
10116227	AB	..	NR	..	AB	23	AB	..	..	..	..	..	N	F
10116229	..	..	..	..	..	94	..	..	..	..	1030	6.55	N	P
10116231	..	..	..	..	..	56	..	..	..	..	..	..	H	F
10116233	..	..	..	..	..	89	..	..	..	..	1082	6.60	H	P
10116234	..	..	..	..	..	100	..	..	..	..	1047	6.50	N	P
10116235	..	..	91	..	..	..	..	..	..	..	1028	6.45	H	P



24118116	100	75	.....	.....	.....	Ab	108	27	76	.....	.....	.....	N	F
24118118	.....	.....	.....	.....	.....	Ab	.....	.....	.....	.....	.....	.....	H	F
24118119	.....	.....	.....	.....	.....	37	.....	.....	.....	.....	.....	.....	N	F
24118120	104	93	.....	.....	.....	64	.....	69	.....	.....	.....	.....	N	F
24118121	112	.....	.....	.....	.....	59	131	NR	.....	.....	.....	.....	H	F
24118122	.....	.....	.....	.....	.....	52	.....	83	89	.....	.....	.....	N	F
24118123	.....	.....	.....	.....	.....	49	.....	58	.....	.....	.....	.....	H	F
24118124	111	.....	.....	.....	.....	36	.....	51	.....	.....	.....	.....	N	F
24118125	.....	.....	.....	.....	.....	35	.....	75	111	.....	.....	.....	H	F
24118127	121	62	.....	.....	.....	31	.....	40	83	.....	.....	.....	H	F
24118128	.....	.....	.....	.....	.....	.....	.....	Ab	.....	.....	.....	.....	H	F
24118130	.....	102	.....	.....	.....	.....	.....	.....	.....	.....	1106	6.75	N	P
24118131	90	58	67	.....	.....	31	.....	29	57	.....	.....	.....	H	F
24118132	.....	.....	.....	.....	.....	42	.....	.....	NR	.....	.....	.....	H	F
24118133	.....	.....	.....	.....	.....	Ab	.....	44	.....	.....	.....	.....	H	F
24118134	.....	56	.....	.....	130	54	115	76*	115	.....	.....	.....	H	F
24118136	.....	.....	.....	.....	.....	.....	.....	86	.....	.....	1104	6.75	H	P
<b>2017 ADMISSIONS (SUPPLEMENTARY)</b>														
10118101	.....	.....	.....	.....	.....	Ab	.....	64	.....	.....	.....	.....	N	F
10118104	.....	80	NR	.....	.....	NR	87	NR	75	.....	.....	.....	N	F
10118105	.....	.....	.....	.....	.....	.....	.....	Ab	.....	.....	.....	.....	N	F
10118106	.....	.....	.....	.....	.....	Ab	.....	67	.....	.....	.....	.....	N	F
10118108	.....	.....	NR	.....	.....	NR	80	NR	Ab	.....	.....	.....	N	F
10118109	.....	.....	93	.....	.....	NR	.....	66	.....	.....	.....	.....	N	F
10118110	.....	.....	.....	.....	.....	.....	.....	.....	92	.....	1011	6.40	N	P
10118112	100	Ab	NR	.....	.....	NR	66	NR	NR	.....	.....	.....	N	F
10118114	.....	.....	Ab	.....	.....	Ab	.....	37	Ab	.....	.....	.....	N	F
10118116	.....	.....	.....	.....	.....	53	.....	103	.....	.....	.....	.....	H	F
10118117	.....	.....	.....	.....	.....	NR	91	37	.....	.....	.....	.....	H	F
10118118	.....	.....	.....	.....	.....	NR	122	NR	.....	.....	.....	.....	H	F
10118119	.....	.....	.....	.....	.....	37	.....	46	.....	.....	.....	.....	H	F
10118121	.....	.....	.....	.....	.....	.....	.....	NR	Ab	.....	.....	.....	H	F
10118122	.....	75	NR	.....	.....	NR	100	NR	89	.....	.....	.....	N	F
10118123	.....	75	NR	.....	.....	NR	81	47	NR	.....	.....	.....	N	F
10118125	117	.....	NR	.....	Ab	NR	104	NR	NR	NR	.....	.....	L	F
10118126	.....	.....	75	.....	.....	Ab	98	49	51	.....	.....	.....	N	F
10118127	.....	.....	NR	.....	.....	NR	101	71	.....	.....	.....	.....	N	F
10118130	.....	.....	75	.....	.....	NR	.....	NR	83	.....	.....	.....	N	F
10118131	.....	.....	.....	.....	.....	.....	.....	88	.....	.....	1104	6.50	H	P
10118132	.....	.....	.....	.....	.....	.....	.....	94	.....	.....	1054	6.55	H	P
10118133	.....	.....	NR	.....	.....	NR	112	86	Ab	.....	.....	.....	L	F
10118134	.....	.....	75	.....	.....	Ab	.....	54	102	.....	.....	.....	N	F
10118135	.....	.....	.....	.....	.....	53	118	68	.....	.....	.....	.....	L	F
10118136	.....	.....	77	.....	.....	NR	129	63	83	.....	.....	.....	N	F
10118209	.....	.....	.....	.....	.....	36	.....	.....	105	.....	.....	.....	H	F
<b>2016 ADMISSIONS (SUPPLEMENTARY)</b>														
10117102	.....	.....	.....	.....	.....	50	.....	.....	.....	.....	.....	.....	H	F
10117105	.....	.....	.....	.....	.....	88	.....	.....	.....	.....	983	6.20	N	P
10117108	.....	.....	.....	.....	.....	84	.....	.....	.....	.....	984	6.25	N	P
10117109	.....	.....	.....	.....	.....	75	.....	.....	.....	.....	1091	6.80	H	P
10117112	.....	.....	.....	.....	.....	33	.....	50	.....	.....	.....	.....	H	F
10117117	.....	.....	.....	.....	.....	Ab	.....	.....	.....	.....	.....	.....	N	F
10117118	.....	91	.....	.....	.....	52	.....	Ab	.....	.....	.....	.....	N	F
10117120	.....	.....	84	.....	.....	NR	.....	NR	79	.....	.....	.....	H	F
10117122	.....	.....	Ab	.....	.....	NR	.....	NR	NR	.....	.....	.....	N	F
10117124	.....	.....	.....	.....	.....	53	.....	NR	.....	.....	.....	.....	N	F
10117126	103	55	NR	.....	.....	.....	.....	33	NR	.....	.....	.....	N	F
10117129	.....	.....	.....	.....	.....	54	134	.....	.....	.....	.....	.....	H	F
10117131	.....	76	80	.....	.....	NR	.....	NR	.....	.....	.....	.....	N	F
10117134	.....	.....	.....	.....	.....	.....	.....	81	.....	.....	989	6.15	N	P
10117136	.....	.....	.....	.....	.....	62	.....	61	.....	.....	.....	.....	N	F
<b>2015 ADMISSIONS (SUPPLEMENTARY)</b>														
10116102	.....	.....	.....	.....	.....	93	.....	.....	.....	.....	990	6.40	N	P
10116103	.....	.....	.....	.....	.....	47	.....	.....	.....	.....	.....	.....	H	F
10116104	.....	.....	.....	.....	.....	36	.....	34	.....	.....	.....	.....	H	F
10116110	.....	75	.....	.....	.....	45	117	39	Ab	.....	.....	.....	H	F
10116115	88	.....	.....	.....	.....	NR	NR	NR	.....	.....	.....	.....	H	F

10116116	.....	.....	.....	.....	.....	50	.....	.....	.....	.....	.....	.....	N	F
10116119	.....	.....	.....	.....	.....	52	.....	.....	.....	.....	.....	.....	H	F
10116125	.....	.....	.....	.....	.....	41	.....	NR	.....	.....	.....	.....	N	F
10116130	.....	.....	.....	.....	.....	82	.....	.....	.....	.....	1051	6.60	H	P
10116131	.....	.....	.....	.....	.....	56	.....	.....	.....	.....	.....	.....	H	F
<b>2014 ADMISSIONS (SUPPLEMENTARY)</b>														
10115112	.....	.....	.....	.....	.....	51	.....	.....	.....	.....	.....	.....	H	F
10115115	.....	.....	.....	.....	.....	57	.....	.....	.....	.....	.....	.....	N	F
10115120	.....	.....	.....	.....	.....	Ab	Ab	Ab	.....	.....	.....	.....	N	F
10115122	.....	.....	.....	.....	.....	Ab	.....	.....	.....	.....	.....	.....	N	F
<b>Centre: Marian College of Architecture and Planning</b>														
REG.NO.	MARKS SCORED											SGPA	ALC	P/F
	AR 1101	AR 1102	AR 1103	AR 1104	AR 1105	AR 1106	AR 1107	AR 1108	AR 1109	AR 1110	TOTAL			
<b>2019 ADMISSION (REGULAR)</b>														
24119001	133	91	67	198	124	60	100	80	57	67	.....	.....	H	F
24119002	132	102	99	211	135	99	137	100	119	75	1209	7.30	N	P
24119003	137	110	95	211	124	94	112	103	115	79	1180	7.30	N	P
24119004	133	112	104	216	134	93	116	99	106	77	1190	7.30	H	P
24119005	126	102	95	176	135	78	101	59	103	67	.....	.....	H	F
24119006	121	96	78	195	115	123	106	103	113	61	1111	7.00	N	P
24119007	128	86	79	211	129	57	84	47	115	59	.....	.....	H	F
24119008	132	86	87	223	141	69	122	94	125	71	.....	.....	H	F
24119009	143	102	83	241	132	65	122	95	118	76	.....	.....	N	F
24119010	125	95	90	216	136	92	103	85	87	74	1103	6.90	H	P
24119011	145	121	103	244	143	121	137	118	112	72	1316	8.15	H	P
24119012	137	104	105	215	133	93	114	107	99	73	1180	7.30	N	P
24119013	123	75	81	200	67	30	51	45	37	76	.....	.....	H	F
24119014	131	87	79	197	130	82	106	60	91	60	.....	.....	N	F
24119015	137	78	78	226	133	54	98	42	87	74	.....	.....	N	F
24119016	120	77	82	212	122	69	97	81	98	70	.....	.....	N	F
24119017	146	94	107	247	142	99	121	93	111	78	1238	7.75	H	P
24119018	125	109	104	215	138	58	107	62	107	69	.....	.....	N	F
24119019	108	61	77	180	124	43	100	41	59	58	.....	.....	N	F
24119020	133	96	101	202	132	93	116	88	111	64	1136	6.90	N	P
24119021	130	77	84	203	126	49	86	48	47	68	.....	.....	N	F
24119022	143	109	89	241	147	102	117	103	128	72	1251	7.65	N	P
24119023	129	87	85	187	130	55	115	82	129	68	.....	.....	N	F
24119024	143	112	78	222	135	96	179	116	90	77	1248	7.60	N	P
24119025	145	97	89	227	146	96	145	87	103	72	1207	7.30	N	P
24119026	124	104	93	198	134	75	116	87	120	57	1108	6.85	N	P
24119027	138	102	88	211	143	76	108	93	120	77	1156	7.20	H	P
24119028	151	93	94	232	141	114	123	106	102	74	1230	7.60	H	P
24119029	144	98	109	235	151	95	134	116	120	79	1281	7.80	H	P
24119030	134	92	82	188	127	71	126	72	118	68	.....	.....	N	F
24119031	119	75	54	182	109	33	78	42	40	64	.....	.....	L	F
24119032	139	94	86	221	125	59	127	73	85	66	.....	.....	N	F
24119033	130	93	75	207	123	47	103	84	68	80	.....	.....	N	F
24119034	136	79	93	211	136	47	122	95	113	79	.....	.....	H	F
24119035	122	66	87	211	135	58	100	59	44	69	.....	.....	H	F
24119036	137	92	97	226	131	121	136	117	100	66	1223	7.45	H	P
24119037	137	114	114	213	128	112	143	110	110	71	1252	7.80	H	P
24119038	129	83	85	213	133	98	140	85	93	73	1132	7.00	H	P
24119039	116	40	57	153	126	46	88	53	77*	59	.....	.....	N	F
24119040	137	82	86	210	141	57	125	55	87	77	.....	.....	H	F
24119041	136	109	109	212	129	89	136	111	124	73	1228	7.60	H	P
24119042	113	39	51	162	114	39	106	64	45	67	.....	.....	N	F
24119043	137	109	87	209	115	59	114	85	106	63	.....	.....	H	F
24119044	126	107	86	203	121	82	125	57	91	60	.....	.....	N	F
24119045	136	111	99	220	122	104	117	107	112	83	1211	7.45	H	P
24119046	126	106	98	224	142	68	156	76	120	63	.....	.....	H	F
24119047	121	108	112	217	134	94	135	109	118	72	1220	7.60	H	P
24119048	164	111	101	246	145	128	141	108	133	82	1359	8.40	H	P
24119049	109	60	75	175	126	33	100	32	71	59	.....	.....	N	F
24119050	135	100	96	222	143	72	131	73	107	76	.....	.....	H	F
24119051	116	76	60	197	126	42	83	39	81	76	.....	.....	H	F

24119052	136	102	106	210	140	87	117	96	110	75	1179	7.30	N	P
24119053	150	122	102	246	138	133	142	136	125	76	1370	8.45	H	P
24119054	132	85	94	206	127	40	105	54	106	69	.....	.....	N	F
24119055	145	109	109	229	146	110	141	112	123	78	1302	8.10	H	P
24119056	112	81	39	183	126	32	100	33	50	50	.....	.....	N	F
24119057	128	104	111	221	140	68	108	85	115	63	.....	.....	H	F
24119058	135	93	84	214	132	85	133	58	86	71	.....	.....	H	F
24119059	114	99	108	229	120	56	123	85	116	69	.....	.....	H	F
24119060	127	88	95	232	142	99	135	107	122	84	1231	7.55	H	P
24119061	129	108	87	226	126	85	116	95	92	72	1136	7.00	H	P
24119062	115	83	76	199	119	77	100	68	88	63	.....	.....	N	F
24119063	137	111	108	229	138	67	122	104	115	75	.....	.....	H	F
24119064	121	82	82	214	124	55	90	71	101	70	.....	.....	N	F
24119065	130	106	103	238	147	126	154	132	132	72	1370	8.30	N	P
24119066	129	90	86	217	142	88	123	113	120	69	1177	7.35	N	P
24119067	129	99	116	205	156	67	79	83	108	74	.....	.....	H	F
24119068	133	91	82	223	124	59	88	68	119	72	.....	.....	H	F
24119069	136	82	79	215	121	67	114	62	102	64	.....	.....	H	F
24119070	<b>WITHHELD</b>													
24119072	129	102	110	209	129	108	133	86	99	61	1166	7.10	N	P
24119073	139	99	87	233	129	66	125	91	119	76	.....	.....	N	F
24119074	145	98	115	227	131	131	139	128	128	71	1313	8.00	N	P
24119075	116	83	79	209	125	77	109	97	96	67	1058	6.50	H	P
24119076	140	110	105	226	145	110	136	100	123	78	1273	7.90	H	P
24119077	132	99	99	222	126	96	162	115	109	72	1232	7.60	H	P
24119078	100	35	32	159	126	37	62	24	57	59	.....	.....	N	F
<b>Re-admission(2018 admission)</b>														
24119071	135	100	87	225	126	80	112	93	103	73	1134	6.90	N	P
<b>2018 ADMISSION (SUPPLEMENTARY)</b>														
24118002	.....	75	.....	.....	.....	50	.....	72	.....	.....	.....	.....	H	F
24118003	.....	.....	.....	.....	.....	46	.....	71	.....	.....	.....	.....	H	F
24118004	.....	.....	.....	.....	.....	59	.....	.....	.....	.....	.....	.....	H	F
24118005	129	97	.....	.....	.....	.....	.....	.....	103	.....	1046	6.50	H	P
24118006	..	54	.....	.....	.....	32	NR	63	.....	.....	.....	.....	N	F
24118008	.....	.....	.....	.....	.....	AB	.....	.....	.....	.....	.....	.....	H	F
24118010	.....	58	.....	.....	.....	AB	.....	.....	104	.....	.....	.....	N	F
24118012	.....	75	101	.....	.....	75	.....	.....	.....	.....	954	6.25	N	P
24118014	.....	.....	.....	.....	.....	33	.....	58	.....	.....	.....	.....	N	F
24118016	113	75	.....	.....	.....	66	80	.....	AB	.....	.....	.....	N	F
24118018	.....	.....	84	.....	.....	62	100	.....	101	.....	.....	.....	N	F
24118019	.....	AB	.....	.....	.....	77	.....	.....	.....	.....	.....	.....	H	F
24118023	.....	.....	.....	.....	.....	82	.....	92	.....	.....	981	6.30	H	P
24118024	.....	.....	91	.....	.....	37	.....	NR	80	.....	.....	.....	N	F
24118028	.....	.....	.....	.....	.....	51	.....	.....	.....	.....	.....	.....	H	F
24118030	115	58	75	.....	.....	AB	AB	36	75	.....	.....	.....	N	F
24118031	.....	.....	.....	.....	.....	AB	.....	.....	.....	.....	.....	.....	H	F
24118034	.....	82	.....	.....	.....	65	.....	100	.....	.....	.....	.....	N	F
24118035	.....	60	75	195	NR	AB	.....	NR	.....	.....	.....	.....	N	F
24118037	.....	.....	.....	.....	.....	75	.....	.....	.....	.....	1035	6.45	H	P
24118038	.....	NR	75	.....	.....	NR	NR	51	75	.....	.....	.....	N	F
24118039	.....	75	.....	.....	AB	.....	AB	.....	104	.....	.....	.....	N	F
24118042	.....	NR	82	.....	.....	41	82	78	42	.....	.....	.....	N	F
24118046	.....	.....	.....	.....	.....	40	68	.....	.....	.....	.....	.....	N	F
24118047	.....	.....	.....	.....	.....	44	.....	.....	.....	.....	.....	.....	H	F
24118048	.....	.....	.....	.....	.....	76	.....	.....	.....	.....	1136	6.95	H	P
24118049	.....	.....	.....	.....	.....	33	.....	63	91	.....	.....	.....	N	F
24118050	.....	.....	.....	.....	.....	81	.....	.....	.....	.....	1042	6.70	N	P
24118051	.....	80	.....	.....	.....	48	100	66	98	.....	.....	.....	N	F
24118053	.....	.....	.....	.....	.....	75	.....	.....	.....	.....	1009	6.40	N	P
24118055	.....	.....	.....	.....	.....	32	.....	.....	.....	.....	.....	.....	H	F
24118057	AB	AB	AB	NR	AB	AB	AB	NR	NR	NR	.....	.....	L	F
24118061	.....	86	.....	.....	.....	.....	.....	.....	.....	.....	1059	6.40	H	P
24118062	.....	87	90	.....	.....	75	.....	87	96	.....	1011	6.45	H	P
24118063	.....	79	.....	.....	.....	56	NR	56	NR	.....	.....	.....	H	F
24118064	.....	.....	.....	.....	.....	42	.....	62	100	.....	.....	.....	H	F
24118065	.....	84	.....	.....	.....	56	.....	83	113	.....	.....	.....	H	F
24118068	.....	NR	77	.....	.....	75	.....	.....	110	.....	.....	.....	N	F

24118069	.....	.....	.....	.....	.....	AB	.....	.....	113	.....	.....	.....	N	F
24118070	127	85	.....	.....	.....	.....	.....	.....	106	.....	1055	6.60	H	P
24118072	102	.....	.....	.....	.....	...	102	.....	80	.....	946	6.20	N	P
24118074	.....	89	.....	.....	.....	84	.....	81	96	.....	1056	6.45	H	P
24118075	113	76	.....	.....	.....	46	.....	.....	108	.....	.....	.....	H	F
24118076	.....	83	.....	.....	.....	39	64	78	.....	.....	.....	.....	H	F
24118077	.....	.....	AB	.....	.....	30	.....	68	100	.....	.....	.....	N	F
<b>2017 ADMISSION (SUPPLEMENTARY)</b>														
10118001	.....	.....	.....	.....	.....	64	119	....	.....	.....	.....	.....	H	F
10118002	.....	.....	.....	.....	.....	76	.....	77	.....	.....	974	6.10	H	P
10118003	.....	.....	NR	.....	.....	75	.....	....	.....	.....	.....	.....	H	F
10118004	93	.....	.....	.....	.....	75	.....	80	.....	.....	.....	.....	H	F
10118005	.....	.....	.....	.....	.....	50	.....	....	.....	.....	.....	.....	H	F
10118006	.....	.....	NR	.....	.....	76	.....	85	.....	.....	.....	.....	H	F
10118007	.....	.....	92	.....	.....	78	.....	59	.....	.....	.....	.....	H	F
10118008	104	.....	57	.....	AB	AB	84	NR	NR	.....	.....	.....	N	F
10118010	97	.....	90	NR	.....	AB	110	65	75	.....	.....	.....	H	F
10118012	.....	.....	AB	.....	.....	22	100	30	90	.....	.....	.....	N	F
10118013	.....	.....	....	.....	.....	75	.....	.....	.....	.....	989	6.35	H	P
10118015	.....	.....	80	.....	.....	29	.....	40	117	.....	.....	.....	H	F
10118016	.....	.....	.....	.....	.....	75	.....	66	AB	.....	.....	.....	H	F
10118017	.....	.....	.....	.....	.....	.....	.....	76	.....	.....	1107	6.95	H	P
10118019	.....	.....	.....	.....	.....	53	.....	.....	.....	.....	.....	.....	N	F
10118020	.....	.....	.....	.....	.....	39	.....	AB	.....	.....	.....	.....	H	F
10118021	.....	.....	.....	.....	.....	.....	.....	70	.....	.....	.....	.....	N	F
10118022	90	43	NR	.....	.....	NR	NR	NR	61	.....	.....	.....	N	F
10118023	.....	.....	.....	.....	.....	29	.....	.....	.....	.....	.....	.....	H	F
10118025	NR	.....	81	.....	.....	45	.....	75	.....	.....	.....	.....	N	F
10118027	.....	.....	78	.....	.....	.....	.....	.....	.....	.....	941	6.15	N	P
10118029	.....	.....	.....	.....	.....	97	.....	.....	.....	.....	1097	6.95	H	P
10118030	110	.....	NR	NR	.....	83	110	NR	NR	.....	.....	.....	N	F
10118031	.....	.....	.....	.....	.....	49	.....	.....	.....	.....	.....	.....	N	F
10118033	.....	.....	.....	.....	.....	82	.....	.....	.....	.....	992	6.25	N	P
10118034	.....	.....	.....	.....	.....	AB	.....	.....	.....	.....	.....	.....	N	F
10118035	.....	.....	.....	.....	.....	49	.....	80	.....	.....	.....	.....	H	F
10118043	.....	.....	.....	.....	.....	79	.....	.....	.....	.....	1015	6.45	H	P
10118044	.....	.....	.....	.....	.....	AB	.....	NR	.....	.....	.....	.....	N	F
10118046	.....	.....	.....	.....	.....	51	.....	.....	.....	.....	.....	.....	H	F
10118049	.....	.....	87	.....	.....	.....	.....	.....	.....	.....	1074	6.70	H	P
10118054	.....	.....	.....	.....	.....	48	91	.....	.....	.....	.....	.....	H	F
10118058	.....	.....	.....	.....	.....	NR	82	NR	....	.....	.....	.....	H	F
10118061	.....	.....	AB	.....	.....	AB	.....	AB	....	.....	.....	.....	H	F
10118065	.....	.....	.....	.....	.....	54	93	.....	.....	.....	.....	.....	H	F
10118069	.....	.....	84	.....	.....	.....	.....	.....	.....	.....	1031	6.40	H	P
<b>2016 ADMISSION (SUPPLEMENTARY)</b>														
10117070	NR	AB	AB	NR	AB	NR	AB	NR	.....	.....	.....	.....	N	F
10117002	.....	.....	.....	.....	.....	84	.....	.....	.....	.....	966	6.30	N	P
10117003	.....	.....	.....	.....	.....	78	.....	.....	.....	.....	954	6.10	N	P
10117005	.....	.....	.....	.....	.....	48	.....	.....	.....	.....	.....	.....	N	F
10117006	.....	.....	.....	.....	.....	AB	.....	.....	.....	.....	.....	.....	N	F
10117009	.....	.....	.....	.....	.....	47	.....	.....	.....	.....	.....	.....	N	F
10117015	.....	.....	.....	.....	.....	62	.....	.....	.....	.....	.....	.....	H	F
10117016	.....	.....	.....	.....	.....	75	.....	.....	.....	.....	1019	6.55	N	P
10117019	.....	.....	.....	.....	.....	37	AB	AB	.....	.....	.....	.....	N	F
10117021	.....	.....	.....	.....	.....	75	.....	.....	.....	.....	990	6.40	N	P
10117022	.....	.....	AB	.....	.....	27	.....	AB	.....	.....	.....	.....	N	F
10117023	<b>WITHHELD</b>													
10117024	.....	.....	.....	.....	.....	80	.....	.....	.....	.....	1149	6.95	H	P
10117026	.....	.....	.....	.....	.....	84	116*	.....	.....	.....	.....	.....	N	F
10117027	.....	.....	.....	.....	.....	50	.....	.....	.....	.....	.....	.....	H	F
10117029	.....	.....	.....	.....	.....	60	.....	79	.....	.....	.....	.....	N	F
10117034	.....	.....	76	.....	.....	29	.....	44	.....	.....	.....	.....	H	F
10117037	.....	.....	.....	.....	.....	80	.....	.....	.....	.....	987	6.25	N	P
10117038	.....	.....	.....	.....	.....	60	.....	.....	.....	.....	.....	.....	H	F
10117042	<b>WITHHELD</b>													
10117045	.....	.....	.....	.....	.....	35	.....	.....	.....	.....	.....	.....	N	F
10117051	NR	75	NR	.....	.....	75	72	NR	NR	.....	.....	.....	N	F

10117055	.....	.....	.....	.....	.....	59	.....	.....	AB	.....	.....	.....	N	F
10117057	.....	.....	NR	.....	.....	AB	.....	NR	AB	.....	.....	.....	N	F
10117059	AB	AB	AB	.....	.....	AB	AB	NR	AB	.....	.....	.....	N	F
10117067	.....	.....	.....	.....	.....	NR	63	NR	.....	.....	.....	.....	H	F
10117069	.....	.....	.....	.....	.....	75	.....	.....	.....	.....	982	6.35	H	P
<b>2015 ADMISSION (SUPPLEMENTARY)</b>														
10116004	.....	.....	.....	.....	.....	54	.....	.....	.....	.....	.....	.....	H	F
10116006	.....	.....	AB	.....	.....	NR	NR	NR	.....	.....	.....	.....	N	F
10116009	.....	.....	AB	.....	.....	NR	NR	NR	91	.....	.....	.....	N	F
10116013	.....	.....	.....	.....	.....	83	.....	.....	.....	.....	1031	6.60	N	P
10116015	.....	.....	.....	.....	.....	39	80	60	99	.....	.....	.....	N	F
10116017	.....	.....	.....	.....	.....	AB	.....	NR	AB	.....	.....	.....	N	F
10116018	.....	.....	.....	.....	.....	AB	69	48	102	.....	.....	.....	N	F
10116023	.....	.....	.....	.....	.....	48	83	44	89	.....	.....	.....	N	F
10116028	.....	.....	.....	.....	.....	80	.....	.....	.....	.....	1046	6.55	H	P
10116032	.....	94	.....	.....	.....	NR	NR	NR	.....	.....	.....	.....	N	F
<b>2014 ADMISSION (SUPPLEMENTARY)</b>														
10115033	.....	.....	.....	.....	.....	.....	.....	44	.....	.....	.....	.....	N	F
10115002	.....	.....	.....	.....	.....	AB	AB	26	91	NR	.....	.....	N	F
10115011	.....	.....	.....	.....	.....	.....	AB	33	81	.....	.....	.....	H	F
10115014	.....	.....	.....	.....	.....	33	64	33	78	.....	.....	.....	N	F
10115028	.....	.....	.....	.....	.....	75	.....	.....	.....	.....	1056	6.65	H	P
10115029	.....	.....	.....	.....	.....	77	.....	.....	.....	.....	1069	6.70	N	P
10115013	<b>WITHHELD</b>													
10118073	<b>WITHHELD</b>													

Ab: Absent

F: Failed

P: Passed

NR: Not Registered

For Paper AR 1101,1105,1107 Marks below 100 and those with \* indicates failure


For Paper AR 1102,1103,1106,1108,1109 Marks below 75 and those with \* indicates failure

For Paper AR 1104 Marks below 150 and those with \* indicates failure

For Paper AR 1110 Marks below 50 and those with \* indicates failure

University Office

Date: 25/08/2021



**CONTROLLER OF EXAMINATIONS**

*Disclaimer: The results published in the site are for immediate information to the examinees. This cannot be treated as original marksheet. CUSAT is not responsible for any inadvertent error that may have crept in the results published in the site. Original mark sheets will be issued by the Controller of examinations.*