



COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

RESULT NOTIFICATION

Date of Publication of Result : 08.11.2022

The following is the provisional result of candidates who have appeared for the B.Arch Degree III Semester Examination November 2021

Centre: MARIAN COLLEGE OF ARCHITECTURE AND PLANNING

REG.NO.	MARKS SCORED									SGPA	ALC	P / F
	AR1301	AR1302	AR1303	AR1304	AR1305	AR1306	AR1307	AR1308	TOTAL			
2020 ADMISSION (REGULAR)												
24120001	250	155	108	78	126	90	40	40	N	F
24120002	333	121	75	80	120	89	44	89	951	6.79	N	P
24120003	385	133	105	78	141	95	38	79	1054	7.33	H	P
24120004	372	156	137	118	134	100	46	143	1206	8.33	H	P
24120005	389	146	133	116	143	114	46	139	1226	8.50	N	P
24120006	278	98	69	64	117	69	39	38	N	F
24120007	326	129	83	63	117	85	40	63	N	F
24120008	306	132	86	78	130	102	38	113	985	7.04	N	P
24120009	397	152	113	114	133	93	42	124	1168	7.96	H	P
24120010	366	129	84	77	113	58	39	76	H	F
24120011	356	141	105	99	132	87	43	94	1057	7.54	H	P
24120012	128	76	29	39	100	59	37	33	L	F
24120013	320	128	88	67	118	67	38	89	H	F
24120014	372	143	98	101	121	118	39	128	1120	7.79	N	P
24120015	358	136	105	112	121	106	40	131	1109	7.88	H	P
24120016	378	147	113	116	122	117	41	141	1175	8.17	H	P
24120017	332	119	93	79	117	83	45	100	968	6.75	H	P
24120018	355	131	100	84	116	83	42	84	995	6.92	H	P
24120019	334	126	97	96	113	101	38	130	1035	7.17	H	P
24120020	268	114	83	66	109	78	34	41	N	F
24120021	356	129	91	78	130	85	47	82	998	7.17	H	P
24120022	253	110	84	89	126	102	36	43	N	F
24120023	315	149	115	105	134	97	40	111	1066	7.63	N	P
24120024	250	60	45	41	92	65	28	49	L	F
24120025	341	132	67	90	123	96	35	99	N	F
24120026	361	133	80	94	129	95	38	103	1033	7.21	N	P
24120027	336	147	95	84	123	96	39	112	1032	7.29	H	P
24120028	195	100	32	60	108	55	38	32	L	F
24120029	289	139	107	89	120	109	47	126	1026	7.38	L	P
24120030	275	113	60	63	136	97	40	78	L	F
24120031	310	94	64	49	119	65	36	42	N	F
24120032	346	128	93	86	114	80	36	93	976	6.75	H	P
24120033	341	156	110	102	115	102	39	123	1088	7.42	N	P
24120034	335	139	96	91	119	96	41	82	999	6.88	N	P
24120035	330	115	54	87	114	94	41	32	N	F
24120036	379	137	77	90	130	86	42	83	1024	7.08	H	P
24120037	283	111	77	47	117	79	45	55	N	F
24120038	408	153	111	104	119	111	43	115	1164	7.88	H	P
24120039	338	133	107	110	124	106	41	127	1086	7.67	H	P
24120040	288	110	85	81	114	97	29	50	N	F
24120041	317	111	63	63	109	79	44	84	N	F
24120042	257	115	62	84	112	94	41	60	N	F
24120043	251	120	86	75	123	85	39	36	N	F
24120044	175	66	50	44	116	48	37	65	L	F
24120045	360	128	111	101	137	104	40	106	1087	7.58	H	P
24120046	289	104	61	76	113	63	36	36	N	F
24120047	337	126	109	98	150	77	39	90	1026	7.25	N	P

24120048	350	135	90	85	115	87	47	53	N	F
24120049	279	115	63	88	115	82	31	87	N	F
24120050	312	100	87	86	118	79	40	70	N	F
24120051	259	134	83	83	134	81	42	82	898	6.58	N	P
24120052	393	145	105	98	129	93	48	100	1111	7.71	H	P
24120053	251	126	92	84	118	86	48	72	N	F
24120054	261	91	77	75	116	65	36	35	N	F
24120055	273	129	63	98	116	95	36	77	N	F
24120056	408	165	116	114	128	109	43	116	1199	8.29	H	P
24120057	356	142	101	90	126	86	42	114	1057	7.58	N	P
24120058	321	145	105	90	128	90	39	93	1011	7.33	N	P
24120059	265	134	108	89	115	84	34	76	905	6.42	N	P
24120060	250	104	54	48	112	75	36	38	N	F
24120061	361	145	97	94	122	90	44	124	1077	7.79	H	P
24120062	382	161	99	94	129	92	42	86	1085	7.58	H	P
24120063	401	143	95	98	130	82	42	117	1108	7.79	H	P
24120064	389	160	116	112	129	112	42	136	1196	8.33	H	P
24120065	277	105	78	75	119	82	36	47	L	F
24120066	331	131	100	93	130	89	39	97	1010	7.00	H	P
24120067	326	145	101	91	123	83	34	121	1024	7.33	N	P
24120068	349	*102	82	45	123	55	35	62	N	F
24120069	330	124	96	86	118	90	39	103	986	6.83	N	P
24120070	250	89	93	62	101	61	26	27	N	F
24120071	315	133	98	65	116	82	40	88	H	F
24120072	359	139	107	81	127	81	43	85	1022	7.17	H	P
24120073	327	150	100	92	126	83	46	120	1044	7.58	N	P
24120074	404	154	127	102	144	100	41	105	1177	8.21	N	P
24120075	259	62	79	43	83	45	26	47	L	F
24120076	251	108	91	76	116	111	27	39	L	F
2019 ADMISSION												
24119001	50	AB	H	F
24119003	78	993	7.38	H	P
24119007	AB	83	92	H	F
24119013	83	50	H	F
24119014	156	74	H	F
24119015	94	89	AB	H	F
24119019	90	AB	85	H	F
24119021	132	AB	H	F
24119024	83	1076	7.67	H	P
24119027	103	1050	7.17	H	P
24119031	31	AB	N	F
24119032	89	1050	7.50	H	P
24119033	AB	54	AB	H	F
24119039	48	78	59	N	F
24119040	96	1023	7.00	H	P
24119044	278	915	6.58	N	P
24119049	226	*119	90	50	H	F
24119051	50	65	*77	H	F
24119054	100	108	1006	7.04	H	P
24119056	251	51	78	70	N	F
24119062	61	37	AB	N	F
24119075	43	AB	H	F
2018 ADMISSION												
24118002	139	85	77	77	898	6.42	H	P
24118006	115	AB	78	N	F
24118010	122	AB	N	F
24118014	148	AB	H	F
24118016	95	917	6.71	N	P

24118024	127	AB	35	H	F
24118029	104	1001	6.88	H	P
24118030	121	80	N	F
24118035	122	82	924	6.38	N	P
24118038	131	86	79	N	F
24118042	AB	N	F
24118044	90	995	7.08	H	P
24118047	AB	H	F
24118054	83	977	6.92	H	P
24118061	86	950	6.88	H	P

2017 ADMISSION

10118008	48	AB	44	35	N	F
10118010	AB	H	F
10118012	34	AB	N	F
10118015	AB	H	F
10118022	105	39	37	N	F
10118025	99	93	873	6.21	N	P
10118030	105	85	860	6.21	N	P
10118044	AB	AB	N	F
10118058	79	AB	H	F
10118061	58	75	66	N	F
10117070	25	40	N	F

2016 ADMISSION

10117003	86	841	6.33	N	P
10117005	119	82	910	6.54	N	P
10117012	71	42	AB	H	F
10117022	75	889	6.46	N	P
10117027	84	880	6.54	H	P
10117034	52	H	F
10117038	76	868	6.25	N	P
10117043	AB	AB	N	F
10117051	75	118	65	N	F
10117055	AB	AB	AB	AB	N	F
10117057	AB	N	F
10117061	89	75	H	F
10117064	45	N	F
10117067	AB	N	F

2015 ADMISSION

10116006	83	41	N	F
10116009	75	51	N	F
10116018	AB	N	F
10116026	AB	AB	30	N	F
10116032	80	874	6.50	N	P

2014 ADMISSION

10115002	266	AB	N	F
10115014	AB	N	F
10115018	56	N	F

Centre: TKM SCHOOL OF ARCHITECTURE

REG.NO.	MARKS SCORED								TOTAL	SGPA	ALC	P / F
	AR1301	AR 1302	AR1303	AR1304	AR1305	AR1306	AR1307	AR1308				

2020 ADMISSION

24120101	281	130	79	82	146	93	50	90	951	7.04	N	P
24120102	173	102	25	49	74	83	50	106	N	F
24120104	312	142	77	90	131	109	50	105	1016	7.54	N	P
24120105	259	88	46	37	115	76	50	26	N	F
24120106	263	94	75	45	111	93	50	49	N	F
24120107	275	140	75	86	140	117	50	82	965	7.17	N	P
24120108	208	44	37	32	102	78	50	28	N	F

24120109	277	91	55	70	110	99	50	39	N	F
24120110	303	161	75	100	118	114	50	120	1041	7.67	N	P
24120111	303	145	111	93	138	117	50	106	1063	7.71	N	P
24120112	279	108	54	43	106	86	50	43	N	F
24120113	284	88	34	40	111	81	50	28	N	F
24120114	343	147	132	99	131	117	50	111	1130	7.79	N	P
24120115	289	110	60	65	110	80	50	28	N	F
24120116	271	86	57	50	105	91	50	88	N	F
24120117	282	118	63	81	124	105	50	95	N	F
24120118	308	128	106	94	125	110	50	104	1025	7.42	H	P
24120119	294	151	100	88	129	102	50	86	1000	7	H	P
24120120	299	116	98	90	137	98	50	75	963	6.75	N	P
24120122	251	113	31	53	110	80	50	78	N	F
24120123	277	136	54	83	106	93	50	98	N	F
24120124	282	133	45	81	117	89	50	63	N	F
24120125	250	137	90	86	120	101	50	83	917	6.83	N	P
24120126	274	152	58	97	113	107	50	106	N	F
24120127	283	111	40	78	104	95	50	99	N	F
24120128	287	151	92	84	113	106	50	91	974	7.04	H	P
24120129	271	95	79	49	111	84	50	79	N	F
24120130	250	53	36	41	108	26	50	33	N	F
24120131	321	147	114	110	128	123	50	132	1125	8	H	P
24120132	251	132	119	105	132	117	50	101	1007	7.29	N	P
24120133	292	144	98	85	116	96	50	109	990	7.08	N	P
24120134	250	141	81	82	125	97	50	92	918	7.04	H	P
24120135	211	69	43	50	85	66	50	43	N	F
24120136	251	130	86	88	123	117	50	94	939	6.96	N	P
24120137	300	99	50	75	105	95	50	44	N	F
24120139	251	116	91	99	134	115	50	100	956	6.96	H	P
24120140	293	96	40	59	117	54	50	38	N	F
24120141	264	78	42	41	110	64	50	59	N	F
2019 ADMISSION												
24119101	284	57	N	F
24119102	284	AB	54	N	F
24119103	68	*75	H	F
24119104	AB	64	N	F
24119106	264	80	949	6.88	N	P
24119107	124	AB	71	85	AB	H	F
24119111	303	AB	65	N	F
24119112	59	AB	N	F
24119114	117	AB	92	N	F
24119115	120	72	N	F
24119116	123	AB	48	66	AB	N	F
24119117	87	99	94	957	6.83	H	P
24119118	AB	86	H	F
24119120	108	*79	N	F
24119122	97	1039	7.38	H	P
24119124	120	69	N	F
24119125	AB	89	H	F
24119126	121	70	*81	AB	H	F
24119128	*104	35	AB	N	F
24119129	131	84	N	F
24119130	121	73	*76	68	N	F
24119131	113	907	6.5	H	P
24119132	75	95	976	7.08	H	P
24119133	87	104	1055	7.25	H	P
24119135	AB	H	F
24119140	122	74	73	H	F

2018 ADMISSION												
24118102	AB	H	F
24118103	69	AB	N	F
24118111	76	AB	N	F
24118113	40	32	N	F
24118114	69	N	F
24118116	100	40	N	F
24118118	AB	H	F
24118122	AB	N	F
24118125	AB	N	F
24118127	47	N	F
24118130	99	948	7.08	N	P
24118131	100	60	40	N	F
24118133	127	H	F
24118134	77	46	N	F

2017 ADMISSION												
10118104	AB	43	AB	N	F
10118106	AB	N	F
10118108	AB	75	AB	75	H	F
10118114	100	AB	75	AB	AB	N	F
10118117	250	100	75	862	6.58	H	P
10118118	AB	H	F
10118119	AB	H	F
10118122	AB	49	N	F
10118123	55	80	N	F
10118125	257	AB	AB	N	F
10118126	102	25	N	F
10118127	75	AB	N	F
10118130	75	112	947	6.96	N	P
10118133	251	111	AB	66	81	AB	N	F
10118134	AB	N	F
10118136	47	42	AB	H	F

READMISSION (2016 ADMISSION)												
10117103	AB	N	F
10117105	78	828	6.08	N	P
10117126	66	AB	55	114	N	F

2016 ADMISSION												
10117112	50	H	F
10117117	75	36	N	F
10117120	47	H	F
10117122	68	AB	N	F
10117124	89	896	6.58	N	P
10117125	75	85	85	884	6.5	N	P
10117131	63	71	50	N	F
10117132	40	56	N	F

2015 ADMISSION												
10116104	56	87	N	F
10116110	75	93	861	6.46	N	P
10116115	98	825	6.08	N	P

2014 ADMISSION												
10115119	63	N	F

Centre: NIZAR RAHIM AND MARK SCHOOL OF ARCHITECTURE, KOLLAM

REG.NO.	MARKS SCORED								TOTAL	GPA	ALC	P / F
	AR1301	AR1302	AR1303	AR1304	AR1305	AR1306	AR1307	AR1308				
REGULAR CANDIDATES												
2020 ADMISSIONS(Regular)												
24120201	257	113	83	84	131	91	30	62	H	F
24120202	258	113	94	78	106	87	35	86	857	6.25	N	P

24120203	254	113	90	88	130	82	37	110	904	6.67	N	P
24120204	321	127	79*	80	146	100	43	62	H	F
24120205	254	112	85	91	131	102	36	83	894	6.50	N	P
24120206	294	109	92	85	128	100	32	84	924	6.42	N	P
24120207	277	119	98	92	136	115	34	128	999	6.96	N	P
24120208	278	155	107	96	134	106	45	130	1051	7.63	H	P
24120209	277	137	102	100	116	94	34	91	951	6.63	H	P
24120210	83	117	85	82	110	87	36	79	N	F
24120211	253	126	91	56	131	88	26	82	H	F
24120212	251	142	91	79	139	87	38	107	934	7.00	H	P
24120213	254	137	86	78	137	89	32	82	895	6.42	N	P
24120214	304	146	93	92	124	100	35	66	N	F
24120215	283	162	90	81	136	88	29	85	954	6.75	H	P
24120216	252	133	51	54	136	82	29	41	N	F
24120217	14	67	27	37	123	58	33	38	N	F
24120218	113	114	54	51	124	88	31	52	N	F
24120219	192	89	39	47	113	54	33	47	N	F
24120220	118	125	76	64	127	86	28	40	N	F
24120221	304	150	112	92	126	97	44	111	1036	7.54	H	P
24120222	254	133	83	78	105	97	30	88	868	6.33	N	P
24120223	329	158	86	103	133	95	38	105	1047	7.29	H	P
24120224	258	134	85	58	127	84	50	83	H	F
24120225	253	131	92	88	131	95	33	64	H	F
24120226	339	144	100	93	126	93	37	93	1025	7.25	H	P
24120227	254	130	66	65	120	97	28	65	N	F
24120228	252	105	80	80	125	84	28	66	N	F
SUPPLEMENTARY CANDIDATES - 2019 ADMISSIONS												
24119202	254	108	83	70	H	F
24119208	103	927	6.46	H	P
24119214	110	937	6.75	H	P
24119215	113	1082	7.46	H	P
24119216	252	110	88	72	H	F
24119217	83	941	6.67	H	P
24119218	..	109	48	H	F
24119219	95	55	N	F
24119220	250	121	81	49	H	F
24119221	..	127	88	935	6.58	H	P
24119222	71	87	H	F
24119227	AB	AB	H	F
24119228	..	111	85	83	H	F
24119229	89	105	989	7.00	H	P
2018 ADMISSIONS												
24118205	65	N	F
24118213	..	92	51	51	L	F
24118214	94	AB	L	F
24118216	107	942	6.83	H	P
24118222	222	..	51	76	L	F
24118223	86	...	120	46	L	F
24118227	..	100	N	F
24118231	73	N	F
24118232	63	N	F
24118234	AB	81	62	56	..	AB	30	L	F
24118236	252	878	6.42	N	P
2017 ADMISSIONS												
10118204	75	AB	N	F
10118205	80	87	...	75	875	6.08	N	P
10118206	75	83	847	6.08	N	P
10118208	45	N	F

10118223	50	N	F
10118224	32	N	F
10118225	..	138	919	6.50	N	P
10118226	84	916	6.46	H	P
10118227	75	29	N	F
10118229	..	114	24	N	F
2016 ADMISSIONS												
10117204	66	57	N	F
10117208	AB	65	N	F
10117211	37	N	F
10117215	36	H	F
10117224	53	N	F
10117226	60	42	...	AB	..	AB	N	F
10117230	54	N	F
10117233	AB	N	F
10117237	AB	75	AB	N	F
2015 ADMISSIONS												
10116215	62	36	H	F
10116223	60	59	N	F
10116227	43	N	F
10116236	AB	AB	N	F
10116239	AB	AB	N	F

AB: Absent

F: Failed

P:Passed

For Paper AR 1301 Marks below 250 and those with * indicates failure


For Papers AR 1302,AR1305 Marks below 100 and those with * indicates failure

For Papers AR 1303,AR 1304,AR 1306,AR 1308 Marks below 75 and those with * indicates failure

AR 1307 Marks below 25 and those with *indicates failure

Kochi -22

Date: 08.11.2022



CONTROLLER OF EXAMINATIONS

Disclaimer: The results published in the site are for immediate information to the examinees. This cannot be treated as original marksheet. CUSAT is not responsible for any inadvertant error that may have crept in the results published in the site. Original mark sheets will be issued by the Controller of examinations.