

COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

RESULT NOTIFICATION

Date of Result Publication : 10.08.2021

The following is the Provisional Result of candidates who have appeared for the B.Arch. Degree IV Semester Examination
April 2020.

Centre: MARIAN COLLEGE OF ARCHITECTURE AND PLANNING

REG.NO.	MARKS SCORED								TOTAL	GPA	ALC	P / F
	AR1401	AR1402	AR1403	AR1404	AR1405	AR1406	AR1407	AR1408				
2018 ADMISSOIN												
24118001	326	109	96	117	99	82	38	89	N	F
24118002	297	94	93	104	85	79	86	80	N	F
24118003	336	123	93	115	87	80	86	84	1004	6.46	H	P
24118004	329	121	92	115	80	84	87	92	1000	6.54	H	P
24118005	317	113	109	114	100	91	99	73	H	F
24118006	WITHHELD											
24118007	322	115	112	130	121	108	104	102	1114	7.25	N	P
24118008	319	132	102	129	118	112	116	95	1123	7.29	H	P
24118009	335	138	102	127	112	100	119	104	1137	7.21	H	P
24118010	261	112	82	94	107	86	90	81	N	F
24118011	350	127	94	124	99	94	111	117	1116	7.38	H	P
24118012	329	115	97	116	113	100	98	95	1063	6.79	H	P
24118013	WITHHELD											
24118014	345	109	90	* 101	95	76	80	65	H	F
24118015	WITHHELD											
24118016	285	106	103	121	92	92	104	39	H	F
24118018	338	102	106	117	91	101	100	92	1047	6.75	H	P
24118019	290	122	80	105	112	96	95	78	978	6.58	N	P
24118020	328	113	118	119	111	112	106	39	H	F
24118021	WITHHELD											
24118022	401	149	119	139	113	97	115	115	1248	7.96	N	P
24118023	268	95	83	114	109	102	105	98	H	F
24118024	284	105	79	81	66	79	86	45	H	F
24118025	317	113	114	125	99	121	116	128	1133	7.33	H	P
24118026	276	121	118	124	121	84	111	127	1082	7.29	H	P
24118027	290	112	117	117	111	102	110	108	1067	6.83	H	P
24118028	265	134	97	103	87	76	82	79	923	6.25	N	P
24118029	WITHHELD											
24118030	240	84	84	100	77	84	83	39	N	F
24118031	328	118	106	122	109	83	103	100	1069	6.96	N	P
24118032	390	152	126	150	118	102	117	118	1273	8.00	N	P
24118033	WITHHELD											
24118034	331	110	90	115	94	81	86	103	1010	6.50	H	P
24118035	WITHHELD											
24118036	WITHHELD											
24118037	WITHHELD											
24118038	269	95	87	108	87	59	81	62	N	F
24118039	WITHHELD											
24118040	349	118	124	135	112	105	124	79	1146	7.29	H	P
24118041	WITHHELD											
24118042	275	85	100	105	90	78	92	80	N	F
24118043	WITHHELD											
24118044	WITHHELD											
24118045	320	98	121	120	115	100	120	120	H	F
24118046	304	92	119	AB	107	114	116	93	N	F
24118047	331	* 113	106	123	78	89	83	45	H	F
24118048	322	124	118	115	102	109	97	81	1068	6.92	H	P

24118049	267	108	106	108	108	64	101	57	H	F
24118050	274	124	122	125	113	111	116	89	1074	7.17	N	P
24118051	322	93	119	115	110	95	103	78	N	F
24118052	357	128	126	129	108	108	120	130	1206	7.92	H	P
24118053	309	* 103	117	113	90	99	102	108	N	F
24118054	333	123	122	124	102	113	104	97	1118	7.25	H	P
24118055	338	125	121	114	104	89	97	89	1077	6.83	H	P
24118057	AB	AB	AB	AB	AB	AB	AB	AB	N	F
24118058	WITHHELD											
24118059	316	118	127	122	116	107	117	115	1138	7.38	H	P
24118060	331	110	116	118	118	120	113	109	1135	7.21	N	P
24118061	298	117	110	114	89	89	107	117	1041	6.50	H	P
24118062	265	* 102	88	88	102	89	80	99	H	F
24118063	316	96	107	107	92	82	101	93	H	F
24118064	308	124	105	107	96	88	87	64	N	F
24118065	301	97	104	111	97	81	86	56	H	F
24118066	325	118	119	132	118	117	137	129	1195	7.54	N	P
24118067	WITHHELD											
24118068	254	95	92	114	107	87	102	100	N	F
24118069	278	* 117	86	114	114	104	124	105	H	F
24118070	298	122	99	125	94	106	88	81	1013	6.71	H	P
24118071	319	AB	AB	111	109	103	105	104	N	F
24118072	304	94	98	100	104	67	83	92	N	F
24118074	311	* 116	96	115	103	85	96	102	H	F
24118075	326	98	89	103	102	83	100	81	H	F
24118076	307	106	95	107	100	102	105	58	H	F
24118077	231	84	107	109	82	84	97	55	N	F
24118078	263	AB	AB	105	100	75	82	45	H	F
2017 ADMISSION												
10118002	96	78	928	6.29	N	P
10118003	90	964	6.46	N	P
10118007	AB	N	F
10118008	84	64	64	NR	NR	NR	N	F
10118010	NR	AB	N	F
10118012	86	57	100	AB	N	F
10118016	AB	89	99	H	F
10118021	84	961	6.38	N	P
10118022	NR	NR	AB	NR	NR	NR	NR	L	F
10118023	AB	NR	AB	NR	NR	NR	NR	N	F
10118030	WITHHELD											
10118034	AB	N	F
10118036	95	81	909	6.08	N	P
10118043	113	88	955	6.38	N	P
10118044	NR	NR	AB	NR	NR	NR	NR	N	F
10118049	125	1119	7.17	H	P
10118053	AB	N	F
10118056	94	NR	N	F
10118058	110	NR	NR	NR	NR	NR	NR	N	F
10118061	AB	H	F
10118062	124	1115	7.46	H	P
10118065	91	80	NR	N	F
10118068	120	NR	H	F
10118069	78	867	6.00	H	P
10118071	NR	AB	AB	NR	AB	AB	AB	N	F
2016 ADMISSION												
10117001	93	1043	6.92	H	P
10117002	97	952	6.50	N	P
10117005	AB	N	F

10117006	83	1052	6.92	N	P
10117015	68	N	F
10117016	75	1032	6.63	N	P
10117018	79	921	6.38	N	P
10117019	NR	99	AB	75	AB	N	F
10117022	AB	AB	N	F
10117027	97	89	32	N	F
10117029	103	93	75	951	6.17	N	P
10117036	91	986	6.75	N	P
10117037	66	N	F
10117038	86	969	6.46	N	P
10117040	87	AB	N	F
10117043	98	105	NR	N	F
10117045	75	998	6.63	N	P
10117055	AB	100	39	AB	N	F
10117057	89	100	AB	NR	N	F
10117059	295	AB	AB	NR	NR	NR	N	F
10117062	107	100	83	84	N	F
10117063	91	994	6.67	N	P
10117067	58	84	NR	58	NR	N	F
10117069	98	938	6.46	N	P

2015 ADMISSION

10116006	100	AB	74	87	NR	76	NR	N	F
10116009	51	54	67	75	NR	75	NR	N	F
10116015	67	74	84	75	N	F
10116019	101	980	6.38	N	P
10116023	85	908	6.13	N	P
10116032	57	AB	AB	AB	NR	N	F
10116037	93	72	75	N	F

2014 ADMISSION

10115033	88	902	6.21	N	P
10115002	NR	AB	77	AB	AB	N	F
10115007	75	102	87	894	6.17	N	P
10115011	NR	86	90	59	24	N	F

WITHHELD

Centre: TKM SCHOOL OF ARCHITECTURE

REG.NO.	MARKS SCORED								TOTAL	GPA	ATT END	P / F
	AR1401	AR1402	AR1403	AR1404	AR1405	AR1406	AR1407	AR1408				
2018 ADMISSION												
24118101	362	135	93	120	99	61	114	89	N	F
24118102	330	112	102	109	105	85	84	45	N	F
10118103	265	81	99	94	95	66	91	37	N	F
24118104	355	115	100	111	109	91	107	76	1064	7.00	N	P
24118105	251	102	99	127	102	96	103	94	974	6.63	H	P
24118106	338	103	113	129	118	98	94	100	1093	7.04	H	P
24118107	374	125	127	138	132	95	120	108	1219	7.88	H	P
24118108	284	103	92	121	101	94	91	86	972	6.54	N	P
24118109	336	100	98	128	112	96	109	92	1071	7.04	N	P
24118110	287	103	128	134	117	86	102	94	1051	6.83	N	P
24118111	279	77	75	78	82	36	62	25	N	F
24118112	265	82	107	116	87	78	88	75	N	F
24118113	277	75	93	112	93	69	81	76	H	F
24118114	290	77	105	108	111	98	97	97	N	F
24118115	278	87	88	114	81	79	98	87	N	F
24118116	290	67	89	100	90	85	93	31	N	F
24118117	323	118	114	134	112	88	114	113	1116	7.13	N	P
24118118	334	100	105	127	100	85	87	40	N	F

24118119	277	110	100	118	99	102	103	104	1013	6.46	N	P
24118120	269	115	114	115	97	78	101	99	988	6.46	N	P
24118121	266	100	86	118	103	90	98	77	938	6.29	N	P
24118122	317	101	89	86	76	57	89	82	N	F
24118123	289	109	100	112	92	87	104	82	975	6.29	H	P
24118124	277	100	93	108	81	81	77	79	896	6.08	N	P
24118125	277	109	100	115	108	88	91	85	973	6.42	N	P
24118126	279	88	81	111	106	90	87	105	N	F
24118127	250	84	90	87	85	75	77	53	N	F
24118128	108	52	45	55	37	42	34	30	N	F
24118129	262	100	99	113	121	73	115	84	H	F
24118130	331	60	99	113	104	90	95	111	N	F
24118131	250	54	79	71	85	51	75	59	N	F
24118132	251	100	89	120	92	65	96	79	H	F
24118133	270	104	91	100	94	75	86	70	N	F
24118134	263	90	85	108	90	82	101	81	H	F
24118135	344	116	117	123	125	90	121	88	1124	7.25	H	P
24118136	293	121	103	124	114	101	102	90	1048	6.92	H	P
24118137	337	127	112	120	116	94	111	125	1142	7.46	H	P
24118138	298	120	117	131	132	88	117	132	1135	7.29	H	P
24118139	330	85	99	129	109	97	99	79	H	F
2017 ADMISSION												
10118106	62	53	NR	N	F
10118107	NR	74	NR	100	NR	77	75	50	N	F
10118108	71	NR	100	NR	NR	NR	NR	H	F
10118109	AB	NR	109	N	F
10118111	99	1072	7.04	N	P
10118112	60	79	NR	NR	NR	NR	N	F
10118113	86	999	6.54	H	P
10118114	69	NR	NR	NR	NR	N	F
10118115	87	75	78	H	F
10118116	87	1013	6.83	H	P
10118117	82	NR	AB	N	F
10118118	63	82	89	NR	N	F
10118119	77	926	6.21	H	P
10118121	92	973	6.46	H	P
10118123	67	NR	100	NR	NR	NR	NR	H	F
10118125	100	NR	103	NR	NR	NR	N	F
10118126	100	52	AB	AB	75	56	N	F
10118127	79	NR	110	NR	NR	NR	NR	N	F
10118130	93	NR	80	NR	N	F
10118133	NR	NR	AB	NR	N	F
10118135	85	100	66	N	F
10118136	88	NR	100	NR	AB	NR	85	N	F
10118209	339	105	64	128	80	93	39	N	F
2016 ADMISSION												
10117101	87	895	6.00	N	P
10117102	92	75	61	H	F
10117103	68	AB	70	AB	L	F
10117105	NR	79	NR	N	F
10117108	83	965	6.42	N	P
10117109	82	AB	106	H	F
10117112	77	37	N	F
10117117	97	82	102	NR	N	F
10117120	57	85	47	79	NR	N	F
10117122	65	NR	65	72	NR	NR	N	F
10117125	81	93	38	N	F
10117126	NR	58	NR	75	NR	NR	NR	NR	N	F

10117127	105	1007	6.63	N	P
10117128	90	971	6.46	N	P
10117129	100	100	103	34	N	F
10117131	88	NR	91	NR	NR	82	NR	N	F
10117132	86	81	NR	N	F
10117134	60	N	F
10117137	91	1006	6.67	N	P

2015 ADMISSION

10116104	89	95	58	N	F
10116110	104	84	75	AB	N	F
10116113	AB	86	AB	N	F
10116115	104	891	6.08	N	P
10116116	83	89	82	N	F
10116121	99	902	6.08	N	P
10116125	NR	97	49	H	F

2014 ADMISSION

10115119	75	885	6.13	N	P
10115103	84	81	898	6.00	N	P
10115111	94	934	6.25	N	P
10115115	92	53	N	F
10115120	AB	AB	N	F

Centre: NRM SCHOOL OF ARCHITECTURE

REG.NO.	MARKS SCORED									SGPA	Atten dance	P / F
	AR 1401	AR 1402	AR 1403	AR 1404	AR 1405	AR 1406	AR 1407	AR 1408	TOTAL			

2018 ADMISSIONS

24118201	252	95	89	105*	95	87	82	62	N	F
24118202	292	108	94	138	112	93	111	103	1051	6.83	H	P
24118204	322	113	125	142	127	124	130	106	1189	7.83	H	P
24118205	292	108	83	133	62	65	89	52	N	F
24118206	WITHHELD											
24118207	340	122	105	133	118	122	116	90	1146	7.46	H	P
24118208	351	108	96	143	107	91	101	54	N	F
24118209	367	94	92	133	101	92	95	98	N	F
24118210	314	82	70	125*	71	67	71	84	N	F
24118211	370	92	108	146	104	51	101	73	H	F
24118212	WITHHELD											
24118213	WITHHELD											
24118214	253	101*	86	131	82	78	90	Ab	N	F
24118215	WITHHELD											
24118216	WITHHELD											
24118217	374	127	114	157	116	109	116	106	1219	7.83	H	P
24118218	388	111	98	141	106	94	113	90	1141	7.42	H	P
24118220	369	108	101	140	109	90	111	92	1120	7.42	H	P
24118221	331	106	95	137	88	94	90	64	N	F
24118222	295	78	68	109*	76	63	75	34	N	F
24118223	333	87	42	110*	34	66	77	43	N	F
24118224	398	125	97	145	119	91	114	85	1174	7.50	H	P
24118225	WITHHELD											
24118226	383	111	110	150	102	93	110	86	1145	7.29	H	P
24118227	WITHHELD											
24118228	225	96	87	137	96	66	94	57	H	F
24118229	WITHHELD											
24118230	321	92	80	120*	99	57	87	99	H	F
24118231	324	118	98	124*	83	67	71	72	H	F
24118232	324	93	82	117*	86	83	63	49	N	F
24118233	WITHHELD											
24118234	208	78	55	101*	62	41	68	52	N	F
24118235	WITHHELD											

24118236	WITHHELD											
24118237	305	95	83	118	102	77	96	83	N	F
24118238	322	119	102	122	103	95	118	106	1087	7.00	N	P
24118239	WITHHELD											
2014 ADMISSIONS												
10115201	...	118	868	6.00	N	P
10115211	46	N	F
10115212	...	112	91	..	75	...	919	6.33	N	P
10115215	76	...	85	32	N	F
10115226	WITHHELD											
10115227	99	957	6.46	N	P
2015 ADMISSIONS												
10116206	95	90	95	953	6.25	H	P
10116208	98	...	97	...	87	87	958	6.20	N	P
10116215	Ab	Ab	Ab	...	105	...	Ab	N	F
10116219	106	912	6.29	N	P
10116223	75	116	86	...	896	6.00	H	P
10116225	93	1014	6.67	N	P
10116227	...	82	65	NR	NR	NR	NR	NR	N	F
10116231	96	...	940	6.29	N	P
10116233	80	917	6.08	N	P
10116235	102	...	894	6.25	N	P
10116236	102	85	75	N	F
10116237	61	N	F
10116239	...	108	86	NR	Ab	N	F
10116240	80	67	N	F
2016 ADMISSIONS												
10117204	267	64	55	72	63	53	81	36	N	F
10117206	...	100	...	118	34	N	F
10117208	Ab	31	NR	62	..	NR	NR	29	L	F
10117210	297	1016	6.62	L	P
10117211	269	72	NR	79	...	NR	34	Ab	N	F
10117215	270	NR	NR	NR	..	NR	...	NR	H	F
10117217	297	934	6.20	N	P
10117218	44	N	F
10117219	281	100	...	89	H	F
10117223	76	75	86	N	F
10117224	285	73	89	Ab	N	F
10117225	260	73	51	65	44	44	41	Ab	L	F
10117226	256	62	52	69	38	43	60	29	N	F
10117230	60	101	...	35	...	Ab	H	F
10117231	Ab	N	F
10117233	265	...	77	100	100	Ab	N	F
10117234	57	Ab	45	Ab	L	F
10117235	...	58	...	84	83	N	F
10117237	Ab	41	NR	NR	NR	Ab	L	F
10117238	272	955	6.42	N	P
10117240	82	43	H	F
2017 ADMISSIONS												
10118201	92	948	6.25	N	P
10118204	...	83	91	...	118	Ab	N	F
10118205	91	100	90	Ab	N	F
10118206	Ab	N	F
10118207	86	71	76	N	F
10118208	87	884	6.00	N	P
10118212	103	1008	6.63	N	P
10118213	95	83	896	6.17	N	P
10118215	90	103	N	F

10118221	252	58	...	Ab	104	NR	NR	NR	N	F
10118223	107	95	79	...	50	N	F
10118224	109	75	Ab	N	F
10118225	Ab	N	F
10118226	113	122	100	998	6.67	H	P
10118227	Ab	N	F
10118228	122	942	6.37	H	P
10118229	80	88	76	76	N	F

Ab: Absent

F: Failed

P: Passed

NR: Not Registered

For Paper AR 1401 Marks below 250 and those with * indicates failure

For Paper AR 1402, AR 1404 Marks below 100 and those with * indicates failure

For Paper AR 1403, AR 1405, AR 1406, AR 1407 & AR 1408 Marks below 75 and those with * indicates failure



University Office

Date: 10/08/2021

CONTROLLER OF EXAMINATIONS

Disclaimer: The results published in the site are for immediate information to the examinees. This cannot be treated as original marksheet. CUSAT is not responsible for any inadvertent error that may have crept in the results published in the site. Original mark sheets will be issued by the Controller of examinations.