

COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY											
RESULT NOTIFICATION											
Date of Result : 12.10.2021											
The following is the Provisional Result of candidates who have appeared for the B.Arch. Degree V Semester Examination November 2020											
Centre: TKM SCHOOL OF ARCHITECTURE KOLLAM											
REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P/F
	AR 1501	AR 1502	AR 1503	AR 1504	AR 1505	AR 1506	AR 1507				
2018 ADMISSION											
24118101	310	151	112	101	93	139	91	997	7.29	H	P
24118102	272	143	96	126	71	134	45	H	F
24118103	268	122	86	89	77*	114*	84	H	F
24118104	320	148	106	127	94	144	97	1036	7.63	N	P
24118105	267	128	98	108	82*	133	99	H	F
24118106	375	149	113	117	81 *	138	101	H	F
24118107	335	159	112	114	104	159	122	1105	7.71	H	P
24118108	318	162	105	93	67	134	96	H	F
24118109	362	155	117	128	102	142	113	1119	8.00	H	P
24118110	265	151	111	112	95	154	96	984	7.25	H	P
24118111	239	105*	33	69	59	130	33	H	F
24118112	341	142	85	91	78*	133	41	H	F
24118113	271	136	49	91	74	130	66	H	F
24118114	271	148	98	129	101	154	99	1000	7.21	H	P
24118115	280	146	93	94	73	129	53	H	F
24118116	257	113*	47	97	54	101*	35	H	F
24118117	263	147	115	114	84*	147	100	H	F
24118118	292	139	112	118	81*	135	85	H	F
24118119	285	151	98	101	94	152	78	959	6.96	N	P
24118120	288	150	105	101	115	134	95	988	7.08	H	P
24118121	269	129	99	116	94	143	96	946	6.96	H	P
24118122	258	116*	75	83*	49	144	58	H	F
24118123	250	143	112	109	97	141	90	942	7.25	H	P
24118124	256	128	95	98	82*	128	85	H	F
24118125	258	143	89	105	97	134	55	H	F
24118126	250	131	113	106	80*	129	125	H	F
24118127	227	109	75	88	79*	151	51	H	F
24118129	270	137	118	130	104	146	113	1018	7.25	H	P
24118130	262	145	106	120	98	133	112	976	7.25	H	P
24118131	216	82	58	78*	54	106*	42	N	F
24118132	262	138	94	104	76*	132	87	H	F
24118133	252	129	79	108	82*	132	44	H	F
24118134	251	142	95	96	78*	127	93	H	F
24118135	310	157	118	129	108	132	108	1062	7.63	H	P

24118136	293	157	119	123	95	147	112	1046	7.42	H	P
24118137	272	151	112	133	95	137	119	1019	7.25	H	P
24118138	267	164	117	126	123	148	131	1076	7.83	H	P
24118139	291	158	112	114	99	144	101	1019	7.25	H	P
10118209	276	108*	33	106	65	137	91	H	F
2017 ADMISSION											
10118104	86	NR	N	F
10118107	118	59	100	44	N	F
10118108	83	AB	NR	AB	NR	N	F
10118109	AB	N	F
10118110	100	30	N	F
10118112	69	AB	NR	AB	NR	N	F
10118117	NR	AB	AB	N	F
10118118	AB	N	F
10118122	NR	84	NR	AB	N	F
10118123	94	77	NR	N	F
10118125	83	NR	NR	114	NR	N	F
10118126	100	NR	AB	NR	N	F
10118127	101	NR	100	NR	N	F
10118130	96	823	6.29	N	P
10118133	NR	102	NR	NR	40	NR	N	F
10118135	AB	N	F
10118136	115	56	55	AB	N	F
2016 ADMISSION											
10117103	NR	67	AB	82	N	F
10117105	100	112	AB	N	F
10117122	85	NR	AB	NR	NR	N	F
10117126	NR	74	NR	NR	86	NR	N	F
10117101	60	N	F
10117112	AB	AB	H	F
10117117	49	AB	N	F
10117118	69	N	F
10117120	51	AB	N	F
10117124	49	AB	N	F
10117125	AB	N	F
10117129	98	836	6.33	H	P
10117131	NR	83	83	116	AB	H	F
10117132	AB	41	N	F
10117135	AB	N	F
10117136	AB	N	F
2015 ADMISSION											
10116103	81	850	6.25	H	P
10116104	100	77	831	6.17	N	P
10116110	101	56	H	F
10116113	80	821	6.08	N	p

10116115	108	91	98	878	6.29	N	P
10116116	95	831	6.21	N	P
10116121	81	831	6.08	H	P
10116125	99	70	H	F
2014 ADMISSION											
10115105	93	888	6.38	N	P
10115115	79	822	6.08	N	P
College : Marian College of Architecture and Planning											
REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P/F
	AR 1501	AR 1502	AR 1503	AR 1504	AR 1505	AR 1506	AR 1507				
24118001	289	123	107	97	78	107	102	H	F
24118002	311	125	105	84	67	129	104	H	F
24118003	356	126	105	71	90	135	85	H	F
24118004	356	129	114	92	73	141	112	H	F
24118005	363	128	117	95	60	116	89	H	F
24118006	291	110	87	107	84	113	100	H	F
24118007	355	131	125	126	103	121	111	1072	7.08	H	P
24118008	354	142	120	125	98	138	97	1074	7.13	H	P
24118009	344	129	122	111	94	135	114	1049	6.79	H	P
24118010	300	126	107	87	78	133	84	H	F
24118011	394	134	120	120	92	145	121	1126	7.38	H	P
24118012	363	133	111	111	104	130	119	1068	6.92	H	P
24118013	344	136	119	130	105	125	128	1087	7	H	P
24118014	337	105	88	89	91	128	124	H	F
24118015	354	141	123	104	109	144	135	1110	7.58	H	P
24118016	322	83	43	100	92	128	80	H	F
24118018	288	102	117	92	96	116	116	N	F
24118019	313	114	97	100	91	117	100	932	6.08	N	P
24118020	138	69	40	37	45	65	43	H	F
24118021	396	140	130	123	112	131	123	1155	7.46	H	P
24118022	415	142	127	123	119	157	127	1210	7.83	H	P
24118023	311	123	114	100	92	122	93	955	6.5	H	P
24118024	357	91	90	82	74	115	105	H	F
24118025	353	148	124	96	100	140	101	1062	7.13	H	P
24118026	362	150	123	111	105	141	133	1125	7.54	H	P
24118027	337	133	120	110	109	114	120	1043	6.83	H	P
24118028	298	125	101	101	90	115	96	926	6.04	H	P
24118029	337	126	119	108	92	130	105	1017	6.71	H	P
24118030	257	112	102	79	69	102	35	N	F
24118031	331	144	117	94	92	131	116	1025	6.79	H	P
24118032	415	172	122	124	116	156	122	1227	8	H	P
24118033	339	147	126	123	100	143	126	1104	7.33	H	P
24118034	318	132	95	88	62	128	101	H	F
24118035	352	127	99	85	81	122	71	H	F

24118036	326	130	108	103	112	126	113	1018	6.71	H	P
24118037	358	149	121	104	114	136	129	1111	7.29	H	P
24118038	300	124	96	88	63	110	87	H	F
24118039	329	134	102	106	112	116	132	1031	6.67	H	P
24118040	397	138	125	114	113	131	124	1142	7.21	H	P
24118041	351	148	121	117	110	134	119	1100	7.25	H	P
24118042	294	109	104	62	86	119	87	H	F
24118043	385	95	44	46	50	147	140	H	F
24118044	315	135	112	96	94	132	86	970	6.38	H	P
24118045	321	135	121	114	96	123	129	1039	6.92	H	P
24118046	323	121	119	112	92	134	83	984	6.46	H	P
24118047	351	127	107	95	71	124	71	H	F
24118048	344	141	115	97	92	115	117	1021	6.63	H	P
24118049	321	124	114	85	81	109	76	H	F
24118050	284	128	113	101	101	119	111	957	6.25	H	P
24118051	351	119	111	109	98	114	89	991	6.33	N	P
24118052	361	156	124	116	119	148	132	1156	7.54	H	P
24118053	338	129	106	89	92	114	105	973	6.38	H	P
24118054	311	138	114	104	82	117	108	H	F
24118055	355	130	112	40	94	127	101	H	F
24118058	360	133	114	113	117	134	106	1077	7.00	H	P
24118059	332	133	122	115	121	125	132	1080	7.08	H	P
24118060	378	140	119	130	122	140	133	1162	7.63	H	P
24118061	321	129	117	87	98	121	119	992	6.54	H	P
24118062	316	120	101	85	105	113	116	956	6.38	H	P
24118063	337	132	118	84	92	125	92	980	6.42	H	P
24118064	336	123	117	90	89	107	97	959	6.25	H	P
24118065	317	134	103	89	91	122	113	969	6.46	H	P
24118066	368	156	131	123	126	137	144	1185	7.67	H	P
24118067	385	148	129	119	132	156	132	1201	7.63	H	P
24118068	315	136	106	96	94	120	115	982	6.63	H	P
24118069	348	130	115	116	112	119	131	1071	6.75	H	P
24118070	350	130	122	95	91	114	100	1002	6.63	H	P
24118071	387	129	109	112	112	113	119	1081	6.83	H	P
24118072	363	92	111	95	59	119	104	N	F
24118074	341	126	106	94	102	122	108	999	6.63	H	P
24118075	344	122	118	96	98	115	109	1002	6.46	H	P
24118076	335	113	120	83	80	123	79	H	F
24118077	329	135	108	98	97	124	108	999	6.63	H	P
24118078	314	133	107	96	90	125	50	H	P
10118008	97	AB	58	NR	N	F
10118010	101	AB	N	F
10118012	105	AB	AB	L	F
10118016	103	920	6.04	N	P
10118022	83	NR	40	NR	AB	NR	N	F

10118031	117	1045	6.63	N	P
10118036	66	N	F
10118042	86	885	5.88	N	P
10118056	115	89	949	6.13	N	P
10118058	107	80	74	NR	H	F
10118065	110	882	5.83	N	P
10118066	116	1040	6.79	N	P
10118069	78	77	N	F
10117070	NR	106	NR	N	F
10117003	64	N	F
10117005	AB	N	F
10117009	AB	N	F
10117012	84	63	NR	N	F
10117016	AB	N	F
10117019	AB	N	F
10117022	AB	N	F
10117029	AB	N	F
10117034	AB	AB	N	F
10117043	69	AB	N	F
10117051	79	47	NR	89	NR	N	F
10117057	AB	AB	N	F
10117059	35	L	F
10117067	57	NR	H	F
10116006	NR	AB	NR	N	F
10116009	100	87	AB	NR	N	F
10116015	AB	N	F
10116018	AB	N	F
10115011	39	23	N	F
10115013	71	NR	N	F
10115014	AB	N	F
10115033	AB	N	F

College : NRM School of Architecture

REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P/F
	AR 1501	AR 1502	AR 1503	AR 1504	AR 1505	AR 1506	AR 1507				
2018 ADMISSIONS(Regular Candidates)											
24118201	290	142	82	90	56	107	81	N	F
24118202	284	136	108	102	87	126	106	949	6.83	H	P
24118204	384	164	116	117	84	142	102	1109	7.92	H	P
24118205	283	140	96	66	54	116	50	H	F
24118206	282	148	115	112	80	131	94	962	7	H	P
24118207	296	158	115	101	81	143	106	1000	7.17	H	P
24118208	341	146	114	99	69	121	75	H	F
24118209	349	147	110	105	79	118	112	1020	7.21	H	P
24118210	293	120*	82	91	48	112	58	H	F

24118211	300	154	101	101	74	129	89	H	F
24118212	303	154	112	114	80	141	107	1011	7.54	H	P
24118213	285	112*	49	66	45	88	32	H	F
24118214	279	134	100	106	62	112	70	H	F
24118215	353	162	122	133	104	138	131	1143	8.21	H	P
24118216	285	147	113	43	46	119	71	H	F
24118217	318	155	124	119	94	137	114	1061	7.58	H	P
24118218	389	141	111	101	86	123	96	1047	7.5	H	P
24118220	343	141	116	101	82	126	105	1014	7.29	H	P
24118221	257	133	92	85	80	100	94	841	6.38	N	P
24118222	250	110*	80	51	61	100	78	N	F
24118223	269	129	75	38	30	93	82	N	F
24118224	412	139	97	101	81	127	104	1061	7.5	H	P
24118225	281	136	107	93	67	115	87	H	F
24118226	376	144	117	121	83	132	97	1070	7.67	H	P
24118227	310	130	73	81	56	109	61	N	F
24118228	268	142	103	94	65	132	49	H	F
24118229	296	154	111	108	79	136	111	995	7.08	H	P
24118230	293	146	110	68	84	135	59	H	F
24118231	307	140	100	84	67	117	60	H	F
24118232	270	122*	84	61	53	111	56	H	F
24118233	289	139	99	96	68	115	95	H	F
24118234	122	128*	98	55	59	70	73	N	F
24118235	354	147	110	109	79	133	100	1032	7.58	H	P
24118236	267	118*	81	92	67	122	84	N	F
24118237	292	119	112	92	67	100	97	H	F
24118238	336	163	112	116	84	117	107	1035	7.38	H	P
24118239	301	140	106	90	64	126	107	H	F
7 ADMISSIONS											
10118204	...	109	AB	N	F
10118205	88	848	6.13	N	P
10118223	..	108	78	842	6.13	H	P
10118224	55	N	F
10118227	..	108	61	N	F
10118229	117	51	H	F
2016 ADMISSIONS											
10117204	272	..	83	54	40	..	41	N	F
10117208	AB	NR	AB	54	52	NR	AB	N	F
10117211	250	90	75	..	52	..	31	N	F
10117215	279	75	47	H	F
10117219	86	809	6	H	P
10117223	275	59	N	F
10117224	76	804	6	N	P
10117225	251	77	64	22	39	100	AB	N	F
10117226	266	..	75	44	47	80	35	N	F

10117230	250	86	..	64	55	..	28	N	F
10117233	250	AB	AB	N	F
10117234	250	AB	AB	..	AB	N	F
10117235	75	773	6	N	P
10117237	250	86	AB	N	F
10117238	287	851	6.21	N	P
10117240	77	790	6	H	P
2015 ADMISSION											
10116206	75	806	6.25	N	P
10116208	44	80	H	F
10116215	190	..	NR	..	NR	N	F
10116219	79	911	6.54	N	P
10116227	294	NR	NR	NR	NR	NR	NR	N	F
10116231	90	818	6.33	N	P
10116235	95	826	6.17	N	P
10116236	..	130	79	..	46	..	81	N	F
10116239	..	100	AB	..	AB	..	NR	N	F
10116240	83	..	49	..	52	N	F
2014 ADMISSION											
10115215	99	863	6.58	N	P
10115224	NR	75	N	F

Ab:Absent


F: Failed

P:Passed

For Paper AR 1501 Marks below 250 and those with * indicates failure

For Paper AR 1502,AR 1506 Marks below 100 and those with * indicates failure

For Paper AR 1503,AR 1504,AR 1505,AR 1507 Marks below 75 and those



Kochi -22

Date: 12.10.2021

CONTROLLER OF EXAMINATIONS

Disclaimer: The results published in the site are for immediate information to the examinees. This cannot be treated as original marksheet. CUSAT is not responsible for any inadvertant error that may have crept in the results published in the site. Original mark sheets will be issued by the Controller of examinations