



# COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

## RESULT NOTIFICATION

Date of Publication of Result : 08.11.2022

*The following is the Provisional Result of candidates who have appeared for the B.Arch. Degree V Semester Examination November 2021*

**Centre: MARIAN COLLEGE OF ARCHITECTURE AND PLANNING**

REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P / F
	AR1501	AR1502	AR1503	AR1504	AR1505	AR1506	AR1507				
<b>2019 ADMISSION</b>											
24119001	282	109	58	61	42	*100	36	.....	.....	N	F
24119002	330	137	114	101	134	140	99	1055	7.46	H	P
24119003	349	113	92	81	96	134	75	940	6.67	N	P
24119004	318	123	104	91	116	130	85	967	7.00	N	P
24119005	293	117	95	88	104	110	93	900	6.29	H	P
24119006	339	125	96	90	102	127	99	978	7.00	N	P
24119007	319	110	77	79	84	*102	78	.....	.....	N	F
24119008	372	123	105	92	111	129	104	1036	7.50	H	P
24119009	346	118	94	78	114	111	90	951	6.67	N	P
24119010	334	124	91	32	105	125	92	.....	.....	H	F
24119011	387	148	109	89	111	143	81	1068	7.67	N	P
24119012	392	133	110	98	125	140	105	1103	7.83	H	P
24119013	298	80	65	61	58	94	45	.....	.....	H	F
24119014	264	109	93	85	100	113	83	847	6.21	H	P
24119015	318	149	95	91	103	120	84	960	7.08	N	P
24119016	293	131	84	85	85	112	89	879	6.17	N	P
24119017	371	133	93	91	105	116	73	.....	.....	H	F
24119018	360	148	94	96	114	126	97	1035	7.54	N	P
24119019	253	109	59	77	46	91	80	.....	.....	N	F
24119020	344	151	113	93	94	134	87	1016	7.21	H	P
24119021	356	119	90	83	23	110	81	.....	.....	N	F
24119022	322	135	98	86	100	121	102	964	6.92	H	P
24119024	343	147	92	92	128	136	99	1037	7.33	N	P
24119025	389	148	112	93	110	139	117	1108	7.75	H	P
24119026	326	126	96	81	52	120	86	.....	.....	N	F
24119027	332	140	103	81	90	117	62	.....	.....	H	F
24119028	379	144	106	85	108	140	119	1081	7.83	N	P
24119029	374	146	118	96	102	132	96	1064	7.58	N	P
24119030	264	132	95	102	100	115	114	922	6.63	H	P
24119031	289	105	60	45	32	89	32	.....	.....	L	F
24119032	353	142	103	86	96	148	106	1034	7.63	N	P
24119033	300	125	97	75	80	112	63	.....	.....	N	F
24119034	336	119	103	80	79	126	93	936	6.67	N	P
24119035	327	118	81	92	83	123	78	902	6.54	N	P
24119036	369	143	112	94	118	154	113	1103	7.92	H	P
24119037	368	145	118	109	108	150	97	1095	7.92	H	P
24119038	344	132	94	103	101	147	104	1025	7.17	N	P
24119039	29	85	50	75	32	50	75	.....	.....	L	F

24119040	362	138	99	88	85	147	97	1016	7.29	H	P
24119041	350	141	115	91	99	147	95	1038	7.75	H	P
24119043	352	133	96	90	103	136	84	994	7.21	H	P
24119044	203	137	103	95	95	82	96	.....	.....	L	F
24119045	330	133	95	83	93	132	106	972	7.00	H	P
24119046	344	146	112	91	104	161	87	1045	7.54	H	P
24119047	352	147	112	108	109	152	110	1090	8.00	N	P
24119048	412	157	116	110	131	165	116	1207	8.54	H	P
24119049	230	117	82	75	76	104	38	.....	.....	N	F
24119050	348	144	108	98	114	147	91	1050	7.54	H	P
24119051	285	106	61	56	53	109	41	.....	.....	N	F
24119052	359	142	118	90	111	147	98	1065	7.83	N	P
24119053	426	160	123	110	133	161	119	1232	8.83	H	P
24119054	334	135	93	91	84	126	85	948	6.83	N	P
24119055	348	139	116	115	118	149	111	1096	7.54	H	P
24119056	221	124	70	50	76	103	77	.....	.....	N	F
24119057	353	147	111	97	110	146	108	1072	7.92	H	P
24119058	347	127	88	87	112	141	89	991	6.96	N	P
24119059	374	134	107	93	107	127	93	1035	7.50	N	P
24119060	354	147	116	113	113	148	114	1105	8.00	N	P
24119061	354	138	103	81	113	138	107	1034	7.38	N	P
24119062	233	115	61	75	75	110	101	.....	.....	N	F
24119063	360	146	118	111	116	152	117	1120	8.00	H	P
24119064	325	129	91	103	90	132	57	.....	.....	N	F
24119065	417	159	126	117	125	158	130	1232	8.58	N	P
24119066	314	139	108	100	112	157	125	1055	7.54	N	P
24119067	317	132	112	104	110	145	35	.....	.....	N	F
24119068	340	136	100	94	102	135	104	1011	7.00	H	P
24119069	355	133	98	93	101	123	102	1005	7.29	H	P
24119070	416	157	110	97	124	160	136	1200	8.63	H	P
24119071	305	132	88	81	100	125	98	929	6.79	N	P
24119072	354	141	108	101	114	141	106	1065	7.92	N	P
24119073	415	146	110	108	101	148	116	1144	8.21	N	P
24119074	378	141	117	106	122	148	132	1144	8.17	N	P
24119075	311	131	87	49	46	122	76	.....	.....	N	F
24119076	380	147	111	94	116	144	104	1096	7.83	H	P
24119077	371	143	110	98	108	143	118	1091	7.92	H	P
<b>2018 ADMISSION</b>											
24118005	.....	.....	.....	.....	90	.....	.....	998	7.17	H	P
24118006	.....	140	.....	.....	.....	.....	.....	922	6.58	H	P
24118014	.....	133	.....	.....	.....	.....	.....	990	6.96	H	P
24118016	.....	.....	.....	.....	.....	.....	96	954	6.88	H	P
24118018	.....	135	.....	.....	.....	.....	.....	960	6.75	N	P
24118024	.....	123	.....	.....	93	.....	.....	965	7.13	H	P
24118030	.....	.....	.....	.....	AB	.....	.....	.....	.....	N	F
24118035	.....	.....	.....	.....	.....	.....	91	972	7.21	H	P
24118038	.....	.....	.....	.....	68	.....	.....	.....	.....	H	F
24118042	.....	139	.....	48	.....	.....	.....	.....	.....	H	F
24118047	.....	.....	.....	.....	.....	.....	95	994	7.42	H	P
24118049	.....	.....	.....	.....	.....	.....	88	938	6.79	H	P

24118072	.....	124	.....	.....	72	.....	.....	.....	.....	N	F
24118076	.....	145	.....	.....	.....	.....	94	1000	7.33	H	P
24118078	.....	.....	.....	.....	.....	.....	44	.....	.....	H	F
<b>2017 ADMISSION</b>											
10118008	.....	122	65	59	35	.....	.....	.....	.....	N	F
10118010	.....	.....	.....	.....	.....	.....	47	.....	.....	N	F
10118012	.....	.....	AB	.....	.....	.....	AB	.....	.....	L	F
10118022	.....	123	.....	.....	.....	.....	AB	.....	.....	N	F
10118036	.....	.....	.....	67	.....	.....	.....	.....	.....	N	F
10118058	.....	.....	.....	.....	.....	.....	AB	.....	.....	H	F
10118069	.....	.....	.....	.....	57	.....	.....	.....	.....	N	F
<b>2016 ADMISSION</b>											
10117003	.....	.....	.....	.....	.....	.....	81	824	6.13	N	P
10117005	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10117009	.....	.....	.....	.....	.....	.....	39	.....	.....	N	F
10117012	.....	.....	.....	.....	84	.....	AB	.....	.....	N	F
10117016	.....	.....	.....	.....	.....	.....	75	854	6.29	N	P
10117019	.....	.....	.....	.....	.....	.....	83	795	6.00	N	P
10117022	.....	.....	.....	.....	.....	.....	65	.....	.....	N	F
10117029	.....	.....	.....	.....	.....	.....	45	.....	.....	N	F
10117034	.....	.....	.....	.....	80	.....	49	.....	.....	N	F
10117043	.....	.....	AB	.....	.....	.....	.....	.....	.....	N	F
10117051	.....	125	.....	79	77	111	57	.....	.....	N	F
10117054	.....	.....	.....	.....	.....	.....	90	1012	7.25	N	P
10117055	.....	.....	AB	.....	AB	.....	AB	.....	.....	N	F
10117057	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10117064	.....	AB	.....	.....	.....	64	.....	.....	.....	N	F
10117067	.....	.....	.....	AB	.....	.....	AB	.....	.....	H	F
<b>2015 ADMISSION</b>											
10116006	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10116009	.....	.....	.....	.....	.....	.....	56	.....	.....	N	F
10116015	.....	.....	.....	.....	.....	.....	89	882	6.29	N	P
10116018	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10116026	.....	.....	.....	AB	53	AB	.....	.....	.....	L	F
10116032	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
<b>2014 ADMISSION</b>											
10115011	.....	.....	.....	.....	AB	.....	AB	.....	.....	N	F
10115014	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10115033	.....	.....	.....	.....	.....	.....	75	800	6.17	N	P

**Centre: TKM SCHOOL OF ARCHITECTURE**

REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P/F
	AR1501	AR1502	AR1503	AR1504	AR1505	AR1506	AR1507				
<b>2019 ADMISSION</b>											
24119101	224	110	86	75	85	89	75	.....	.....	N	F
24119102	250	95	84	75	70	94	40	.....	.....	N	F
24119103	294	124	107	99	109	130	84	947	6.83	N	P
24119104	268	79	82	57	60	108	34	.....	.....	N	F
24119106	263	138	114	105	114	125	98	957	7.00	N	P
24119107	265	94	86	80	50	86	64	.....	.....	N	F



2017 ADMISSION											
10118104	.....	100	.....	.....	.....	.....	AB	.....	.....	N	F
10118107	.....	.....	.....	.....	79	.....	88	856	6.25	N	P
10118108	.....	AB	.....	80	66	103	.....	.....	.....	N	F
10118109	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10118114	.....	.....	.....	.....	42	.....	39	.....	.....	N	F
10118117	250	84	.....	.....	.....	.....	AB	.....	.....	N	F
10118118	.....	.....	.....	.....	.....	.....	53	.....	.....	N	F
10118122	214	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10118123	.....	91	.....	.....	.....	.....	59	.....	.....	N	F
10118125	.....	112	.....	76	78	.....	40	.....	.....	N	F
10118126	.....	.....	.....	58	81	.....	44	.....	.....	N	F
10118127	.....	.....	.....	.....	96	.....	AB	.....	.....	N	F
10118133	250	.....	.....	78	64	100	AB	.....	.....	N	F
10118135	.....	.....	.....	.....	.....	.....	92	909	6.67	N	P
10118136	.....	.....	.....	79	83	.....	AB	.....	.....	N	F

READMISSION(2016 ADMISSION)											
10117103	.....	AB	.....	.....	.....	.....	.....	.....	.....	N	F
10117105	.....	.....	.....	.....	.....	.....	78	818	6.17	N	P
10117122	.....	72	.....	AB	.....	.....	.....	.....	.....	N	F
10117126	222	85	.....	.....	.....	82	68	.....	.....	N	F

2016 ADMISSION											
10117101	.....	.....	.....	.....	102	.....	.....	856	6.08	N	P
10117112	.....	.....	.....	.....	89	.....	33	.....	.....	H	F
10117117	.....	.....	.....	.....	80	.....	39	.....	.....	N	F
10117118	.....	.....	.....	.....	.....	.....	AB	.....	.....	N	F
10117120	.....	.....	.....	75	.....	.....	45	.....	.....	N	F
10117124	.....	.....	.....	.....	86	.....	64	.....	.....	N	F
10117125	.....	.....	.....	.....	.....	.....	46	.....	.....	N	F
10117131	.....	.....	.....	.....	.....	.....	47	.....	.....	H	F
10117132	.....	.....	.....	.....	93	.....	36	.....	.....	N	F
10117135	.....	.....	.....	.....	.....	.....	99	897	6.54	N	P
10117136	.....	.....	.....	.....	.....	.....	84	818	6.08	N	P

2015 ADMISSION											
10116110	.....	.....	.....	.....	.....	.....	69	.....	.....	H	F
10116125	.....	.....	.....	.....	.....	.....	80	907	6.58	H	P

**Centre: NIZAR RAHIM AND MARK SCHOOL OF ARCHITECTURE, KOLLAM**

REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P/F
	AR1501	AR1502	AR1503	AR1504	AR1505	AR1506	AR1507				
2019 ADMISSION											
24119201	281	147	99	101	103	121	92	944	6.88	H	P
24119202	259	119	93	92	75	100	90	828	6.29	H	P
24119203	318	153	112	115	101	129	98	1026	7.38	N	P
24119204	315	150	111	102	100	127	112	1017	7.38	H	P
24119205	321	160	120	113	138	147	99	1098	8.08	H	P
24119206	270	159	111	123	133	129	103	1028	7.33	H	P
24119207	289	158	102	108	109	134	98	998	7.04	H	P
24119208	295	145	104	103	115	135	101	998	6.96	H	P
24119209	332	152	109	106	98	147	97	1041	7.54	H	P
24119210	290	132	104	95	92	113	104	930	6.54	H	P

24119211	299	161	109	98	115	138	102	1022	7.25	N	P
24119212	302	149	107	101	120	136	90	1005	7.46	H	P
24119213	287	147	116	101	115	123	94	983	7.08	N	P
24119214	274	137	103	100	107	125	92	938	6.79	H	P
24119215	318	151	112	105	122	155	102	1065	7.71	H	P
24119216	273	112	93	85	59	101	58	.....	.....	N	F
24119217	291	134	110	106	86	103	67	.....	.....	N	F
24119218	267	107*	83	92	83	94	53	.....	.....	H	F
24119219	287	146	104	99	96	100*	51	.....	.....	H	F
24119220	263	122	87	75	44	88	73	.....	.....	N	F
24119221	282	118	93	93	90	107	86	869	6.29	H	P
24119222	282	117	87	92	75	109	90	852	6.17	H	P
24119223	350	131	102	99	92	119	85	978	7.04	H	P
24119224	275	146	107	101	111	116	93	949	6.92	H	P
24119225	272	141	103	97	83	113	83	892	6.54	H	P
24119226	307	134	107	102	78	114	85	927	6.79	H	P
24119227	318	158	104	40	106	146	79	.....	.....	N	F
24119228	268	135	83	89	84	105	90	854	6.25	N	P
24119229	268	143	99	97	98	105	83	893	6.63	N	P
24119230	280	119	90	92	82	107	81	851	6.21	H	P
<b>2018 ADMISSION</b>											
24118205	...	...	...	91	79	...	79	884	6.54	H	P
24118210	...	151	...	...	83	...	AB	.....	.....	H	F
24118213	...	122*	...	...	78	AB	...	.....	.....	H	F
24118214	...	...	...	...	...	...	AB	.....	.....	H	F
24118216	...	...	...	114	97	...	72	.....	.....	H	F
24118222	...	126	...	75	84	...	...	793	6.17	N	P
24118223	...	...	...	75	88	108	...	826	6.17	N	P
24118228	...	...	...	...	97	...	65	.....	.....	H	F
24118230	...	...	...	...	...	...	97	946	6.83	H	P
24118231	...	...	...	...	87	...	72	.....	.....	H	F
24118232	...	143	...	79	97	...	42	.....	.....	H	F
24118234	AB	122*	...	75	51	59	77*	.....	.....	N	F
24118236	...	136	...	...	83	...	...	865	6.42	N	P
24118237	...	...	...	...	94	...	...	906	6.5	H	P
<b>2017 ADMISSION</b>											
10118204	...	...	...	...	...	...	56	.....	.....	N	F
10118224	...	...	...	...	...	...	46	.....	.....	N	F
10118227	...	...	...	...	...	...	31	.....	.....	N	F
10118229	...	...	...	...	...	...	40	.....	.....	H	F
<b>2017 ADMISSION</b>											
10117204	..	..	..	67	60	..	..	..	..	N	F
10117208	AB	104	..	75	79	AB	..	..	..	N	F
10117211	..	107	..	..	76	..	AB	..	..	N	F
10117215	..	..	..	..	..	..	44	..	..	H	F
10117223	..	..	..	75	..	..	..	790	6	N	P
10117225	..	115	..	75	..	..	..	..	..	N	F
10117226	..	..	..	45	47	48	51	..	..	H	F
10117230	..	78	..	88	47	..	50	..	...	N	F
10117233	..	..	..	75	..	..	89	767	6	N	P

10117234	..	..	..	75	86	..	AB	..	..	N	F
10117237	..	102	..	..	..	..	62	..	..	N	F
<b>2016 ADMISSION</b>											
10116208	..	..	..	80	..	..	..	773	6	H	P
10116215	258	..	65	..	59	..	..	..	..	N	F
10116223	..	..	75	..	..	..	36	..	..	N	F
10116227	..	106	62	AB	AB	AB	AB	..	..	N	F
10116236	..	..	..	..	64	..	..	..	..	N	F
10116239	..	..	AB	..	AB	..	..	..	..	N	F
10116240	..	..	..	..	..	..	52	..	..	N	F

Ab:Absent


F: Failed

P:Passed

For Paper AR 1501 Marks below 250 and those with \* indicates failure

For Paper AR 1502,AR 1506 Marks below 100 and those with \* indicates failure

For Paper AR 1503,AR 1504,AR 1505,AR 1507 Marks below 75 and those



Kochi -22

Date: 08.11.2022

**CONTROLLER OF EXAMINATIONS**

*Disclaimer: The results published in the site are for immediate information to the examinees. This cannot be treated as original marksheet. CUSAT is not responsible for any inadvertant error that may have crept in the results published in the site. Original mark sheets will be issued by the Controller of examinations.*