

# COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

## RESULT NOTIFICATION

**Date of Result Publication : 06.08.2021**

*The following is the provisional result of candidates who have appeared for the B. Arch Degree VI Semester Examination April 2020*

**Centre: Nizar Rahim and Mark School of Architecture**

REG.NO.	MARKS SCORED								SGPA	ALC	P / F
	AR 1601	AR 1602	AR 1603	AR 1604	AR 1605	AR 1606	AR 1607	TOTAL			
2017 ADMISSION(Regular)											
10118201	364	132	126	123	127	94	40	1006	8.13	N	P
10118202	352	151	127	140	132	137	43	1082	8.79	N	P
10118203	349	155	117	115	118	121	40	1015	7.88	H	P
10118204	298	131	97	117	85	56	35	....	....	N	F
10118205	306	120	107	116	95	87	30	861	7.13	N	P
10118206	316	124	107	111	93	86	31	868	7.13	N	P
10118207	300	149	106	88	96	87	40	866	7.13	N	P
10118208	300	150	106	91	94	87	39	867	7.21	N	P
10118210	341	154	120	128	123	98	42	1006	8.00	H	P
10118211	379	162	126	139	124	87	43	1060	8.46	H	P
10118212	310	145	115	109	94	87	37	897	7.33	H	P
10118213	327	116	104	107	97	92	40	883	7.04	N	P
10118214	324	138	110	123	106	76*	39	....	....	N	F
10118215	334	148	99	118	117	82*	43	....	....	N	F
10118216	314	148	121	122	116	118	42	981	8.00	H	P
10118217	301	140	131	133	124	107	44	980	8.13	H	P
10118218	368	168	105	121	112	103	44	1021	8.21	N	P
10118219	301	148	118	116	105	91	44	923	7.63	H	P
10118220	303	156	112	118	101	93	40	923	7.50	N	P
10118221	297	127	98	112	82	91	37	844	6.75	N	P
10118222	302	137	94	103	102	77*	40	....	....	N	F
10118223	301	131	110	87	89	54	40	....	....	H	F
10118224	312	133	96	102	80	56	36	...	....	N	F
10118225	309	144	108	117	92	70	38	....	....	N	F
10118226	360	153	105	111	101	80*	41	....	....	N	F
10118227	261	124	93	89	83	89	37	776	6.38	N	P

10118228	312	140	93	86	99	72	41	....	....	N	F
10118229	272	148	99	90	99	88	41	837	6.83	H	P

**SUPPLEMENTARY CANDIDATES**

2016 ADMISSION											
10117204	....	108	39	AB	63	49	....	....	....	N	F
10117205	....	....	....	....	....	74	....	....	....	H	F
10117207	....	....	....	....	....	64	....	....	....	N	F
10117208	NR	64	14	NR	NR	29	....	....	....	L	F
10117211	....	112	....	NR	....	50	....	....	....	N	F
10117215	....	....	....	....	....	60	....	....	....	H	F
10117216	....	....	....	....	....	60	....	....	....	N	F
10117217	....	....	....	....	....	63	....	....	....	N	F
10117219	....	....	....	....	....	81	....	783	6.13	N	P
10117225	....	101	82	30	79	51	....	....	....	N	F
10117226	....	90	79	75	79	35	....	....	....	N	F
10117230	....	....	....	....	75	46	....	....	....	H	F
10117232	....	....	....	....	75	....	....	823	6.54	N	P
10117233	....	....	....	86	78	62	....	....	....	N	F
10117234	....	....	66	62	56	55	....	....	....	N	F
10117235	....	100	....	....	64	78	....	....	....	N	F
10117237	....	....	AB	AB	....	NR	....	....	....	N	F
10117240	....	....	....	....	93	....	....	803	6.54	N	P

**2015 ADMISSIONS**

10116206	....	....	75	....	....	....	....	796	6.46	N	P
10116208	....	....	....	....	75	87	....	763	6.21	N	P
10116215	NC*	....	AB	AB	62	AB	....	....	....	N	F
10116222	....	....	90	....	....	....	....	810	6.62	L	P
10116223	....	....	59	....	....	35	....	....	....	L	F
10116227	256	39	NR	....	NR	NR	....	....	....	L	F
10116231	....	....	85	....	....	....	....	780	6.16	N	P
10116236	260	....	54	AB	....	42	....	....	....	L	F
10116237	....	....	76	....	....	48	....	....	....	N	F
10116239	....	....	76	....	83	36	....	....	....	N	F

**2014 ADMISSION**

10115211	....	....	....	....	....	34	....	....	....	N	F
----------	------	------	------	------	------	----	------	------	------	---	---

10115215	.....	.....	....	....	....	41	.....	.....	.....	N	F
10115224	267	.....	....	....	....	....	.....	761	6.25	N	P
Centre: MARIAN COLLEGE OF ARCHITECTURE AND PLANNING											
REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P / F
	AR1601	AR1602	AR1603	AR1604	AR1605	AR1606	AR1607				
<u>2017 ADMISSIONS</u>											
10118001	366	155	104	95	102	111	36	969	7.63	H	P
10118002	349	143	98	115	97	93	39	934	7.33	N	P
10118003	359	134	77	95	99	101	34	899	7.17	N	P
10118004	314	128	109	95	95	92	37	870	7.17	H	P
10118005	342	149	121	136	123	110	40	1021	8.25	H	P
10118006	313	145	102	109	115	95	43	922	7.50	N	P
10118007	287	155	107	124	114	* 75	26	.....	.....	N	F
10118008	318	119	75	88	84	42	40	.....	.....	N	F
10118009	321	143	31	38	100	77	47	.....	.....	N	F
10118010	319	148	108	106	102	67	38	.....	.....	N	F
10118011	359	156	97	95	114	109	36	966	7.75	N	P
10118012	343	141	60	64	81	61	33	.....	.....	N	F
10118013	308	162	116	129	127	113	43	998	8.17	N	P
10118014	408	175	118	139	128	126	42	1136	9.00	N	P
10118015	341	139	92	81	85	66	31	.....	.....	N	F
10118016	326	129	82	103	91	83	39	853	6.79	N	P
10118017	373	143	92	106	101	104	40	959	7.67	H	P
10118019	363	152	106	96	100	85	37	939	7.50	H	P
10118020	382	148	109	112	99	* 75	36	.....	.....	H	F
10118021	327	140	103	106	99	82	26	883	7.13	N	P
10118022	314	112	47	56	77	56	29	.....	.....	N	F
10118023	401	132	102	90	84	82	31	922	7.33	H	P
10118024	309	147	108	126	119	129	43	981	8.00	N	P
10118025	294	145	93	83	95	67	35	.....	.....	H	F
10118026	364	155	106	103	111	81	42	962	7.67	N	P
10118027	325	148	95	90	102	73	41	.....	.....	H	F
10118028	342	157	116	120	115	105	40	995	7.88	N	P
10118029	370	165	103	110	107	90	42	987	7.96	H	P
10118030	308	144	68	88	95	87	32	.....	.....	N	F
10118031	349	154	105	109	99	80	40	936	7.38	N	P
10118032	392	145	90	109	94	93	38	961	7.63	N	P
10118033	387	151	101	111	116	97	40	1003	7.79	N	P
10118034	330	107	108	94	44	39	41	.....	.....	N	F
10118035	304	132	95	75	93	80	36	815	6.79	N	P
10118036	317	122	95	93	109	70	34	.....	.....	N	F
10118037	358	131	114	118	117	110	40	988	7.88	H	P
10118038	395	136	119	118	124	99	40	1031	7.88	N	P
10118039	321	108	103	96	96	82	38	844	6.75	H	P
10118040	392	132	114	127	118	108	43	1034	8.00	H	P
10118041	347	110	102	89	91	93	39	871	6.75	H	P
10118042	265	106	103	99	118	117	33	841	6.79	H	P
10118043	302	119	81	76	98	73	37	.....	.....	N	F
10118044	288	114	95	78	93	60	27	.....	.....	N	F

10118045	365	142	100	117	107	113	41	985	7.92	H	P
10118046	326	114	106	90	97	70	41	.....	.....	N	F
10118047	385	155	124	134	127	131	43	1099	8.54	H	P
10118048	306	123	119	130	117	143	42	980	7.96	N	P
10118049	369	117	95	98	105	109	42	935	7.46	H	P
10118050	308	112	89	95	94	82	45	825	6.71	N	P
10118052	334	106	92	96	98	91	37	854	6.88	N	P
10118053	391	113	99	84	81	55	41	.....	.....	H	F
10118054	321	96	96	100	91	85	41	.....	.....	N	F
10118055	397	165	124	132	129	132	45	1124	8.75	H	P
10118056	307	111	88	98	97	69	37	.....	.....	N	F
10118057	354	143	103	126	114	115	45	1000	8.08	H	P
10118058	328	* 100	90	87	80	45	39	.....	.....	H	F
10118059	318	128	107	112	107	121	40	933	7.71	H	P
10118060	373	129	108	120	101	119	43	993	7.88	H	P
10118062	397	123	103	109	102	96	40	970	7.50	H	P
10118063	361	132	117	127	104	104	40	985	7.75	N	P
10118064	361	126	108	106	99	73	38	.....	.....	H	F
10118065	303	118	96	86	97	70	39	.....	.....	N	F
10118066	339	146	95	111	112	87	39	929	7.33	N	P
10118067	384	155	122	113	113	105	45	1037	8.21	H	P
10118068	357	124	104	97	101	103	42	928	7.38	N	P
10118069	315	100	101	76	89	58	28	.....	.....	H	F
10118070	316	82	97	117	109	75	34	.....	.....	N	F
10118071	WITHHELD										
10118072	355	138	99	106	101	88	39	926	7.33	N	P
10118073	377	135	94	115	126	137	44	1028	8.13	N	P
READMISSION (2016 ADMISSION)											
10117070	117	91	77	93	95	42	27	.....	.....	N	F
SUPPLEMENTARY (2016 ADMISSION)											
10117005	.....	.....	.....	.....	.....	AB	.....	.....	.....	L	F
10117009	.....	.....	.....	.....	.....	75	.....	823	6.58	N	P
10117019	.....	.....	.....	.....	.....	AB	.....	.....	.....	L	F
10117022	.....	.....	.....	NR	.....	AB	.....	.....	.....	N	F
10117023	.....	.....	.....	.....	96	.....	.....	790	6.33	N	P
10117027	.....	.....	.....	75	.....	61	.....	.....	.....	N	F
10117029	.....	.....	.....	.....	.....	57	.....	.....	.....	N	F
10117033	.....	.....	.....	.....	.....	* 75	.....	.....	.....	N	F
10117038	.....	.....	.....	.....	.....	69	.....	.....	.....	H	F
10117040	.....	.....	57	.....	.....	53	.....	.....	.....	N	F
10117043	NR	119	AB	59	66	AB	.....	.....	.....	L	F
10117047	.....	.....	.....	.....	.....	78	.....	833	6.58	H	P
10117051	.....	.....	33	NR	NR	NR	.....	.....	.....	N	F
10117055	320	.....	32	NR	AB	NR	.....	.....	.....	N	F
10117063	.....	.....	113	105	.....	.....	.....	880	7.25	N	P
10117069	.....	.....	.....	.....	.....	AB	.....	.....	.....	H	F
SUPPLEMENTARY (2015 ADMISSION)											
10116002	.....	.....	.....	.....	.....	62	.....	.....	.....	N	F
10116004	.....	.....	.....	.....	.....	65	.....	.....	.....	N	F
10116006	.....	.....	88	84	NR	NR	.....	.....	.....	N	F

10116009	.....	.....	57	.....	48	NR	.....	.....	.....	H	F
10116015	.....	.....	.....	.....	.....	79	.....	792	6.50	N	P
10116018	.....	.....	61	75	.....	75	.....	.....	.....	N	F
10116019	.....	.....	.....	.....	.....	62	.....	.....	.....	N	F
10116028	.....	.....	104	.....	76	63	.....	.....	.....	N	F
10116037	254	.....	98	75	.....	58	.....	.....	.....	N	F
2014 ADMISSION											
10115027	.....	.....	.....	.....	.....	72	.....	.....	.....	N	F
10115033	.....	.....	.....	.....	.....	51	.....	.....	.....	N	F
10115002	WITHHELD										
10115007	.....	NR	.....	39	.....	69	.....	.....	.....	N	F
10115011	WITHHELD										
10115013	NR	70	76	64	75	33	.....	.....	.....	N	F
<b>Centre: TKM SCHOOL OF ARCHITECTURE</b>											
REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P / F
	AR1601	AR1602	AR1603	AR1604	AR1605	AR1606	AR1607				
2017 ADMISSIONS											
10118101	343	135	106	101	118	106	45	954	7.50	N	P
10118104	296	116	61	75	54	45	45	.....	.....	N	F
10118105	287	130	105	101	127	* 78	45	.....	.....	N	F
10118106	313	125	108	88	107	103	45	889	7.25	H	P
10118107	274	118	69	75	87	72	45	.....	.....	N	F
10118108	284	120	69	64	56	72	45	.....	.....	H	F
10118109	291	129	102	114	123	96	45	900	7.21	N	P
10118110	354	141	110	84	118	92	45	944	7.71	N	P
10118111	339	148	113	127	114	114	45	1000	7.92	N	P
10118112	277	100	38	75	59	45	45	.....	.....	N	F
10118113	319	153	110	116	122	121	45	986	8.04	H	P
10118114	366	134	100	75	89	91	45	900	7.17	N	P
10118115	315	148	92	88	115	121	45	924	7.54	H	P
10118116	314	139	107	81	129	114	45	929	7.50	H	P
10118117	265	128	82	94	95	67	45	.....	.....	H	F
10118118	346	119	108	99	117	110	45	944	7.33	N	P
10118119	341	139	108	96	106	55	45	.....	.....	H	F
10118120	345	137	111	111	119	119	45	987	7.63	H	P
10118121	332	139	104	122	121	105	45	968	7.75	N	P
10118122	224	140	88	88	100	72	45	.....	.....	N	F
10118123	284	136	73	75	96	74	45	.....	.....	N	F
10118124	343	144	113	116	131	122	45	1014	8.04	H	P
10118125	318	130	102	58	91	60	45	.....	.....	N	F
10118126	313	129	101	108	97	61	45	.....	.....	N	F
10118127	309	119	101	75	97	75	45	.....	.....	N	F
10118128	374	147	126	124	132	113	45	1061	8.46	H	P
10118129	316	141	123	107	110	94	45	936	7.79	N	P
10118130	332	109	106	75	105	72	45	.....	.....	N	F
10118131	333	137	107	106	112	106	45	946	7.63	H	P
10118132	348	143	117	114	134	114	45	1015	7.92	N	P
10118133	304	119	97	23	101	80	45	.....	.....	N	F
10118134	316	129	108	101	105	83	45	887	7.25	N	P
10118135	340	124	103	107	99	98	45	916	7.25	N	P

10118136	302	121	107	80	92	69	45	.....	.....	N	F
READMISSION (2016 ADMISSION)											
10117105	267	127	100	111	122	79	45	851	7.08	N	P
10117122	199	114	42	28	44	36	45	.....	.....	N	F
10117126	233	107	65	51	83	42	45	.....	.....	N	F
2016 ADMISSION											
10117101	.....	.....	.....	104	62	75	.....	.....	.....	H	F
10117109	.....	.....	85	.....	.....	.....	.....	785	6.54	N	P
10117112	.....	.....	49	90	.....	.....	.....	.....	.....	H	F
10117117	.....	.....	NR	.....	.....	45	.....	.....	.....	N	F
10117120	.....	.....	.....	43	.....	NR	.....	.....	.....	N	F
10117132	.....	.....	47	.....	.....	NR	.....	.....	.....	H	F
2015 ADMISSION											
10116102	.....	.....	.....	.....	.....	91	.....	770	6.38	H	P
10116103	.....	.....	.....	.....	.....	84	.....	827	6.79	H	P
10116104	.....	.....	.....	.....	NR	48	.....	.....	.....	N	F
10116110	.....	.....	.....	.....	83	.....	.....	750	6.13	H	P
10116113	.....	.....	57	.....	82	AB	.....	.....	.....	N	F
10116115	.....	125	.....	.....	.....	.....	.....	770	6.42	H	P
10116121	.....	.....	.....	.....	.....	55	.....	.....	.....	H	F
10116125	.....	.....	.....	.....	NR	54	.....	.....	.....	H	F
2014 ADMISSION											
10115119	.....	.....	97	.....	.....	.....	.....	781	6.25	H	P
10115101	.....	.....	.....	.....	.....	103	.....	884	7.00	N	P
10115105	.....	.....	.....	.....	.....	81	.....	786	6.42	H	P
10115111	.....	.....	.....	.....	.....	82	.....	779	6.54	N	P
10115114	.....	101	AB	.....	.....	.....	.....	.....	.....	N	F
10115120	.....	.....	AB	.....	.....	.....	.....	.....	.....	N	F

Ab: Absent

F: Failed


P: Passed

For Paper AR 1601 Marks below 250 and those with \* indicates failure

For Paper AR 1602 Marks below 100 and those with \* indicates failure

For Paper AR 1603, AR 1604, AR 1605 & AR 1606 Marks below 75 and those with \* indicates failure

Kochi -22



Date: 06/08/2021

**CONTROLLER OF EXAMINATIONS**

*Disclaimer: The results published in the site are for immediate information to the examinees. This cannot be treated as original marksheet. CUSAT is not responsible for any inadvertant error that may have crept in the results published in the site. Original mark sheets will be issued by the Controller of examinations.*