

## COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

## RESULT NOTIFICATION

EV2/626/B ARCH/VII NOV 2022/REGULAR &amp;SUPPLE

The following is the provisional result of candidates who have appeared for the B. Arch Degree VII Semester Examination November 2022

Centre: Nizar Rahim And Mark School of Architecture

REG.NO.	MARKS SCORED								SGPA	Attendance Letter code	P / F
	AR 1701	AR 1702	AR 1703	AR 1704	AR 1705	AR 1706	AR 1707	TOTAL			
24119201	327	85	107	120	100	117	121	977	7.25	H	P
24119202	*272	81	97	131	57	110	87	.....	....	H	F
24119203	370	102	114	158	94	117	99	1054	7.67	H	P
24119204	308	106	103	155	76	119	109	976	7.33	H	P
24119205	350	125	119	163	110	125	134	1126	8.46	H	P
24119206	305	92	107	160	100	129	92	985	7.63	H	P
24119207	309	94	108	155	81	119	104	970	7.25	N	P
24119208	349	96	109	132	100	115	89	990	7.13	H	P
24119209	361	109	109	152	87	119	108	1045	7.75	H	P
24119210	287	93	105	133	91	108	103	920	6.92	N	P
24119211	337	105	112	154	102	119	110	1039	7.58	H	P
24119212	346	88	107	161	118	121	119	1060	7.71	H	P
24119213	342	94	111	170	86	111	112	1026	7.50	H	P
24119214	332	100	109	134	105	109	123	1012	7.50	H	P
24119215	359	111	109	175	111	114	111	1090	8.17	H	P
24119216	292	65	93	137	42	100	79	.....	....	H	F
24119217	299	83	100	134	85	117	97	915	6.54	N	P
24119218	288	76	95	144	117	104	85	909	6.79	N	P
24119219	352	88	87	141	115	110	105	998	7.50	H	P
24119220	279	69	97	129	81	86	93	.....	.....	N	F
24119221	305	78	95	*109	118	98	98	.....	...	H	F
24119222	319	78	77	139	94	99	87	893	6.67	H	P
24119223	347	100	93	144	122	111	109	1026	7.58	H	P
24119224	314	107	104	139	124	114	103	1005	7.46	H	P
24119225	333	107	103	129	108	101	92	973	7.25	H	P

24119226	323	99	116	165	119	121	99	1042	7.75	H	P
24119227	320	105	90	162	112	111	109	1009	7.75	N	P
24119228	315	89	100	147	103	107	101	962	7.13	H	P
24119229	319	116	110	136	101	111	120	1013	7.50	N	P
24119230	315	109	107	127	108	115	109	990	7.54	H	P
2018 ADMISSION(Supplementary)											
24118208	298	....	....	....	....	....	....	923	6.83	N	P
24118209	307	....	....	....	....	....	....	920	7.00	H	P
24118213	AB	44	44	....	....	....	....	....	...	N	F
24118222	267	76	....	....	....	....	AB	....	....	N	F
24118223	294	....	....	....	....	....	86	864	6.29	N	P
24118232	302	....	....	....	....	....	....	853	6.67	N	P
24118233	....	115	....	....	....	....	....	912	6.88	N	P
24118234	267	AB	AB	AB	AB	57	AB	....	....	N	F
2017 ADMISSION											
10118207	....	....	....	....	....	....	84	909	7.04	H	P
10118226	....	....	....	....	119	....	....	964	7.04	H	P
10118227	268	....	....	....	....	....	....	875	6.71	H	P
2016 ADMISSION											
10117204	....	56	....	....	....	....	....	....	....	N	F
10117208	AB	....	....	....	....	....	....	....	....	L	F
10117225	....	85	75	....	....	....	75	776	6.00	N	P
10117226	....	....	54	....	79	....	57	....	....	N	F
10117234	....	....	....	....	90	....	75	773	6.13	L	P
10117237	283	....	....	....	....	....	AB	....	....	L	F
10117240	278	....	....	....	....	....	....	813	6.13	N	P
10116215	....	AB	32	AB	58	AB	AB	....	....	L	F
10116227	....	AB	....	AB	....	AB	76	....	....	L	F
10116239	....	....	75	....	59	....	62	....	....	N	F
10116240	....	....	85	....	....	....	....	763	6.00	L	P
NR Not registered											
Ab: Absent											
F: Failed											
P:Passed											
For Paper AR 1701 Marks below 250 and those with * indicates failure											
For Paper AR 1704 Marks below 100 and those with * indicates failure											
For Paper AR 1702, AR 1703, AR 1705, AR 1706 & AR 1707 Marks below 75 and those with * indicates failure											

University Office											
27.07.2023								Dr. Benjamin Varghese P			

\* This is a computer generated document. Hence no signature is required.

**കൊച്ചി ശാസ്ത്ര സാങ്കേതിക സർവ്വകലാശാല**  
**COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY**

EV4/613/B.ARCH /MCAP /VII SEM(REG&SUPPLE) NOVEMBER 2022( 2014 SCHEME)

27.07.2023

NOTIFICATION											
The following is the Provisional Result of candidates who have appeared for the B. Arch. Degree VII Semester Examination November 2022											
Centre: Marian College Of Architecture & Planning											
Branch: B.Arch.											
REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P/F
	AR 1701	AR 1702	AR 1703	AR 1704	AR 1705	AR 1706	AR 1707				
24119001	324	67	75	120	58	76	25	.....	.....	H	F
24119002	366	126	120	130	124	133	127	1126	8.38	H	P
24119003	309	66	85	123	75	84	39	.....	.....	N	F
24119004	337	81	99	118	78	114	88	915	6.58	N	P
24119005	327	99	97	101	75	106	84	889	6.71	H	P
24119006	320	96	111	129	121	114	90	981	7.46	H	P
24119007	312	31	64	100	38	75	64	.....	.....	N	F
24119008	363	96	102	130	107	114	102	1014	7.5	H	P
24119009	335	96	86	120	83	112	83	915	6.75	H	P
24119010	370	89	89	127	100	106	93	974	7.13	H	P
24119011	356	115	98	141	120	119	97	1046	7.92	N	P
24119012	361	113	103	144	128	124	119	1092	8.08	H	P
24119013	327	49	66	83	65	75	21	.....	.....	H	F
24119014	347	48	90	115	97	107	104	.....	.....	H	F
24119015	386	92	103	120	73	116	96	.....	.....	N	F
24119016	353	83	98	107	82	103	75	901	6.79	H	P
24119017	343	99	94	120	84	92	81	913	6.79	H	P
24119018	340	99	100	122	84	116	102	963	6.96	H	P
24119019	375	62	54	100	33	80	38	.....	.....	N	F
24119020	336	95	91	134	96	95	99	946	7	N	P
24119021	313	34	81	123	28	89	20	.....	.....	N	F
24119022	321	105	93	152	87	104	97	959	7.17	H	P
24119024	340	112	86	135	131	124	91	1019	7.42	H	P
24119025	415	110	110	162	107	105	113	1122	8.46	N	P
24119026	378	78	94	140	63	103	85	.....	.....	N	F
24119027	356	107	100	141	86	119	93	1002	7.54	H	P
24119028	326	93	100	149	115	102	94	979	7.29	H	P
24119029	340	115	95	145	108	114	111	1028	7.58	H	P

24119030	354	88	104	139	121	115	109	1030	7.58	H	P
24119031	310	31	35	119	66	75	18	.....	.....	N	F
24119032	352	88	87	157	89	112	96	981	7.17	N	P
24119033	333	79	89	123	77	109	115	925	6.79	N	P
24119034	314	75	85	136	85	101	99	895	6.63	N	P
24119035	325	75	87	116	65	96	78	.....	.....	H	F
24119036	357	97	103	128	102	108	91	986	7.38	H	P
24119037	358	122	111	133	118	124	126	1092	8.13	H	P
24119038	361	93	93	135	75	108	115	980	7.33	H	P
24119039	268	50	64	64	61	75	47	.....	.....	N	F
24119040	352	90	104	136	106	116	113	1017	7.58	H	P
24119041	357	111	102	154	113	117	115	1069	7.88	H	P
24119043	336	75	99	145	79	92	99	925	6.92	H	P
24119044	289	75	89	129	76	103	109	870	6.42	N	P
24119045	337	89	95	138	94	112	101	966	6.96	N	P
24119046	339	105	101	154	128	111	105	1043	7.71	H	P
24119047	407	99	111	151	137	124	114	1143	8.5	N	P
24119048	367	108	122	159	123	117	122	1118	8.33	H	P
24119049	338	53	64	120	44	82	31	.....	.....	N	F
24119050	329	91	110	150	122	111	108	1021	7.71	H	P
24119051	311	44	55	106	63	75	56	.....	.....	H	F
24119052	370	108	106	154	101	118	115	1072	7.88	H	P
24119053	361	135	113	172	140	129	128	1178	8.83	H	P
24119054	321	78	107	138	96	110	104	954	7.08	N	P
24119055	366	118	111	158	137	122	122	1134	8.42	H	P
24119056	333	52	75	110	62	75	49	.....	.....	N	F
24119057	359	102	104	135	108	114	104	1026	7.5	H	P
24119058	331	77	95	129	93	105	85	915	6.88	N	P
24119059	363	85	89	121	81	111	97	947	7	H	P
24119060	358	119	116	152	110	118	128	1101	8.08	H	P
24119061	348	82	91	143	85	109	96	954	7	H	P
24119062	338	61	62	104	75	80	42	.....	.....	N	F
24119063	344	101	83	123	115	110	101	977	7.08	N	P
24119064	326	93	101	124	108	116	128	996	7.38	H	P
24119065	436	112	118	134	138	113	107	1158	8.38	H	P
24119066	351	109	101	142	111	122	95	1031	7.88	N	P
24119067	346	103	103	159	91	117	110	1029	7.33	H	P
24119068	352	88	98	132	109	110	84	973	7.29	H	P
24119069	337	90	79	119	106	93	76	900	6.75	H	P
24119070	360	115	109	135	133	118	132	1102	8.04	H	P
24119071	360	98	92	120	101	106	103	980	7.38	H	P
24119072	349	104	98	119	117	124	108	1019	7.21	H	P

24119073	345	101	89	143	110	98	111	997	7.25	N	P
24119074	359	113	100	147	125	121	122	1087	8.17	N	P
24119075	306	66	34	125	83	84	29	.....	.....	N	F
24119076	356	92	96	126	111	110	99	990	7.5	H	P
24119077	345	114	108	129	112	122	117	1047	7.63	H	P
24118005	....	....	....	....	....	....	81	889	6.58	N	P
24118006	....	75	55	....	59	....	50	.....	.....	N	F
24118014	....	AB	AB	....	....	....	AB	.....	.....	N	F
24118024	....	48	....	....	....	....	NR	.....	.....	N	F
24118034	....	....	AB	....	....	....	....	.....	.....	N	F
24118038	....	....	AB	....	....	....	54	.....	.....	N	F
24118042	....	79	....	....	....	....	83	786	6.08	N	P
24118062	....	....	84	....	....	....	....	854	6.38	N	P
24118064	....	....	....	....	....	....	88	937	6.75	H	P
10118008	....	47	....	AB	AB	....	49	.....	.....	N	F
10118010	....	....	....	....	87	....	....	982	7.25	H	P
10118022	....	57	....	....	AB	....	54	.....	.....	H	F
10118025	....	....	....	....	64	....	....	.....	.....	H	F
10118058	....	....	....	....	92	....	....	986	7.25	H	P
10118061	....	62	92	122	* 75	99	85	.....	.....	N	F
10118069	....	....	....	....	....	....	AB	.....	.....	H	F
10117070	....	....	....	....	77	....	....	907	6.88	N	P
10117009	....	....	....	....	58	....	....	.....	.....	N	F
10117012	....	....	* 76	....	69	....	....	.....	.....	N	F
10117040	254	....	....	127	....	84	....	800	6.29	L	P
10117043	....	....	....	....	52	AB	AB	.....	.....	L	F
10117051	....	....	63	....	....	....	....	.....	.....	N	F
10117055	....	82	89	....	86	101	83	860	6.25	H	P
10117057	....	....	93	....	81	....	....	879	6.79	N	P
10117061	310	....	....	....	AB	....	....	.....	.....	N	F
10117067	....	53	83	....	87	....	....	.....	.....	N	F
10116006	....	....	.....	....	....	....	95	920	6.67	N	P
10116037	....	....	....	....	73	....	....	.....	.....	N	F
10115002	....	....	....	....	NR	AB	....	.....	.....	N	F
10115013	....	....	....	....	....	AB	....	.....	.....	N	F

Ab: Absent

F: Failed

P:Passed

For Paper AR 1701 Marks below 250 and those with \* indicates failure

For Paper AR 1704 Marks below 100 and those with \* indicates failure

For Paper AR 1702, AR 1703, AR 1705, AR 1706 & AR 1707 Marks below 75 and those with \* indicates failure

Controller of Examinations

\* This is a computer generated document. Hence no signature is required.

**കൊച്ചി ശാസ്ത്ര സാങ്കേതിക സർവ്വകലാശാല**  
**COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY**

EV4/614/B.ARCH /TKMSOA /VII SEM(REG&SUPPLE) NOVEMBER 2022( 2014 SCHEME)

27.07.2023

COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY											
RESULT NOTIFICATION											
The following is the Provisional Result of candidates who have appeared for the B. Arch. Degree VII Semester Examination November 2022											
Centre: TKM SCHOOL OF ARCHITECTURE											
Branch: B.Arch.											
REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P/F
	AR 1701	AR 1702	AR 1703	AR 1704	AR 1705	AR 1706	AR 1707				
24119102	287	48	59	110	64	44	41	.....	.....	L	F
24119103	347	92	105	117	98	101	82	942	6.88	N	P
24119104	343	63	69	87	41	60	40	.....	.....	N	F
24119106	350	110	115	148	96	113	113	1045	7.88	H	P
24119107	341	67	* 84	108	42	91	AB	.....	.....	N	F
24119108	377	116	122	168	140	117	129	1169	8.63	H	P
24119110	356	98	101	142	107	101	101	1006	7.58	L	P
24119111	298	76	103	108	87	84	110	866	6.29	L	P
24119112	277	75	101	116	103	96	90	858	6.42	L	P
24119113	317	103	113	148	112	116	117	1026	7.58	L	P
24119114	351	97	112	119	127	115	108	1029	7.67	L	P
24119115	330	75	92	99	65	79	85	.....	.....	N	F
24119116	314	80	* 81	108	32	104	87	.....	.....	N	F
24119117	350	114	123	118	119	126	117	1067	7.88	N	P
24119118	359	105	114	122	113	111	110	1034	7.83	N	P
24119119	360	108	117	136	117	112	107	1057	7.83	H	P
24119120	310	83	89	116	76	76	64	.....	.....	N	F
24119121	319	85	110	128	106	113	110	971	7.29	N	P
24119122	353	102	106	136	123	126	110	1056	7.92	H	P
24119123	415	114	128	146	137	121	131	1192	8.83	H	P
24119124	353	90	110	* 109	100	103	101	.....	.....	N	F
24119125	326	64	* 78	99	79	79	75	.....	.....	N	F
24119126	314	76	95	108	78	87	67	.....	.....	N	F
24119127	360	119	121	147	123	132	138	1140	8.5	H	P
24119128	355	60	94	111	77	89	70	.....	.....	N	F
24119129	314	77	110	109	79	52	79	.....	.....	N	F
24119130	318	75	96	97	75	77	82	.....	.....	L	F



24119131	343	85	118	117	88	104	82	937	6.63	N	P
24119132	352	94	98	119	88	102	111	964	7.08	N	P
24119133	342	91	109	131	102	108	80	963	7.13	N	P
24119134	414	116	120	157	138	131	137	1213	8.92	H	P
24119135	348	90	116	127	103	109	97	990	7.21	N	P
24119136	372	119	116	140	120	120	123	1110	8.29	H	P
24119137	341	107	114	120	121	115	100	1018	7.58	N	P
24119138	361	108	103	134	121	117	122	1066	7.92	N	P
24119139	362	94	114	133	97	116	111	1027	7.58	H	P
24119140	314	75	96	122	59	97	75	.....	.....	N	F
24118103	....	....	AB	.....	50	85	AB	.....	.....	N	F
24118109	.....	.....	.....	118	.....	....	.....	1016	7.46	N	P
24118111	.....	54	49	.....	30	NR	NR	.....	.....	N	F
24118113	.....	.....	.....	.....	86	.....	.....	902	6.83	H	P
24118122	.....	75	.....	.....	.....	.....	61	.....	.....	N	F
24118127	.....	66	.....	.....	.....	.....	77	.....	.....	N	F
24118131	.....	78	81	.....	.....	107	.....	847	6.63	N	P
24118132	.....	75	.....	.....	.....	.....	64	.....	.....	H	F
10118209	.....	.....	.....	.....	33	.....	65	.....	.....	H	F
10118104	.....	NR	85	.....	67	107	64	.....	.....	N	F
10118106	.....	.....	.....	.....	95	.....	.....	953	7.04	H	P
10118108	.....	AB	79	.....	85	.....	AB	.....	.....	N	F
10118110	.....	98	.....	.....	.....	.....	76	908	6.71	H	P
10118114	.....	.....	.....	.....	NR	.....	45	.....	.....	N	F
10118117	.....	.....	.....	.....	99	.....	.....	934	6.75	H	P
10118119	.....	.....	.....	.....	99	.....	.....	990	7.46	H	P
10118122	.....	86	.....	.....	82	.....	77	855	6.38	N	P
10118123	.....	90	.....	.....	.....	.....	.....	845	6.38	N	P
10118125	.....	96	.....	NR	67	.....	91	.....	.....	N	F
10118126	.....	97	.....	.....	65	.....	90	.....	.....	H	F
10118133	.....	....	.....	.....	.....	.....	66	.....	.....	N	F
10118136	.....	.....	.....	.....	.....	.....	91	899	6.71	N	P
10117126	.....	NR	68	.....	54	83	NR	.....	.....	N	F
10117112	.....	.....	.....	.....	60	.....	.....	.....	.....	H	F
10117131	.....	.....	37	.....	AB	AB	83	.....	.....	N	F
10116104	.....	.....	.....	.....	75	.....	.....	797	6.17	N	P
10116113	.....	.....	.....	.....	65	.....	.....	.....	.....	N	F
10116125	.....	.....	.....	.....	100	.....	.....	845	6.21	N	P

Ab: Absent

F: Failed

P:Passed

For Paper AR 1701 Marks below 250 and those with \* indicates failure

For Paper AR 1704 Marks below 100 and those with \* indicates failure

For Paper AR 1702, AR 1703, AR 1705, AR 1706 & AR 1707 Marks below 75 and those with \* indicates failure

Controller of Examinations

\* This is a computer generated document. Hence no signature is required.