



COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY

RESULT NOTIFICATION

Result Publication Date : 22.11.2022

The following is the provisional result of candidates who have appeared for the B. Arch Degree VII Semester Examination November 2021

Centre: Nizar Rahim And Mark School of Architecture Kollam

REG.NO.	MARKS SCORED								GPA	ALC	P / F
	AR 1701	AR 1702	AR 1703	AR 1704	AR 1705	AR 1706	AR 1707	TOTAL			
<u>2018 ADMISSION (Regular)</u>											
24118201	283	93	94	132	112	123	86	923	6.92	N	P
24118202	288	88	106	132	107	126	96	943	7.00	H	P
24118204	306	103	104	159	133	131	105	1041	7.67	H	P
24118205	279	93	90	141	108	108	80	899	7.00	N	P
24118206	297	107	119	152	129	130	103	1037	7.54	H	P
24118207	307	123	107	154	134	135	116	1076	8.13	H	P
24118208	152	97	93	121	111	115	88	N	F
24118209	138	87	92	129	109	110	86	H	F
24118210	277	94	83	114	82	119	79	848	6.29	N	P
24118211	315	105	100	144	115	125	99	1003	7.58	N	P
24118212	322	108	106	152	125	133	111	1057	7.92	H	P
24118213	139	46	66	110	88	88	78	N	F
24118214	278	78	97	135	96	124	92	900	6.75	H	P
24118215	374	120	114	154	126	136	128	1152	8.50	H	P
24118216	287	107	102	144	120	114	99	973	7.33	N	P
24118217	361	119	115	162	135	138	120	1150	8.67	H	P
24118218	319	82	93	134	100	111	81	920	6.88	N	P
24118220	343	106	92	144	106	123	104	1018	7.58	H	P
24118221	293	80	82	111	107	92	80	845	6.33	N	P
24118222	138	57	75	106	81	88	64	N	F
24118223	146	84	87	128	97	88	56	N	F
24118224	285	109	99	154	103	126	108	984	7.25	N	P
24118225	294	81	96	135	98	119	86	909	6.58	N	P
24118226	348	116	110	156	126	134	106	1096	7.92	H	P
24118227	264	85	75	129	97	103	83	836	6.38	N	P
24118228	255	99	98	129	87	113	82	863	6.58	N	P
24118229	298	86	114	138	124	139	129	1028	7.38	H	P
24118230	334	90	89	144	110	123	108	998	7.42	H	P
24118231	272	91	80	133	87	90	84	837	6.38	H	P
24118232	150	75	78	121	104	90	83	N	F
24118233	269	81*	89	122	98	109	110	N	F
24118234	91	38	54	76	55	48	66	N	F
24118235	338	123	93	156	125	134	118	1087	7.92	N	P
24118236	300	89	81	123	106	102	105	906	6.96	N	P
24118237	303	76	94	127	104	104	86	894	6.79	H	P
24118238	311	86	85	142	120	97	87	928	7.08	N	P
24118239	300	88	94	142	117	118	94	953	7.25	H	P

2017 ADMISSION

10118201	128	1085	7.92	H	P
10118204	82	830	6.17	N	P
10118207	68	H	F
10118224	100	928	6.79	H	P
10118227	AB	H	F

2016 ADMISSION

10117204	50	75	63	75	62	N	F
10117205	96	897	6.96	N	P
10117208	AB	86	78	78	L	F
10117211	76	764	6.08	L	P
10117215	81	856	6.38	N	P
10117223	77	752	6.00	N	P
10117225	286	75	76	N	F
10117226	AB	66	75	63	N	F
10117233	101	82	86	792	6.13	L	P
10117234	268	84	55	81	46	L	F
10117235	80	..	82	781	6.21	L	P
10117237	AB	79	..	74	L	F
10117240	AB	77	83	N	F

2015 ADMISSION

10116206	119	802	6.00	L	P
10116208	100	75	746	6.00	N	P
10116215	53	52	87	33	62	50	L	F
10116223	105	89	774	6.00	L	P
10116227	AB	75	..	79	AB	AB	L	F
10116236	41	L	F
10116239	109	N	F

2014 ADMISSION

10115215	84	825	6.33	N	P
10115216	93	829	6.54	N	P

Centre: Marian College Of Architecture & Planning Trivandrum

REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P/F
	AR 1701	AR 1702	AR 1703	AR 1704	AR 1705	AR 1706	AR 1707				

2018 ADMISSION

24118001	353	103	83	140	101	93	102	975	7.33	N	P
24118002	327	62	81	124	102	93	68	N	F
24118003	353	106	65	141	110	95	72	H	F
24118004	363	84	78	137	101	97	84	944	6.96	H	P
24118005	342	80	83	128	92	83	54	N	F
24118006	330	30	34	114	63	75	41	N	F
24118007	332	101	115	152	122	128	120	1070	7.88	N	P
24118008	355	104	102	142	136	118	113	1070	8.00	N	P
24118009	347	92	94	122	117	107	105	984	7.29	N	P
24118011	389	95	87	139	113	119	89	1031	7.29	N	P
24118012	334	95	109	130	104	113	102	987	7.21	H	P
24118013	348	110	87	142	112	118	122	1039	7.54	N	P
24118014	354	41	43	132	97	84	43	N	F
24118015	388	114	96	141	130	119	105	1093	8.00	H	P

24118016	322	100	98	148	121	128	111	1028	7.67	N	P
24118018	294	94	75	130	128	119	82	922	6.83	N	P
24118019	317	93	93	110	107	106	78	904	6.96	N	P
24118021	355	113	106	149	127	116	127	1093	8.21	N	P
24118022	393	112	103	152	134	119	121	1134	8.08	N	P
24118023	328	91	84	134	117	105	92	951	7.08	N	P
24118024	371	31	86	124	105	91	49	N	F
24118025	349	99	103	157	122	116	114	1060	7.58	N	P
24118026	369	115	101	126	122	124	101	1058	7.83	N	P
24118027	346	111	108	138	118	120	101	1042	7.54	N	P
24118028	343	101	79	122	96	101	90	932	6.88	H	P
24118029	319	109	89	143	117	114	92	983	7.38	N	P
24118030	289	97	93	109	95	95	83	861	6.46	N	P
24118031	341	105	87	133	112	116	91	985	7.21	H	P
24118032	383	120	107	163	145	133	112	1163	8.63	H	P
24118033	365	115	100	146	123	128	104	1081	8.00	N	P
24118034	371	87	66	121	101	87	80	N	F
24118035	347	106	85	137	118	109	95	997	7.21	H	P
24118036	335	111	90	131	127	121	100	1015	7.54	H	P
24118037	372	128	101	149	143	133	117	1143	8.33	H	P
24118038	335	86	71	116	80	88	59	N	F
24118039	333	93	93	143	100	115	105	982	7.33	N	P
24118040	367	122	89	146	127	119	106	1076	8.00	N	P
24118041	386	121	100	149	128	116	97	1097	8.04	H	P
24118042	258	48	75	117	76	98	51	N	F
24118043	352	131	98	157	141	131	117	1127	8.33	H	P
24118044	311	94	87	121	119	111	93	936	7.08	N	P
24118045	304	112	102	139	126	125	93	1001	7.54	N	P
24118046	323	121	101	158	95	113	104	1015	7.50	L	P
24118047	332	86	76	143	112	106	95	950	7.13	H	P
24118048	342	84	79	145	99	106	79	934	6.92	N	P
24118049	311	89	83	137	87	113	97	917	6.71	N	P
24118050	328	89	79	147	96	116	82	937	6.92	N	P
24118051	371	114	89	163	120	118	108	1083	8.04	N	P
24118052	396	113	85	147	134	131	104	1110	7.88	N	P
24118053	361	88	85	120	92	101	92	939	7.04	H	P
24118054	351	107	83	148	111	112	100	1012	7.67	N	P
24118055	386	100	82	152	92	110	96	1018	7.42	H	P
24118058	351	103	86	148	106	105	102	1001	7.54	H	P
24118059	338	109	93	130	110	120	113	1013	7.50	H	P
24118060	353	113	97	125	116	123	107	1034	7.79	N	P
24118061	376	111	85	134	114	124	99	1043	7.58	N	P
24118062	313	85	69	115	83	92	82	N	F
24118063	353	95	81	148	96	111	97	981	7.42	N	P
24118064	340	88	76	137	103	105	69	H	F
24118065	322	85	76	120	93	99	83	878	6.67	N	P
24118066	343	124	99	161	129	117	111	1084	8.00	N	P
24118067	360	122	98	156	142	123	127	1128	8.42	H	P
24118068	341	95	80	118	93	109	84	920	6.71	N	P
24118069	336	110	88	136	113	108	112	1003	7.29	H	P

24118070	337	106	94	142	115	113	100	1007	7.50	H	P
24118071	337	100	90	118	113	106	103	967	7.04	N	P
24118072	287	98	82	110	81	102	87	847	6.21	N	P
24118074	340	92	76	127	94	97	86	912	6.79	N	P
24118075	335	108	96	128	100	113	100	980	7.21	N	P
24118076	347	94	89	119	92	106	87	934	6.71	N	P
24118077	322	97	83	123	102	97	81	905	6.79	N	P
24118078	305	98	81	120	107	109	92	912	7.08	N	P

2017 ADMISSION

10118008	AB	68	56	54	N	F
10118012	92	956	7.13	H	P
10118022	*79	H	F
10118034	97	949	7.13	H	P
10118036	95	889	6.71	H	P
10118039	98	994	7.29	H	P
10118043	100	984	7.42	H	P

READMISSION

10117055	AB	AB	AB	AB	AB	H	F
----------	-------	----	----	-------	----	----	----	-------	-------	---	---

2016 ADMISSION

10117003	85	98	832	6.21	N	P
10117005	75	834	6.25	N	P
10117009	75	AB	N	F
10117012	67	55	N	F
10117022	75	833	6.33	N	P
10117026	100	980	7.29	N	P
10117029	88	815	6.25	N	P
10117034	75	92	824	6.38	H	P
10117040	AB	82	AB	L	F
10117043	AB	AB	AB	L	F
10117051	77	55	78	91	N	F
10117057	AB	AB	N	F
10117067	AB	AB	AB	N	F
10117068	115	907	6.79	H	P

2015 ADMISSION

10116006	86	AB	N	F
10116009	75	N	F
10116017	104	909	6.75	H	P
10116032	113	909	6.67	N	P
10116037	124	AB	79	N	F

2014 ADMISSION

10115002	AB	N	F
10115011	69	55	75	N	F
10115033	108	909	6.83	N	P

Centre: TKM School of Architecture Kollam

REG.NO.	MARKS SCORED							TOTAL	GPA	ALC	P/F
	AR 1701	AR 1702	AR 1703	AR 1704	AR 1705	AR 1706	AR 1707				

2018 ADMISSION(REGULAR)

24118101	333	100	101	140	90	95	88	947	7.08	H	P
24118102	361	105	110	123	90	103	79	971	7.46	H	P

24118103	320	90	42	101	24	52	33	N	F
24118104	361	107	116	138	122	96	112	1052	7.88	N	P
24118105	334	100	114	136	124	113	98	1019	7.46	H	P
24118106	336	94	106	128	102	111	91	968	7.21	N	P
24118107	342	122	119	140	125	130	127	1105	8.13	H	P
24118108	328	82	86	133	98	95	84	906	6.67	N	P
24118109	351	111	102	76	118	99	117	N	F
24118110	360	95	111	148	128	130	114	1086	8.08	N	P
24118111	311	40	53	108	47	39	48	N	F
24118112	343	97	109	128	81	110	79	947	7.00	N	P
24118113	357	88	79	122	38	95	75	H	F
24118114	340	78	97	135	100	85	79	914	6.71	N	P
24118115	332	75	100	133	128	105	97	970	7.21	H	P
24118116	340	79	98	118	97	109	93	934	6.79	N	P
24118117	327	100	96	135	125	87	98	968	7.17	N	P
24118118	331	75	81	137	95	111	75	905	6.75	N	P
24118119	336	89	90	121	97	97	115	945	6.96	N	P
24118120	332	97	102	127	98	120	114	990	7.25	H	P
24118121	333	91	98	118	107	108	93	948	7.04	N	P
24118122	325	66	75	131	81	81	50	N	F
24118123	335	95	100	132	131	114	93	1000	7.33	H	P
24118124	346	91	94	120	89	82	75	897	6.71	H	P
24118125	320	96	103	133	77	104	86	919	6.79	H	P
24118126	330	100	108	128	118	119	97	1000	7.33	H	P
24118127	310	53	81	122	86	79	67	N	F
24118129	329	128	107	144	135	125	107	1075	8.17	H	P
24118130	329	96	112	130	98	109	86	960	7.13	N	P
24118131	309	51	62	121	75	63	76	N	F
24118132	333	64	94	126	81	93	66	H	F
24118133	323	106	98	137	93	107	80	944	7.13	N	P
24118134	347	82	97	124	81	91	94	916	6.75	H	P
24118135	338	132	118	136	131	135	127	1117	8.04	H	P
24118136	338	116	116	146	99	130	123	1068	7.75	N	P
24118137	338	121	115	132	107	127	109	1049	7.75	H	P
24118138	340	130	116	152	132	133	127	1130	8.13	H	P
24118139	337	114	97	130	108	126	108	1020	7.50	H	P
READMISSION(2017 ADMISSION)											
10118209	321	77	77	122	28	80	59	H	F
READMISSION (2016 ADMISSION)											
10117103	259	AB	AB	AB	AB	AB	AB	N	F
2017 ADMISSION											
10118101	101	952	7.21	N	P
10118104	73	AB	*75	AB	N	F
10118105	107	979	7.38	H	P
10118106	74	98	H	F
10118107	81	867	6.63	N	P
10118109	94	981	7.46	H	P

10118110	AB	AB	H	F
10118114	65	N	F
10118115	81	852	6.50	N	P
10118117	73	H	F
10118119	70	100	H	F
10118123	87	77	N	F
10118125	*78	AB	112	66	N	F
10118126	AB	149	AB	93	70	H	F
10118127	101	98	959	7.38	N	P
10118130	107	897	6.79	H	P
10118133	93	AB	N	F
10118136	AB	N	F
READMISSION(2016 ADMISSION)											
10117105	100	81	83	866	6.58	N	P
10117126	AB	AB	AB	N	F
2016 ADMISSION											
10117101	80	824	6.25	N	P
10117112	36	H	F
10117116	323	899	6.67	N	P
10117117	82	800	6.00	N	P
10117120	79	772	6.08	N	P
10117124	87	913	6.83	N	P
10117125	101	868	6.58	N	P
10117131	48	27	AB	AB	N	F
10117132	143	77	811	6.42	H	P
2015 ADMISSION											
10116104	121	65	N	F
10116113	113	43	N	F
10116115	AB	N	F
10116121	78	859	6.58	N	P
10116125	63	N	F

Ab: Absent

F: Failed

P:Passed


For Paper AR 1701 Marks below 250 and those with * indicates failure

For Paper AR 1704 Marks below 100 and those with * indicates failure

For Paper AR 1702, AR 1703, AR 1705, AR 1706 & AR 1707 Marks below 75 and those with * indicates

Kochi -22

Date: 22 /11/2022



CONTROLLER OF EXAMINATIONS

Disclaimer: The results published in the site are for immediate information to the examinees. This cannot be treated as original marksheet. CUSAT is not responsible for any inadvertent error that may have crept in the results published in the site. Original mark sheets will be issued by the Controller of examinations.